

CRANE COB LED

DETAILED CARD



TECHNICAL PARAMETERS

Nominal power [W] - range:	5W COB - 1W SMD
Luminous flux of the luminaire [lm] - range:	620 - 120
Supply voltage [V]:	5
Frequency [Hz]:	50 - 60
Luminous efficacy [lm/W]:	90
Energy efficiency class:	G
Electrical protection class:	III
Dimensions (H/W/T/S) [mm]:	61/41.5/340

CHARACTERISTICS

- Light source: 5W COB LED + 1W SMD LED (top)
- Luminous flux: 5W COB - 620lm, 1W SMD - 120lm
- Torchlight function
- Strong magnet in base
- Protection class: III
- Retractable rotating hook in handle
- Complete with 1.5m charging cable with C socket
- Weight: 0,30 kg
- Li-Ion 3,7V 2200mAh battery
- Lamp covered with rubber
- Charging time: 3H
- Working time: 3H (high option), 5,5H (low option)
- Indicator of battery state
- Elastic joint +/- 120°

APPLICATION

CRANE COB LED

DETAILED CARD

TECHNICAL PARAMETERS TABLE

Index:	334764	Diffuser material:	PC
EAN:	5905963334764	Diffuser type:	transparent
Nominal power [W] - range:	5W COB - 1W SMD	Colour of the body:	black
Light source:	5W COB LED + 1W SMD LED (upper)	Dimensions (H/W/T/S) [mm]:	61/41.5/340
Luminous flux of the luminaire [lm] - range:	620 - 120	Plug type:	UNI-SCHUKO
Supply voltage [V]:	5	Ingress protection:	IP44
Frequency [Hz]:	50 - 60	Working temperature [°C]:	from -20 to +35
Energy efficiency class:	G	Switch:	yes
Electrical protection class:	III	Magnet:	yes
Charging time [h:min]:	3.00	Net weight [kg]:	0.300
Colour temperature [K]:	6500	Accessories included:	Complete with 1.5m charging cable with C socket
Battery life [h:min]:	3	Warranty [years]:	2
Colour rendering index:	>80	Warranty [years]:	2
Battery:	Li-Ion 3,7V	CE certificate:	282/2023
Battery capacity [mAh]:	2600	Manual:	Download PDF

Card creation date: 09 December 2024

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 282/2023