

# PROFI SLIM LINE LED KIT 4X14W WITH POWER SUPPLY

DETAILED CARD



## TECHNICAL PARAMETERS

Nominal power [W]:	56
Colour temperature [K]:	4000
Luminous flux [lm]*:	7000
Supply voltage [V]:	220 - 240
Luminous efficacy [lm/W]:	125
Ingress protection:	IP65
Impact resistance:	IK10
Electrical protection class:	III
Colour rendering index:	80
Diffuser material:	PC

## CHARACTERISTICS

PROFI SLIM LINE LED is an innovative luminaire that provides a strong luminous flux, incomparably higher than in traditional fluorescent lamps. The luminaire is characterized by a compact structure (its diameter is only 20mm), thanks to which it will effectively fit into the mounting location. Luminaires are offered in selected sets with a dedicated mounting system (mounting brackets or magnets) and integrated with an easy-to-connect wiring system, connectors, and power supply. Thanks to this, you can easily create a connection configuration, and the installation of the luminaire system is intuitively simple and fast. Standardly available in sets: 2, 4, and 6 pieces.

Optional:  
- color temperature: 3000K, 5700K,  
- any sets.

## APPLICATION

The luminaire is especially recommended for lighting car lifts, workshops, machines, and industrial surfaces.

# PROFI SLIM LINE LED KIT 4X14W WITH POWER SUPPLY

DETAILED CARD

## TECHNICAL PARAMETERS TABLE

Index:	378898	Colour of the body:	black
EAN:	5905963378898	Dimensions (H/W/T/S) [mm]:	ø20/1160
Nominal power [W]:	56	Working temperature [°C]:	from -20 to +35
Luminous flux [lm]:	7000	Plug type:	UNI-SCHUKO
Colour temperature [K]:	4000	Wire type:	H07RN-F
Supply voltage [V]:	220 - 240	Cable length [m]:	2
Frequency [Hz]:	50 - 60	Accessories included:	mounting brackets
Ingress protection:	IP65	Net weight [kg]:	3.300
Impact resistance:	IK10	Warranty [years]:	5
Electrical protection class:	III	Additional accessories:	Uchwyty magnetyczne
Colour rendering index:	80	Photobiological safety:	Risk Group 1 (no photobiological hazard under normal behavioral limitation)
SDCM:	≤ 3	CE certificate:	<a href="#">286/2023</a>
Beam angle [°]:	120	Warranty [years]:	5
Diffuser material:	PC	Manual:	<a href="#">Download PDF</a>
Diffuser type:	transparent		

# PROFI SLIM LINE LED KIT 4X14W WITH POWER SUPPLY

DETAILED CARD

## ACCESSORIES AVAILABLE

index	Name
378751	PROFI SLIM LINE LED MAGNETIC HOLDER



PROFI SLIM LINE LED MAGNETIC  
HOLDER (378751)

Card creation date:14 February 2022

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%

 This product is a subject to electric andelectronic waste equipment regulations (WEEE).

 Certificate CE - Nr: 286/2023

 **LENA**  
LIGHTING

Lena Lighting S.A.  
ul. Kórnicka 52, 63-000 Środa Wielkopolska  
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl