

# PROFI SLIM LINE LED KIT 4X14W WITH POWER SUPPLY

DETAILED CARD



## TECHNICAL PARAMETERS

<b>Nominal power [W]:</b>	56
<b>Colour temperature [K]:</b>	4000
<b>Luminous flux [lm]*:</b>	7000
<b>Supply voltage [V]:</b>	220 - 240
<b>Luminous efficacy [lm/W]:</b>	125
<b>Ingress protection:</b>	IP65
<b>Impact resistance:</b>	IK10
<b>Electrical protection class:</b>	III
<b>Colour rendering index:</b>	>80
<b>Diffuser material:</b>	PC

## CHARACTERISTICS

PROFI SLIM LINE LED is an innovative luminaire that provides a strong luminous flux, incomparably higher than in traditional fluorescent lamps. The luminaire is characterized by a compact structure (its diameter is only 20mm), thanks to which it will effectively fit into the mounting location. Luminaires are offered in selected sets with a dedicated mounting system (mounting brackets or magnets) and integrated with an easy-to-connect wiring system, connectors, and power supply. Thanks to this, you can easily create a connection configuration, and the installation of the luminaire system is intuitively simple and fast. Standardly available in sets: 2, 4, and 6 pieces.

Optional:

- color temperature: 3000K, 5700K,
- any sets.

## APPLICATION

The luminaire is especially recommended for lighting car lifts, workshops, machines, and industrial surfaces.

# PROFI SLIM LINE LED KIT 4X14W WITH POWER SUPPLY

DETAILED CARD

## TECHNICAL PARAMETERS TABLE

<b>Index:</b>	378898	<b>Colour of the body:</b>	black
<b>EAN:</b>	5905963378898	<b>Dimensions (H/W/T/S) [mm]:</b>	ø20/1160
<b>Nominal power [W]:</b>	56	<b>Working temperature [°C]:</b>	from -20 to +35
<b>Luminous flux [lm]:</b>	7000	<b>Plug type:</b>	UNI-SCHUKO
<b>Colour temperature [K]:</b>	4000	<b>Wire type:</b>	H07RN-F
<b>Supply voltage [V]:</b>	220 - 240	<b>Cable length [m]:</b>	2
<b>Frequency [Hz]:</b>	50 - 60	<b>Accessories included:</b>	mounting brackets
<b>Ingress protection:</b>	IP65	<b>Net weight [kg]:</b>	3.300
<b>Impact resistance:</b>	IK10	<b>Warranty [years]:</b>	5
<b>Electrical protection class:</b>	III	<b>Additional accessories:</b>	Uchwyty magnetyczne
<b>Colour rendering index:</b>	>80	<b>Photobiological safety:</b>	Risk Group 1 (no photobiological hazard under normal behavioral limitation)
<b>SDCM:</b>	≤ 3	<b>CE certificate:</b>	<a href="#">286/2023</a>
<b>Beam angle [°]:</b>	120	<b>Warranty [years]:</b>	5
<b>Diffuser material:</b>	PC	<b>Manual:</b>	<a href="#">Download PDF</a>
<b>Diffuser type:</b>	transparent		

# PROFI SLIM LINE LED KIT 4X14W WITH POWER SUPPLY

DETAILED CARD

## ACCESSORIES AVAILABLE

index	Name
378751	PROFI SLIM LINE LED MAGNETIC HOLDER



PROFI SLIM LINE LED MAGNETIC  
HOLDER (378751)

Card creation date: 14 February 2022

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 286/2023