

# HEAD MULTI LED

DETAILED CARD



## TECHNICAL PARAMETERS

<b>Light source:</b>	LED module
<b>Rated power of the luminaire [W]*:</b>	10
<b>Luminous flux [lm]*:</b>	500
<b>Electrical protection class:</b>	III
<b>Colour temperature [K]:</b>	6500
<b>Battery life [h:min]:</b>	6
<b>Battery:</b>	Li-Polymer 3,7V
<b>Battery capacity [mAh]:</b>	1500
<b>Diffuser material:</b>	PC
<b>Diffuser type:</b>	matt

## CHARACTERISTICS

Headlamp with charger is a practical solution for people who value convenience and smart technology. The Lena Lighting headlamp can be turned on by hand movement (motion sensor), which allows to automate the moment of activation of the equipment. As a result, a person working with gloves has no problem turning the headlamp on or off. The lamp is also equipped with a non-slip strap, so that it perfectly adheres to the skin or hair. In addition, the lamp offers the possibility to detach the illuminating part from the strap and use it as an independent light source.

## APPLICATION

Lighting for professionals working in construction or workshops, but also runners concerned about safety during training.

# HEAD MULTI LED

DETAILED CARD

## TECHNICAL PARAMETERS TABLE

<b>Index:</b>	334498
<b>EAN:</b>	5905963334498
<b>Light source:</b>	LED module
<b>Rated power of the luminaire [W]:</b>	10
<b>Luminous flux [lm]:</b>	500
<b>Electrical protection class:</b>	III
<b>Colour temperature [K]:</b>	6500
<b>Charging time [h:min]:</b>	4.5
<b>Battery life [h:min]:</b>	6
<b>Battery:</b>	Li-Polymer 3,7V
<b>Battery capacity [mAh]:</b>	1500

<b>Diffuser material:</b>	PC
<b>Diffuser type:</b>	matt
<b>Diffuser colour:</b>	white
<b>Colour of the body:</b>	czarno-zielony
<b>Dimensions (H/W/T/S) [mm]:</b>	99/50/61
<b>Impact resistance:</b>	IK10
<b>Ingress protection:</b>	IP40
<b>Switch:</b>	yes
<b>Magnet:</b>	yes
<b>Net weight [kg]:</b>	0.120

Card creation date: 24 November 2022

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 199/2023