

# INDO LED PLX 34W 3000K

DETAILED CARD



## TECHNICAL PARAMETERS

Index:	380235
Ingress protection:	IP20
Impact resistance:	IK07
Nominal power [W]:	34
Luminous flux [lm]*:	3000
Colour rendering index:	>80
SDCM:	≤ 3
Energy efficiency class:	F
Material of the body:	powder coated steel
Diffuser material:	PMMA

## CHARACTERISTICS

Recessed mounted square luminaire with an integrated energy-saving LED GO! light source. Powder-coated steel body. The lens diffuser is made of perforated metal sheet. It provides comfortable and soft light.

## APPLICATION

A versatile indoor luminaire designed for office rooms and areas of general public use. Suitable as a general light source for all sorts of work that require optical focus. Dedicated for new applications and as a replacement of traditional T8 and T5 tube luminaires with energy-saving LED lamps.


# INDO LED PLX 34W 3000K

## DETAILED CARD

### TECHNICAL PARAMETERS TABLE

Index:	380235	Optics material:	PMMA
Light source:	LED module	Material of the body:	powder coated steel
Nominal power [W]:	34	Colour of the body:	grey
Rated power of the luminaire [W]:	34	Dimensions (H/W/T/S) [mm]:	595/595/105
Supply voltage [V]:	220-240	Impact resistance:	IK07
Frequency [Hz]:	50 - 60	Ingress protection:	IP20
Luminous flux [lm]:	3000	Mounting version:	recessed
Luminous efficacy [lm/W]:	88	Working temperature [°C]:	from -20 to +35
Energy efficiency class:	F	Net weight [kg]:	3.750
Electrical protection class:	I	Warranty [years]:	5
Colour temperature [K]:	3000	CE certificate:	<a href="#">35/2016</a>
Colour rendering index:	>80	EAN:	5905963380235
SDCM:	≤ 3	Category type:	louvres
Power factor:	0.95	ETIM class:	EC002892
LED lifespan L70B50 [h]:	50000	Photobiological safety:	Risk Group 1 (no photobiological hazard under normal behavioral limitation)
Diffuser material:	PMMA	Manual:	<a href="#">Download PDF</a>
Diffuser type:	OPAL		

### LIGHT CURVES



# INDO LED PLX 34W 3000K

DETAILED CARD

## ACCESSORIES AVAILABLE

index	Name
999543	Plasterboard recessing kit 630x630 white



Plasterboard recessing kit 630x630 white (999543)

Card creation date: 06 December 2018

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%

 This product is a subject to electric and electronic waste equipment regulations (WEEE).

 Certificate CE - Nr: 35/2016