ROUND LED HV 210MM 570LM 830 PIR BIAŁY KRATKA (5W)

DETAILED CARD





| Index: | 948060 |
|--------------------------|--------|
| Ingress protection: | IP44 |
| Impact resistance: | IK06 |
| Nominal power [W]: | 5 |
| Luminous flux [lm]*: | 570 |
| Colour temperature [K]: | 3000 |
| SDCM: | ≤ 4 |
| Energy efficiency class: | F |
| Material of the body: | PP |
| Diffuser material: | glass |
| | |

CHARACTERISTICS

Surface mounted, round LED luminaire with an integrated, energy-saving LED GO! panel with high luminous efficacy and ingress protection of IP44. The base is available in white, black and gray. It was made of polypropylene and the diffuser is made of prismatic glass. The luminaire is available with a presence detector (PIR).

APPLICATION

Round, surface mounted luminaire for mounting on ceilings and walls; intended for indoor use (rooms with high humidity, passageways and staircases, sewers and basements) as well as outdoor use (industrial facade lighting, parking lots).



ROUND LED HV 210MM 570LM 830 PIR BIAŁY KRATKA (5W)

DETAILED CARD

TECHNICAL PARAMETERS TABLE

| Light source: | LED module |
|-----------------------------------|------------|
| Nominal power [W]: | 5 |
| Rated power of the luminaire [W]: | 7.10 |
| Supply voltage [V]: | 220-240 |
| Frequency [Hz]: | 50 - 60 |
| Luminous flux [Im]: | 570 |
| Luminous efficacy [lm/W]: | 80 |
| Energy efficiency class: | F |
| Electrical protection class: | 1 |
| Colour temperature [K]: | 3000 |
| Colour rendering index: | >80 |
| SDCM: | ≤ 4 |
| Power factor: | 0.99 |
| Diffuser material: | glass |
| Diffuser type: | PRM |
| Material of the body: | PP |
| Colour of the body: | white |

| Dimensions (H/W/T/S) [mm]: | ø210/245/105 |
|---------------------------------|----------------------------|
| Impact resistance: | IK06 |
| Ingress protection: | IP44 |
| Mounting version: | surface |
| Working temperature [°C]: | from 0 to +25 |
| PIR: | yes |
| Net weight [kg]: | 0.820 |
| CE certificate: | 16/2018 |
| Index: | 948060 |
| EAN: | 5905963948060 |
| Category type: | bulkheads |
| Category of application: | parkings and bicycle paths |
| Version: | grid |
| Luminaire rated power 0min [W]: | 7.10 |
| Warranty [years]: | 5 |
| Manual: | Download PDF |

Card creation date: 12 May 2020



