

MAGNUM FUTURE LITE 78W I KL. OCHR. Z GNIAZDEM DK

DETAILED CARD



TECHNICAL PARAMETERS

| | |
|-------------------------------------|---------|
| Ingress protection: | IP44 |
| Impact resistance: | IK10 |
| Nominal power [W]: | 78 |
| Colour temperature [K]: | 4000 |
| Luminous flux [lm]*: | 9500 |
| Supply voltage [V]: | 220-240 |
| Electrical protection class: | I |
| Material of the body: | PP |
| Colour of the body: | green |
| Diffuser material: | PC |

CHARACTERISTICS

Compact and light LED floodlight for professional use. It provides uniform and stable directional lighting. Luminaire made of impact-resistant polypropylene (PP). Anti-glare diffuser which, despite the matt surface, transmits up to 80% of the light emitted by the diodes. It is equipped with a multi-position arm with a tilt lock of the housing, handles for cable winding and an ergonomic carrying handle.

APPLICATION

The family of durable and handy MAGNUM FUTURE LED XL luminaires has been designed to illuminate larger areas.

MAGNUM FUTURE LITE 78W I KL. OCHR. Z GNIAZDEM DK

DETAILED CARD

TECHNICAL PARAMETERS TABLE

| | | | |
|------------------------------|------------|----------------------------|------------------------------|
| Light source: | LED module | Material of the body: | PP |
| Nominal power [W]: | 78 | Colour of the body: | green |
| Colour temperature [K]: | 4000 | Ingress protection: | IP44 |
| Luminous flux [lm]: | 9500 | Dimensions (H/W/T/S) [mm]: | 300/480/75 |
| Plug type: | DK | Impact resistance: | IK10 |
| Supply voltage [V]: | 220-240 | Net weight [kg]: | 3.400 |
| Socket type: | DK | Index: | 406331 |
| Electrical protection class: | I | Category type: | workplace floodlights |
| Sockets: | 1 | Warranty [years]: | 2 |
| Beam angle [°]: | 120 | Manual: | Download PDF |
| Cable length [m]: | 3 | Energy efficiency class: | D |
| Diffuser material: | PC | ETIM class: | EC000346 |
| Diffuser type: | frozen | | |

MAGNUM FUTURE LITE 78W I KL. OCHR. Z GNIAZDEM DK

DETAILED CARD

ACCESSORIES AVAILABLE

| index | Name |
|--------|--|
| 000737 | FUTURE STAND Tripod with Click Head System |
| 000720 | Standard tripod |



FUTURE STAND Tripod with Click Head System (000737)



Standard tripod (000720)

Card creation date: 08 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 139/2023



Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl