
# MAGNUM FUTURE 20W 120ST 24V TRAFO

DETAILED CARD



## TECHNICAL PARAMETERS

| | |
|---|---|
| **Index:** | 248474 |
| **Ingress protection:** | IP44 |
| **Impact resistance:** | IK10 |
| **Nominal power [W]:** | 20 |
| **Colour temperature [K]:** | 4000 |
| **Luminous flux [lm]*:** | 2300 |
| **Supply voltage [V]:** | 24 |
| **Electrical protection class:** | III |
| **Material of the body:** | PP |
| **Colour of the body:** | grey |

## CHARACTERISTICS

Compact and light LED floodlight for professional use. It provides uniform and stable directional lighting. Made of impact-resistant polipropylene (PP). Anti-glare diffuser which transmits up to 80% of the light emitted by the diodes. The smaller size and compact design make it convenient to transport. It is equipped with a movable, multi-position arm also acting as a hook. Multi-purpose mounting bracket included.
It can be mounted on a Future Stand, significantly increasing the range and comfort of use.

## APPLICATION

It can be used as a workplace luminaire to illuminate workplaces, workshops or garages.

# MAGNUM FUTURE 20W 120ST 24V TRAFO

DETAILED CARD

## TECHNICAL PARAMETERS TABLE

| | | | |
|---|---|---|---|
| **Light source:** | LED module | **Ingress protection:** | IP44 |
| **Nominal power [W]:** | 20 | **Plug type:** | TRAFO |
| **Colour temperature [K]:** | 4000 | **Cable length [m]:** | 3 |
| **Luminous flux [lm]:** | 2300 | **Net weight [kg]:** | 0.900 |
| **Supply voltage [V]:** | 24 | **Index:** | 248474 |
| **Electrical protection class:** | III | **Category type:** | workplace floodlights |
| **Beam angle [°]:** | 120 | **Dimensions (H/W/T/S) [mm]:** | 192/193/123 |
| **Diffuser material:** | PC | **Energy efficiency class:** | D |
| **Diffuser type:** | frozen | **ETIM class:** | EC000347 |
| **Material of the body:** | PP | **CE certificate:** | 173/2023 |
| **Colour of the body:** | grey | **Manual:** | Download PDF |
| **Impact resistance:** | IK10 | | |

# MAGNUM FUTURE 20W 120ST 24V TRAFO


DETAILED CARD

## ACCESSORIES AVAILABLE

| index | Name |
|---|---|
| 000737 | FUTURE STAND Tripod with Click Head System |
| 000720 | Standard tripod |



FUTURE STAND Tripod with Click Head System (000737)



Standard tripod (000720)

Card creation date: 08 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%

This product is a subject to electric andelectronic waste equipment regulations (WEEE).

Certificate CE - Nr: 173/2023

LENA LIGHTING

Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl