

MAGNUM FUTURE 20W 45 ST Z GNIAZDEM DK

DETAILED CARD



TECHNICAL PARAMETERS

| | |
|-------------------------------------|---------|
| Index: | 248764 |
| Ingress protection: | IP44 |
| Impact resistance: | IK10 |
| Nominal power [W]: | 20 |
| Colour temperature [K]: | 4000 |
| Luminous flux [lm]*: | 2300 |
| Supply voltage [V]: | 220-240 |
| Electrical protection class: | I |
| Material of the body: | PP |
| Colour of the body: | grey |

CHARACTERISTICS

Compact and light LED floodlight for professional use. It provides uniform and stable directional lighting. Made of impact-resistant polipropylene (PP). Anti-glare diffuser which transmits up to 80% of the light emitted by the diodes. The smaller size and compact design make it convenient to transport. It is equipped with a movable, multi-position arm also acting as a hook. Multi-purpose mounting bracket included.

It can be mounted on a Future Stand, significantly increasing the range and comfort of use.

APPLICATION

It can be used as a workplace luminaire to illuminate workplaces, workshops or garages.

MAGNUM FUTURE 20W 45 ST Z GNIAZDEM DK

DETAILED CARD

TECHNICAL PARAMETERS TABLE

| | | | |
|------------------------------|------------|----------------------------|------------------------------|
| Nominal power [W]: | 20 | Material of the body: | PP |
| Light source: | LED module | Ingress protection: | IP44 |
| Colour temperature [K]: | 4000 | Colour of the body: | grey |
| Luminous flux [lm]: | 2300 | Impact resistance: | IK10 |
| Plug type: | DK | Net weight [kg]: | 1 |
| Supply voltage [V]: | 220-240 | Index: | 248764 |
| Socket type: | DK | Category type: | workplace floodlights |
| Electrical protection class: | I | Dimensions (H/W/T/S) [mm]: | 192/193/123 |
| Sockets: | 1 | Energy efficiency class: | D |
| Beam angle [°]: | 45 | ETIM class: | EC000347 |
| Cable length [m]: | 3 | CE certificate: | 173/2023 |
| Diffuser material: | PC | Manual: | Download PDF |
| Diffuser type: | frozen | | |

MAGNUM FUTURE 20W 45 ST Z GNIAZDEM DK

DETAILED CARD

ACCESSORIES AVAILABLE

| index | Name |
|--------|--------------------------------------------|
| 000737 | FUTURE STAND Tripod with Click Head System |
| 000720 | Standard tripod |



FUTURE STAND Tripod with Click Head System (000737)



Standard tripod (000720)

Card creation date: 08 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 173/2023



Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl