

MAGNUM FUTURE ACCU 20W

DETAILED CARD



TECHNICAL PARAMETERS

Index:	248511
Ingress protection:	IP54/20
Impact resistance:	IK10
Nominal power [W]:	20
Colour temperature [K]:	4000
Luminous flux [lm]*:	2000
Supply voltage [V]:	220-240
Energy efficiency class:	E
Electrical protection class:	II
Material of the body:	PP

CHARACTERISTICS

Compact and light LED floodlight for professional use. It provides uniform and stable directional lighting. Luminaire made of impact-resistant polipropylene (PP). Anti-glare diffuser made of polycarbonate (PC) transmits up to 80% of the light emitted by the diodes. It is equipped with a multi-position arm with a tilt lock of the housing, handles for cable winding and an ergonomic carrying handle.

It can be mounted on a Future Stand, significantly increasing the range and comfort of use.

APPLICATION

It can be used as a workplace luminaire to illuminate workplaces, workshops or garages.

MAGNUM FUTURE ACCU 20W

DETAILED CARD

TECHNICAL PARAMETERS TABLE

Nominal power [W]:	20	Diffuser type:	frozen
Light source:	LED module	Diffuser colour:	white
Colour temperature [K]:	4000	Material of the body:	PP
Rated power of the luminaire [W]:	21	Colour of the body:	grey
Luminous flux [lm]:	2000	Dimensions (H/W/T/S) [mm]:	192/193/123
Beam angle [°]:	120	Impact resistance:	IK10
Supply voltage [V]:	220-240	Ingress protection:	IP54/20
Frequency [Hz]:	50 - 60	Working temperature [°C]:	from 0 to +25
Cable length [m]:	2	Wire type:	PCV
Switch:	1	Net weight [kg]:	1.100
Energy efficiency class:	E	Warranty [years]:	2
Electrical protection class:	II	Index:	248511
Colour rendering index:	>80	EAN:	5905963248511
SDCM:	≤ 3	Category type:	workplace floodlights
Battery:	Li-Ion 18,5V	LED lifespan L70B50 [h]:	50000
Battery capacity [mAh]:	2000	ETIM class:	EC000347
Diffuser material:	PC	Manual:	Download PDF

MAGNUM FUTURE ACCU 20W

DETAILED CARD

ACCESSORIES AVAILABLE

index	Name
000737	FUTURE STAND Tripod with Click Head System
000720	Standard tripod
315039	Set of magnets for Magnum XS (2 pcs.)



FUTURE STAND Tripod with Click Head System (000737)



Standard tripod (000720)

Card creation date: 04 August 2021

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 174/2023



Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl