# OPRAWA MASZYNOWA TYPE 101 LED 12W PC EVO 695MM CABLE LENGTH 5M SCHUCKO 1700LM 4000K

DETAILED CARD



## TECHNICAL PARAMETERS

| | |
|---|---|
| **Light source:** | LED module |
| **Rated power of the luminaire [W]*:** | 13 |
| **Colour temperature [K]:** | 4000 |
| **Luminous efficacy [lm/W]:** | 127 |
| **Supply voltage [V]:** | 220 - 240 |
| **Electrical protection class:** | I |
| **Energy efficiency class:** | D |
| **Color rendering index (Ra) >:** | 80 |

## CHARACTERISTICS

- Power: 13W, 14W, 26W or 40W
- Light source: LED
- High ingress protection class IP54
- Made of painted frozen polycarbonate
- Designed for series connecting

## APPLICATION

Thanks to its various functions, the lamp is ideal for illuminating car lifts, ducts, machines, workplaces, etc. High luminous flux and maximum degree of impact resistance are especially important for lighting the workplace. High degree of tightness allows for its use in the most difficult weather conditions. Numerous accessories provide a wide range of mounting possibilities so as to precisely direct the light beam leaving the worker's hands free.

# OPRAWA MASZYNOWA TYPE 101 LED 12W PC EVO 695MM CABLE LENGTH 5M SCHUCKO 1700LM 4000K

DETAILED CARD

## TECHNICAL PARAMETERS TABLE

| | |
|---|---|
| **Light source:** | LED module |
| **Rated power of the luminaire [W]:** | 13 |
| **Supply voltage [V]:** | 220 - 240 |
| **Frequency [Hz]:** | 50 - 60 |
| **Luminous flux [lm]:** | 1694 |
| **Energy efficiency class:** | D |
| **Electrical protection class:** | I |
| **Colour temperature [K]:** | 4000 |
| **Color rendering index (Ra) >:** | 80 |
| **SDCM:** | 3 |
| **Power factor:** | 0.95 |
| **LED lifespan L70B50 [h]:** | 100000 |
| **Beam angle [°]:** | 120 |

| | |
|---|---|
| **Surge protection [kV]:** | 2 |
| **Diffuser material:** | PC |
| **Diffuser type:** | transparent |
| **Material of the body:** | sheet steel + PC |
| **Impact resistance:** | IK10 |
| **Ingress protection:** | IP54 |
| **Wire type:** | H05RN-F |
| **Net weight [kg]:** | 1.420 |
| **Warranty [years]:** | 5 |
| **CE certificate:** | 284/2023 |
| **Manual:** | Download PDF |
| **Index:** | 888809 |
| **EAN:** | 5905963888809 |

# OPRAWA MASZYNOWA TYPE 101 LED 12W PC EVO 695MM CABLE LENGTH 5M SCHUCKO 1700LM 4000K

DETAILED CARD

## ACCESSORIES AVAILABLE

| index | Name |
|---|---|
| 899140 | Mounting holder for the TYPE 101 lamp |



Mounting holder for the TYPE 101 lamp (899140)



The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%

This product is a subject to electric andelectronic waste equipment regulations (WEEE).

Certificate CE - Nr: 284/2023

LENA LIGHTING

Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl