# **HANDY FUTURE LED**

**DETAILED CARD** 







### **HANDY FUTURE LED**

**DETAILED CARD** 

#### **TECHNICAL PARAMETERS**

Light source: LED

Rated power of the luminaire [W]\*: 3

Colour temperature [K]: 6500

**Diffuser colour:** transparent

Material of the body: TPR

Colour of the body: green

**Dimensions (H/W/T/S) [mm]:** 155/40/20

#### **CHARACTERISTICS**

The manual LED luminaire is a proposal for people working in a car workshop, mobile service center, garage, or on a construction site. Professionals and DIY enthusiasts alike will benefit from the functionality of the LED hand-held luminaire - everyone for whom good lighting is important during work or hobby. The luminaire is characterized by high durability, a strong light beam, and a long working time, which allows you to focus on the task. At the same time, the emitted light is pleasant to the eyes, and the energy-saving LED technology itself.

• Light source: 3 W COB LED + 3 W LED

Luminous flux: 60 and 150 lmStrong magnet in the base

• Durable casing

• Dimensions: 155x40x20 mm

• 2 lighting modes

• Ingress protection class: IP20

Rotatable hookCharging time: 3,5 hLighting time: 2,5 h

· Indicator of the battery charging state

#### **APPLICATION**

It is used as a working luminaire for lighting workplaces, workshops, or garages.



## **HANDY FUTURE LED**

**DETAILED CARD** 

#### **TECHNICAL PARAMETERS TABLE**

Index:	608551
EAN:	5905963608551
Light source:	LED
Rated power of the luminaire [W]:	3
Colour temperature [K]:	6500
Battery:	3.7V 18650 1200mAh
Battery capacity [mAh]:	1200
Surge protection [kV]:	2
Diffuser colour:	transparent

Material of the body:	TPR
Colour of the body:	green
Dimensions (H/W/T/S) [mm]:	155/40/20
Ingress protection:	IP20
Working temperature [°C]:	from -20 to +35
Net weight [kg]:	0.130
Warranty [years]:	2
CE certificate:	<u>197/2023</u>
Manual:	Download PDF

Card creation date: 06 August 2021

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%

