

HANDY FUTURE LED

DETAILED CARD



HANDY FUTURE LED

DETAILED CARD

TECHNICAL PARAMETERS

Light source:	LED
Rated power of the luminaire [W]*:	3
Colour temperature [K]:	6500
Diffuser colour:	transparent
Material of the body:	TPR
Colour of the body:	green
Dimensions (H/W/T/S) [mm]:	155/40/20

CHARACTERISTICS

The manual LED luminaire is a proposal for people working in a car workshop, mobile service center, garage, or on a construction site. Professionals and DIY enthusiasts alike will benefit from the functionality of the LED hand-held luminaire - everyone for whom good lighting is important during work or hobby. The luminaire is characterized by high durability, a strong light beam, and a long working time, which allows you to focus on the task. At the same time, the emitted light is pleasant to the eyes, and the energy-saving LED technology itself.

- Light source: 3 W COB LED + 3 W LED
- Luminous flux: 60 and 150 lm
- Strong magnet in the base
- Durable casing
- Dimensions: 155x40x20 mm
- 2 lighting modes
- Ingress protection class: IP20
- Rotatable hook
- Charging time: 3,5 h
- Lighting time: 2,5 h
- Indicator of the battery charging state

APPLICATION

It is used as a working luminaire for lighting workplaces, workshops, or garages.

HANDY FUTURE LED

DETAILED CARD

TECHNICAL PARAMETERS TABLE

Index:	608551	Material of the body:	TPR
EAN:	5905963608551	Colour of the body:	green
Light source:	LED	Dimensions (H/W/T/S) [mm]:	155/40/20
Rated power of the luminaire [W]:	3	Ingress protection:	IP20
Colour temperature [K]:	6500	Working temperature [°C]:	from -20 to +35
Battery:	3.7V 18650 1200mAh	Net weight [kg]:	0.130
Battery capacity [mAh]:	1200	Warranty [years]:	2
Surge protection [kV]:	2	CE certificate:	197/2023
Diffuser colour:	transparent	Manual:	Download PDF