

# HANDY MULTI LED

---

DETAILED CARD



# HANDY MULTI LED

---

DETAILED CARD

## TECHNICAL PARAMETERS

---

|   |                      |
|---|----------------------|
| <b>Ingress protection:</b>                | IP40                 |
| <b>Rated power of the luminaire [W]*:</b> | 5                    |
| <b>Colour temperature [K]:</b>            | 6500                 |
| <b>Diffuser colour:</b>                   | transparent          |
| <b>Material of the body:</b>              | PC + TPR + Aluminium |
| <b>Colour of the body:</b>                | green                |
| <b>Dimensions (H/W/T/S) [mm]:</b>         | 150/48/39            |

## CHARACTERISTICS

---

The manual LED luminaire is a proposal for people working in a car workshop, mobile service center, garage, or on a construction site. Professionals and DIY enthusiasts alike will benefit from the functionality of the LED hand-held luminaire - everyone for whom good lighting is important during work or hobby. The luminaire is characterized by high durability, a strong light beam, and a long working time, which allows you to focus on the task. At the same time, the emitted light is pleasant to the eyes, and the energy-saving LED technology itself.

- Light source: 5 W COB LED + 2 x 3 W LED
- Luminous flux: 240 and 400 lm
- Strong magnet in the base
- Durable casing
- Dimensions: 150x48x39 mm
- 2 lighting modes
- Ingress protection class: IP40
- Charging time: 3,5 h
- Lighting time: 2,5 - 4 h
- Stepless dimming and brightening

## APPLICATION

---

It is used as a working luminaire for lighting workplaces, workshops, or garages.

# HANDY MULTI LED

DETAILED CARD

## TECHNICAL PARAMETERS TABLE

|  |                           |                                   |                              |
|--|---------------------------|-----------------------------------|------------------------------|
| <b>Index:</b>                            | 608568                    | <b>Colour of the body:</b>        | green                        |
| <b>EAN:</b>                              | 5905963608568             | <b>Dimensions (H/W/T/S) [mm]:</b> | 150/48/39                    |
| <b>Light source:</b>                     | LED                       | <b>Ingress protection:</b>        | IP40                         |
| <b>Rated power of the luminaire [W]:</b> | 5                         | <b>Working temperature [°C]:</b>  | from -20 to +35              |
| <b>Colour temperature [K]:</b>           | 6500                      | <b>Net weight [kg]:</b>           | 0.210                        |
| <b>Battery:</b>                          | Li-ion 3,7V 18650 2000mAh | <b>CE certificate:</b>            | <a href="#">195/2023</a>     |
| <b>Battery capacity [mAh]:</b>           | 2000                      | <b>Warranty [years]:</b>          | 2                            |
| <b>Diffuser colour:</b>                  | transparent               | <b>Manual:</b>                    | <a href="#">Download PDF</a> |
| <b>Material of the body:</b>             | PC + TPR + Aluminium      |                                   |                              |

Card creation date: 06 August 2021

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 195/2023