

# HANDY MULTI LED

DETAILED CARD



# HANDY MULTI LED

## DETAILED CARD

### TECHNICAL PARAMETERS

Ingress protection:	IP40
Rated power of the luminaire [W]*:	5
Colour temperature [K]:	6500
Diffuser colour:	transparent
Material of the body:	PC + TPR + Aluminium
Colour of the body:	green
Dimensions (H/W/T/S) [mm]:	150/48/39

### CHARACTERISTICS

The manual LED luminaire is a proposal for people working in a car workshop, mobile service center, garage, or on a construction site. Professionals and DIY enthusiasts alike will benefit from the functionality of the LED hand-held luminaire - everyone for whom good lighting is important during work or hobby. The luminaire is characterized by high durability, a strong light beam, and a long working time, which allows you to focus on the task. At the same time, the emitted light is pleasant to the eyes, and the energy-saving LED technology itself.

- Light source: 5 W COB LED + 2 x 3 W LED
- Luminous flux: 240 and 400 lm
- Strong magnet in the base
- Durable casing
- Dimensions: 150x48x39 mm
- 2 lighting modes
- Ingress protection class: IP40
- Charging time: 3,5 h
- Lighting time: 2,5 - 4 h
- Stepless dimming and brightening

### APPLICATION

It is used as a working luminaire for lighting workplaces, workshops, or garages.

# HANDY MULTI LED

DETAILED CARD

## TECHNICAL PARAMETERS TABLE

Index:	608568	Colour of the body:	green
EAN:	5905963608568	Dimensions (H/W/T/S) [mm]:	150/48/39
Light source:	LED	Ingress protection:	IP40
Rated power of the luminaire [W]:	5	Working temperature [°C]:	from -20 to +35
Colour temperature [K]:	6500	Net weight [kg]:	0.210
Battery:	Li-ion 3,7V 18650 2000mAh	CE certificate:	<a href="#">195/2023</a>
Battery capacity [mAh]:	2000	Warranty [years]:	2
Diffuser colour:	transparent	Manual:	<a href="#">Download PDF</a>
Material of the body:	PC + TPR + Aluminium		

Card creation date: 06 August 2021  
The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%

 This product is a subject to electric and electronic waste equipment regulations (WEEE).

 Certificate CE - Nr: 195/2023



Lena Lighting S.A.  
ul. Kórnicka 52, 63-000 Środa Wielkopolska  
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: [hello@lenalighting.pl](mailto:hello@lenalighting.pl), [www.lenalighting.pl](http://www.lenalighting.pl)