HANDY MULTI LED

DETAILED CARD







HANDY MULTI LED

DETAILED CARD

TECHNICAL PARAMETERS

Ingress protection: IP40

Rated power of the luminaire [W]*: 5

Colour temperature [K]: 6500

Diffuser colour: transparent

Material of the body: PC + TPR + Aluminium

Colour of the body: green

Dimensions (H/W/T/S) [mm]: 150/48/39

CHARACTERISTICS

The manual LED luminaire is a proposal for people working in a car workshop, mobile service center, garage, or on a construction site. Professionals and DIY enthusiasts alike will benefit from the functionality of the LED hand-held luminaire - everyone for whom good lighting is important during work or hobby. The luminaire is characterized by high durability, a strong light beam, and a long working time, which allows you to focus on the task. At the same time, the emitted light is pleasant to the eyes, and the energy-saving LED technology itself.

• Light source: 5 W COB LED + 2 x 3 W LED

Luminous flux: 240 and 400 lmStrong magnet in the base

· Durable casing

• Dimensions: 150x48x39 mm

• 2 lighting modes

• Ingress protection class: IP40

Charging time: 3,5 hLighting time: 2,5 - 4 h

· Stepless dimming and brightening

APPLICATION

It is used as a working luminaire for lighting workplaces, workshops, or garages.



HANDY MULTI LED

DETAILED CARD

TECHNICAL PARAMETERS TABLE

Index:	608568
EAN:	5905963608568
Light source:	LED
Rated power of the luminaire [W]:	5
Colour temperature [K]:	6500
Battery:	Li-ion 3,7V 18650 2000mAh
Battery capacity [mAh]:	2000
Diffuser colour:	transparent
Material of the body:	PC + TPR + Aluminium

Colour of the body:	green
Dimensions (H/W/T/S) [mm]:	150/48/39
Ingress protection:	IP40
Working temperature [°C]:	from -20 to +35
Net weight [kg]:	0.210
CE certificate:	195/2023
Warranty [years]:	2
Manual:	Download PDF

Card creation date: 06 August 2021

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



Certificate CE - Nr: 195/2023