



## TECHNICAL PARAMETERS

<b>Ingress protection:</b>	IP20
<b>Impact resistance:</b>	IK07
<b>Nominal power [W]:</b>	30.00
<b>Luminous flux [lm]*:</b>	2400 - 2600
<b>Colour temperature [K]:</b>	3000; 4000
<b>Colour rendering index:</b>	>80
<b>SDCM:</b>	≤ 3
<b>Energy efficiency class:</b>	A; F
<b>Material of the body:</b>	powder coated steel
<b>Diffuser material:</b>	powder coated steel
<b>Diffuser type:</b>	perforated
<b>Mounting version:</b>	recessed
<b>Dimensions (H/W/T/S) [mm]:</b>	595/595/105;

## CHARACTERISTICS

Recessed mounted square luminaire with an integrated energy-saving LED light source. Powder-coated steel body. The lens diffuser is made of perforated metal sheet. It provides comfortable and soft light. UGR < 19.

## APPLICATION

A versatile indoor luminaire designed for office rooms and areas of general public use. Suitable as a general light source for all sorts of work that require optical focus. Dedicated for new applications and as a replacement of traditional T8 and T5 tube luminaires with energy-saving LED lamps.

# INDO LED

GENERAL CARD

## AVAILABLE VERSIONS




Click index >>, to see details

INDO LED 595/595/105mm

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Dimensions (H/W/T/S) [mm]	Energy efficiency class	Index
30	4000	2600		595/595/105	F	<a href="#">&gt;&gt; 380099</a>
30	3000	2400		595/595/105	A	<a href="#">&gt;&gt; 380181</a>
30	3000	2400	yes	595/595/105	F	<a href="#">&gt;&gt; 380242</a>
30	4000	2600	yes	595/595/105	A	<a href="#">&gt;&gt; 380150</a>

## LUMINOUS INTENSITY DISTRIB. CURVE




INDO LED P1 30W 4000K

## GENERAL CARD

### ACCESSORIES AVAILABLE

index	Name
	Plasterboard recessing kit 630x630 white (steel version)



Plasterboard recessing kit 630x630  
white (steel version) (999543)

Card creation date: 31 July 2024

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 29/2015