

POINT LED

GENERAL CARD



TECHNICAL PARAMETERS

| | |
|-----------------------------------|------------|
| Ingress protection: | IP44 |
| Impact resistance: | IK07 |
| Nominal power [W]: | 8.00 |
| Luminous flux [lm]*: | 770 - 930 |
| Colour temperature [K]: | 3000; 4000 |
| SDCM: | ≤ 3 |
| Energy efficiency class: | D; E |
| Material of the body: | PP |
| Diffuser material: | glass |
| Diffuser type: | OPAL; PRM |
| Mounting version: | surface |
| Dimensions (H/W/T/S) [mm]: | ø230/90; |

CHARACTERISTICS

Surface-mounted, round LED light fixture with high luminous flux, ingress protection class IP44 and an integrated energy-saving light source LED. White base made of polypropylene; opal or prismatic glass diffuser. Available with a radio motion sensor (RCR).

APPLICATION

surface mounted luminaire for mounting on ceilings and walls; intended both for indoor (maintenance rooms, passageways) and outdoor use (façade lighting). The version with a radio motion sensor (RCR) is particularly well-suited to be used as a light source for public rooms and buildings (civic buildings, apartment buildings).

POINT LED

GENERAL CARD

AVAILABLE VERSIONS




Click index >>, to see details

| Nominal power [W] | Colour temperature [K] | Luminous flux [lm]* | Diffuser type | Motion sensor | Energy efficiency class | Index |
|-------------------|------------------------|---------------------|---------------|---------------|-------------------------|---------------------------------|
| 8 | 3000 | 770 | OPAL | | E | >> 225116 |
| 8 | 4000 | 810 | OPAL | | E | >> 225123 |
| 8 | 3000 | 770 | OPAL | yes | E | >> 225246 |
| 8 | 4000 | 810 | OPAL | yes | E | >> 225253 |
| 8 | 3000 | 850 | PRM | | E | >> 225130 |
| 8 | 4000 | 930 | PRM | | D | >> 225147 |
| 8 | 3000 | 850 | PRM | yes | E | >> 225222 |
| 8 | 4000 | 930 | PRM | yes | D | >> 225239 |


POINT LED

GENERAL CARD

LUMINOUS INTENSITY DISTRIB. CURVE



Point LED 8W OPAL 4000K



POINT LED 8W PRM 4000K

Card creation date: 19 March 2025

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 403/2023; 77/2013