

# POINT LED

GENERAL CARD



## TECHNICAL PARAMETERS

<b>Ingress protection:</b>	IP44
<b>Impact resistance:</b>	IK07
<b>Nominal power [W]:</b>	8.00
<b>Luminous flux [lm]*:</b>	770 - 930
<b>Colour temperature [K]:</b>	3000; 4000
<b>SDCM:</b>	≤ 3
<b>Energy efficiency class:</b>	D; E
<b>Material of the body:</b>	PP
<b>Diffuser material:</b>	glass
<b>Diffuser type:</b>	OPAL; PRM
<b>Mounting version:</b>	surface
<b>Dimensions (H/W/T/S) [mm]:</b>	ø230/90;

## CHARACTERISTICS

Surface-mounted, round LED light fixture with high luminous flux, ingress protection class IP44 and an integrated energy-saving light source LED. White base made of polypropylene; opal or prismatic glass diffuser. Available with a radio motion sensor (RCR).

## APPLICATION

surface mounted luminaire for mounting on ceilings and walls; intended both for indoor (maintenance rooms, passageways) and outdoor use (façade lighting). The version with a radio motion sensor (RCR) is particularly well-suited to be used as a light source for public rooms and buildings (civic buildings, apartment buildings).

# POINT LED

GENERAL CARD

## AVAILABLE VERSIONS




Click index >>, to see details

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Motion sensor	Energy efficiency class	Index
8	3000	770	OPAL		E	<a href="#">&gt;&gt; 225116</a>
8	4000	810	OPAL		E	<a href="#">&gt;&gt; 225123</a>
8	3000	770	OPAL	yes	E	<a href="#">&gt;&gt; 225246</a>
8	4000	810	OPAL	yes	E	<a href="#">&gt;&gt; 225253</a>
8	3000	850	PRM		E	<a href="#">&gt;&gt; 225130</a>
8	4000	930	PRM		D	<a href="#">&gt;&gt; 225147</a>
8	3000	850	PRM	yes	E	<a href="#">&gt;&gt; 225222</a>
8	4000	930	PRM	yes	D	<a href="#">&gt;&gt; 225239</a>


# POINT LED

GENERAL CARD

## LUMINOUS INTENSITY DISTRIB. CURVE



Point LED 8W OPAL 4000K



POINT LED 8W PRM 4000K

Card creation date: 10 January 2025

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 403/2023; 77/2013



Lena Lighting S.A.  
ul. Kórnicka 52, 63-000 Środa Wielkopolska  
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl