

# CORAL LED

---

GENERAL CARD



## TECHNICAL PARAMETERS

---

<b>Ingress protection:</b>	IP44
<b>Impact resistance:</b>	IK10
<b>Nominal power [W]:</b>	10.00
<b>Luminous flux [lm]*:</b>	760 - 970
<b>Colour temperature [K]:</b>	3000; 4000
<b>SDCM:</b>	≤ 3
<b>Energy efficiency class:</b>	G
<b>Material of the body:</b>	PP
<b>Diffuser type:</b>	OPAL
<b>Mounting version:</b>	surface
<b>Dimensions (H/W/T/S) [mm]:</b>	ø260/108;

## CHARACTERISTICS

---

Ceiling lights for ceiling or wall mounting. Luminaire design allows surface and concealed installation. The unique design allows replacement of the LED GO! (light source) module without having to replace the entire luminaire. Integrated design for easy installation. Surface-mounted luminaire allows cable termination.

## APPLICATION

---

Suspended mounting board allows quick installation. Removable mounting board available on request as a service kit. Surface wiring. Holes for connection with surface installation, through-wiring possible.

# CORAL LED

GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

### CORAL LED

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Ring colour	Motion sensor	Emergency lighting [h]	Dimensions (H/W/T/S) [mm]	Index
10	3000	800	OPAL				ø260/108	<a href="#">&gt;&gt; 229794</a>
10	4000	860	OPAL				ø260/108	<a href="#">&gt;&gt; 229725</a>
10	3000	800	OPAL		yes		ø260/108	<a href="#">&gt;&gt; 229817</a>
10	4000	860	OPAL		yes		ø260/108	<a href="#">&gt;&gt; 229749</a>


### CORAL LED white

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Ring colour	Motion sensor	Emergency lighting [h]	Dimensions (H/W/T/S) [mm]	Index
10	3000	760	OPAL	white			ø260/108	<a href="#">&gt;&gt; 229855</a>
10	3000	900	OPAL	white		3	ø260/108	<a href="#">&gt;&gt; 229985</a>
10	4000	970	OPAL	white		3	ø260/108	<a href="#">&gt;&gt; 229954</a>
10	3000	760	OPAL	white	yes		ø260/108	<a href="#">&gt;&gt; 229893</a>
10	4000	820	OPAL	white	yes		ø260/108	<a href="#">&gt;&gt; 229909</a>

# CORAL LED

GENERAL CARD

## LUMINOUS INTENSITY DISTRIB. CURVE



CORAL LED

# CORAL LED

GENERAL CARD

## ACCESSORIES AVAILABLE

index	Name
229831	CORAL- 10W service kit 10W 3000K
229770	CORAL- 10W service kit 10W 4000K
229848	CORAL- 10W service kit 10W RCR 3000K
229787	CORAL- 10W service kit 10W RCR 4000K
229763	CORAL - flush-mounting support



CORAL- 10W service kit 10W 3000K (229831)



CORAL- 10W service kit 10W 4000K (229770)



CORAL- 10W service kit 10W RCR 3000K (229848)



CORAL- 10W service kit 10W RCR 4000K (229787)



CORAL - flush-mounting support (229763)

Card creation date: 09 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%

 This product is a subject to electric and electronic waste equipment regulations (WEEE).

 Certificate CE - Nr: 46/2014