

# CAPELLA LED PLUS

GENERAL CARD



## TECHNICAL PARAMETERS

<b>Ingress protection:</b>	IP54; IP65
<b>Impact resistance:</b>	IK06; IK07
<b>Nominal power [W]:</b>	11.00; 15.00; 26.00
<b>Luminous flux [lm]*:</b>	950 - 2450
<b>Colour temperature [K]:</b>	3000; 4000
<b>SDCM:</b>	≤ 3; ≤ 4
<b>Energy efficiency class:</b>	E; F
<b>Material of the body:</b>	ABS
<b>Ring material:</b>	ABS
<b>Diffuser material:</b>	PC
<b>Diffuser type:</b>	OPAL
<b>Optics material:</b>	PMMA
<b>Optics:</b>	lens
<b>Mounting version:</b>	surface
<b>Dimensions (H/W/T/S) [mm]:</b>	340/105; 320/105;

## CHARACTERISTICS

CAPELLA LED is a wide line of luminaires combining high aesthetic values and lighting parameters. The body has been made from ABS and the frosted diffuser from impact-resistant polycarbonate (PC). A multitude of versions makes it possible to adapt the luminaire to many non-standard applications.

Luminaires of the PLUS variant line are fitted with branded components of recognized global manufacturers. It features extended life and warranty, increased light efficiency and optimal use of electricity (Power Factor).

This ceiling fixture is also available in the following variants:

- with a radio motion sensor.
- with a PIR presence detector,
- with DALI control,
- with CORRIDOR function (DALI + RCR),
- with Master / Slave RCR motion sensor (wireless),
- with emergency module,
- with very high ingress protection IP65,
- with ANTIVANDAL protection.

## APPLICATION

Surface-mounted wall or ceiling luminaire intended for indoor use (utility rooms, staircases, circulation routes). It is also available in a version with an RF motion detector which is especially recommended for use in spaces open to the public.

# CAPELLA LED PLUS

## GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

### CAPELLA LED PLUS BOX

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	EDGE/BOX Colour	Ring colour	Version	PIR	Motion sensor	Master/slave	Corridor function	DIMM DALI	Vandalproof	Emergency lighting [h]	Dimensions (H/W/T/S) [mm]	Index
11	3000	1040	white		BOX								320/105	<a href="#">&gt;&gt; 949463</a>
11	3000	1040	white		BOX						yes		320/105	<a href="#">&gt;&gt; 950865</a>
11	4000	1120	white		BOX								320/105	<a href="#">&gt;&gt; 949104</a>
11	4000	1120	white		BOX						yes		320/105	<a href="#">&gt;&gt; 950872</a>
15	3000	1550	white		BOX								320/105	<a href="#">&gt;&gt; 949470</a>
15	3000	1550	white		BOX						yes		320/105	<a href="#">&gt;&gt; 950889</a>
15	4000	1650	white		BOX						yes		320/105	<a href="#">&gt;&gt; 950896</a>
15	4000	1650	white		BOX								320/105	<a href="#">&gt;&gt; 949111</a>

### CAPELLA LED PLUS BOX RING

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	EDGE/BOX Colour	Ring colour	Version	PIR	Motion sensor	Master/slave	Corridor function	DIMM DALI	Vandalproof	Emergency lighting [h]	Dimensions (H/W/T/S) [mm]	Index
11	3000	1040	anthracite	anthracite	BOX RING								340/105	<a href="#">&gt;&gt; 6</a>
11	3000	1040	white	white	BOX RING								340/105	<a href="#">&gt;&gt; 9</a>
11	4000	1120	white	white	BOX RING								340/105	<a href="#">&gt;&gt; 9</a>
11	3000	1040	white	white	BOX RING						yes		320/105	<a href="#">&gt;&gt; 9</a>
11	4000	1120	white	white	BOX RING						yes		320/105	<a href="#">&gt;&gt; 9</a>
15	3000	1550	white	white	BOX RING								340/105	<a href="#">&gt;&gt; 9</a>
15	4000	1650	white	white	BOX RING								340/105	<a href="#">&gt;&gt; 9</a>
15	3000	1550	white	white	BOX RING						yes		320/105	<a href="#">&gt;&gt; 9</a>
15	4000	1650	white	white	BOX RING						yes		320/105	<a href="#">&gt;&gt; 9</a>

### CAPELLA LED PLUS BOX RING IP65

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	EDGE/BOX Colour	Ring colour	Version	PIR	Motion sensor	Master/slave	Corridor function	DIMM DALI	Vandalproof	Emergency lighting [h]	Dimensions (H/W/T/S) [mm]
11	4000	1120	anthracite	anthracite	BOX RING IP65								340/105
11	3000	1040	white	white	BOX RING IP65								340/105
11	4000	1120	white	white	BOX RING IP65								340/105
15	3000	1550	white	white	BOX RING IP65								340/105
15	4000	1650	white	white	BOX RING IP65								340/105

# CAPELLA LED PLUS

## GENERAL CARD

### CAPELLA LED PLUS EDGE BOX

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	EDGE/BOX Colour	Ring colour	Version	PIR	Motion sensor	Master/slave	Corridor function	DIMM DALI	Vandalproof	Emergency lighting [h]	Dimensions (H/W/T/S) [mm]	Index
11	4000	1020	white		EDGE BOX						yes		320/105	<a href="#">&gt;&gt; 950</a>
11	3000	950	white		EDGE BOX						yes		320/105	<a href="#">&gt;&gt; 950</a>
11	4000	1020	white		EDGE BOX							3	320/105	<a href="#">&gt;&gt; 949</a>
11	4000	1020	white		EDGE BOX					yes			320/105	<a href="#">&gt;&gt; 949</a>
11	4000	1020	white		EDGE BOX		yes		yes	yes			320/105	<a href="#">&gt;&gt; 949</a>
11	4000	1020	white		EDGE BOX		yes	master					320/105	<a href="#">&gt;&gt; 948</a>
11	4000	1020	white		EDGE BOX		yes	master/slave					320/105	<a href="#">&gt;&gt; 948</a>
11	4000	1020	white		EDGE BOX		yes	slave					320/105	<a href="#">&gt;&gt; 948</a>
11	4000	1020	white		EDGE BOX		yes	slave/dim					320/105	<a href="#">&gt;&gt; 948</a>
11	4000	1020	white		EDGE BOX								320/105	<a href="#">&gt;&gt; 949</a>
11	4000	1020	anthracite		EDGE BOX								320/105	<a href="#">&gt;&gt; 659</a>
11	4000	1020	white		EDGE BOX	yes							320/105	<a href="#">&gt;&gt; 948</a>
11	4000	1020	white		EDGE BOX		yes						320/105	<a href="#">&gt;&gt; 949</a>
11	3000	950	white		EDGE BOX								320/105	<a href="#">&gt;&gt; 949</a>
11	3000	950	white		EDGE BOX	yes							320/105	<a href="#">&gt;&gt; 948</a>
11	3000	950	white		EDGE BOX		yes						320/105	<a href="#">&gt;&gt; 949</a>
11	3000	950	white		EDGE BOX							3	320/105	<a href="#">&gt;&gt; 949</a>
11	3000	950	white		EDGE BOX					yes			320/105	<a href="#">&gt;&gt; 949</a>
11	3000	950	white		EDGE BOX		yes		yes	yes			320/105	<a href="#">&gt;&gt; 949</a>
11	3000	950	white		EDGE BOX		yes	master					320/105	<a href="#">&gt;&gt; 948</a>
11	3000	950	white		EDGE BOX		yes	master/slave					320/105	<a href="#">&gt;&gt; 948</a>
11	3000	950	white		EDGE BOX		yes	slave					320/105	<a href="#">&gt;&gt; 948</a>
11	3000	950	white		EDGE BOX		yes	slave/dim					320/105	<a href="#">&gt;&gt; 948</a>
15	3000	1400	white		EDGE BOX						yes		320/105	<a href="#">&gt;&gt; 950</a>
15	4000	1450	white		EDGE BOX						yes		320/105	<a href="#">&gt;&gt; 950</a>
15	3000	1400	white		EDGE BOX							3	320/105	<a href="#">&gt;&gt; 949</a>
15	3000	1400	white		EDGE BOX		yes		yes	yes			320/105	<a href="#">&gt;&gt; 949</a>
15	3000	1400	white		EDGE BOX		yes	master					320/105	<a href="#">&gt;&gt; 948</a>
15	3000	1400	white		EDGE BOX		yes	master/slave					320/105	<a href="#">&gt;&gt; 948</a>
15	3000	1400	white		EDGE BOX		yes	slave					320/105	<a href="#">&gt;&gt; 948</a>
15	3000	1400	white		EDGE BOX		yes	slave/dim					320/105	<a href="#">&gt;&gt; 948</a>
15	4000	1500	white		EDGE BOX							3	320/105	<a href="#">&gt;&gt; 949</a>
15	4000	1500	white		EDGE BOX					yes			320/105	<a href="#">&gt;&gt; 949</a>
15	4000	1500	white		EDGE BOX		yes		yes	yes			320/105	<a href="#">&gt;&gt; 949</a>
15	4000	1500	white		EDGE BOX		yes	master					320/105	<a href="#">&gt;&gt; 948</a>
15	4000	1500	white		EDGE BOX		yes	master/slave					320/105	<a href="#">&gt;&gt; 948</a>

# CAPELLA LED PLUS

## GENERAL CARD

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	EDGE/BOX Colour	Ring colour	Version	PIR	Motion sensor	Master/slave	Corridor function	DIMM DALI	Vandalproof	Emergency lighting [h]	Dimensions (H/W/T/S) [mm]	Index
15	4000	1500	white		EDGE BOX		yes	slave					320/105	<a href="#">&gt;&gt; 948</a>
15	4000	1500	white		EDGE BOX		yes	slave/dim					320/105	<a href="#">&gt;&gt; 948</a>
15	3000	1400	white		EDGE BOX								320/105	<a href="#">&gt;&gt; 949</a>
15	3000	1400	white		EDGE BOX	yes							320/105	<a href="#">&gt;&gt; 948</a>
15	3000	1400	white		EDGE BOX		yes						320/105	<a href="#">&gt;&gt; 949</a>
15	4000	1500	white		EDGE BOX								320/105	<a href="#">&gt;&gt; 949</a>
15	4000	1500	white		EDGE BOX	yes							320/105	<a href="#">&gt;&gt; 948</a>
15	4000	1500	white		EDGE BOX		yes						320/105	<a href="#">&gt;&gt; 949</a>
26	3000	2300	white		EDGE BOX								320/105	<a href="#">&gt;&gt; 953</a>
26	3000	2300	white		EDGE BOX		yes						320/105	<a href="#">&gt;&gt; 953</a>
26	4000	2450	white		EDGE BOX							3	320/105	<a href="#">&gt;&gt; 953</a>
26	4000	2450	white		EDGE BOX								320/105	<a href="#">&gt;&gt; 953</a>
26	4000	2450	white		EDGE BOX	yes							320/105	<a href="#">&gt;&gt; 953</a>
26	4000	2450	white		EDGE BOX		yes						320/105	<a href="#">&gt;&gt; 953</a>

## CAPELLA LED PLUS EDGE BOX RING

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	EDGE/BOX Colour	Ring colour	Version	PIR	Motion sensor	Master/slave	Corridor function	DIMM DALI	Vandalproof	Emergency lighting [h]	Dimensions (H/W/T/S) [mm]
11	3000	950	anthracite	anthracite	EDGE BOX RING								340/105
11	4000	1020	white	white	EDGE BOX RING							3	340/105
11	4000	1020	white	white	EDGE BOX RING					yes			340/105
11	4000	1020	white	white	EDGE BOX RING		yes		yes	yes			340/105
11	4000	1020	white	white	EDGE BOX RING		yes	master					340/105
11	4000	1020	white	white	EDGE BOX RING		yes	master/slave					340/105
11	4000	1020	white	white	EDGE BOX RING		yes	slave					340/105
11	4000	1020	white	white	EDGE BOX RING		yes	slave/dim					340/105
11	4000	1020	white	white	EDGE BOX RING								340/105
11	4000	1020	white	white	EDGE BOX RING	yes							340/105
11	4000	1020	white	white	EDGE BOX RING		yes						340/105
11	3000	950	white	white	EDGE BOX RING								340/105
11	3000	950	white	white	EDGE BOX RING	yes							340/105
11	3000	950	white	white	EDGE BOX RING		yes						340/105
11	3000	950	white	white	EDGE BOX RING							3	340/105
11	3000	950	white	white	EDGE BOX RING					yes			340/105
11	3000	950	white	white	EDGE BOX RING		yes		yes	yes			340/105
11	3000	950	white	white	EDGE BOX RING		yes	master					340/105
11	3000	950	white	white	EDGE BOX RING		yes	master/slave					340/105
11	3000	950	white	white	EDGE BOX RING		yes	slave					340/105

# CAPELLA LED PLUS

## GENERAL CARD

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	EDGE/BOX Colour	Ring colour	Version	PIR	Motion sensor	Master/slave	Corridor function	DIMM DALI	Vandalproof	Emergency lighting [h]	Dimensions (H/W/T/S) [mm]
11	3000	950	white	white	EDGE BOX RING		yes	slave/dim					340/105
11	4000	1020	white	white	EDGE BOX RING						yes		320/105
11	3000	950	white	white	EDGE BOX RING						yes		320/105
15	3000	1400	anthracite	anthracite	EDGE BOX RING								340/105
15	4000	1500	anthracite	anthracite	EDGE BOX RING								340/105
15	3000	1400	white	white	EDGE BOX RING							3	340/105
15	3000	1400	white	white	EDGE BOX RING					yes			340/105
15	3000	1400	white	white	EDGE BOX RING		yes		yes	yes			340/105
15	3000	1400	white	white	EDGE BOX RING		yes	master					340/105
15	3000	1400	white	white	EDGE BOX RING		yes	master/slave					340/105
15	3000	1400	white	white	EDGE BOX RING		yes	slave					340/105
15	3000	1400	white	white	EDGE BOX RING		yes	slave/dim					340/105
15	4000	1500	white	white	EDGE BOX RING							3	340/105
15	4000	1500	white	white	EDGE BOX RING					yes			340/105
15	4000	1500	white	white	EDGE BOX RING		yes		yes	yes			340/105
15	4000	1500	white	white	EDGE BOX RING		yes	master					340/105
15	4000	1500	white	white	EDGE BOX RING		yes	master/slave					340/105
15	4000	1500	white	white	EDGE BOX RING		yes	slave					340/105
15	4000	1500	white	white	EDGE BOX RING		yes	slave/dim					340/105
15	3000	1400	white	white	EDGE BOX RING								340/105
15	3000	1400	white	white	EDGE BOX RING	yes							340/105
15	3000	1400	white	white	EDGE BOX RING		yes						340/105
15	4000	1500	white	white	EDGE BOX RING								340/105
15	4000	1500	white	white	EDGE BOX RING	yes							340/105
15	4000	1500	white	white	EDGE BOX RING		yes						340/105
15	3000	1400	white	white	EDGE BOX RING						yes		320/105
15	4000	1450	white	white	EDGE BOX RING						yes		320/105
26	4000	2450	anthracite	anthracite	EDGE BOX RING								340/105
26	3000	2300	white	white	EDGE BOX RING								340/105
26	3000	2300	white	white	EDGE BOX RING		yes						340/105
26	4000	2450	white	white	EDGE BOX RING							3	340/105
26	4000	2450	white	white	EDGE BOX RING								340/105
26	4000	2450	white	white	EDGE BOX RING	yes							340/105
26	4000	2450	white	white	EDGE BOX RING		yes						340/105

# CAPELLA LED PLUS

## GENERAL CARD


### CAPELLA LED PLUS EDGE BOX RING IP65

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	EDGE/BOX Colour	Ring colour	Version	PIR	Motion sensor	Master/slave	Corridor function	DIMM DALI	Vandalproof	Emergency lighting [h]	Dimension: (H/W/T/S) [mm]
11	4000	1020	white	white	EDGE BOX RING IP65								340/105
11	3000	950	white	white	EDGE BOX RING IP65								340/105
15	3000	1400	white	white	EDGE BOX RING IP65								340/105
15	4000	1500	white	white	EDGE BOX RING IP65								340/105
26	4000	2450	white	white	EDGE BOX RING IP65								340/105


# CAPELLA LED PLUS

GENERAL CARD

## LUMINOUS INTENSITY DISTRIB. CURVE



CAPELLA LED PLUS



CAPELLA LED PLUS EDGE

Card creation date: 17 February 2025

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 119/2018; 373/2023; 374/2023



Lena Lighting S.A.  
ul. Kórnicka 52, 63-000 Środa Wielkopolska  
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl