

CAPELLA LED PLUS Z

GENERAL CARD



TECHNICAL PARAMETERS

Light source:	LED module
Ingress protection:	IP20
Nominal power [W]:	11.00; 15.00
Luminous flux [lm]*:	950 - 1650
Colour temperature [K]:	3000; 4000
SDCM:	≤ 3
Energy efficiency class:	E; F
Material of the body:	ABS
Diffuser material:	PC
Diffuser type:	OPAL
Optics material:	PMMA
Optics:	lens
Mounting version:	suspended
Dimensions (H/W/T/S) [mm]:	320/177/2200;

CHARACTERISTICS

CAPELLA LED is a wide line of luminaires combining high aesthetic values and lighting parameters. The body has been made from ABS and the frosted diffuser from impact-resistant polycarbonate (PC). A multitude of versions makes it possible to adapt the luminaire to many non-standard applications.

Luminaires of the PLUS variant line are fitted with branded components of recognized global manufacturers. It features extended life and warranty, increased light efficiency and optimal use of electricity (Power Factor).

Versions available on request:

- any RAL colour of the body,
- any RAL colour of the suspension system,
- selected colours of the material of the cable.

Next versions (available soon):

- IoT (adapted for integration with additional control systems).

APPLICATION

Suspended luminaire intended for indoor use (utility rooms, staircases, circulation routes). It is also available in a version with an RF motion detector which is especially recommended for use in spaces open to the public.

CAPELLA LED PLUS Z

GENERAL CARD

AVAILABLE VERSIONS



Click index >>, to see details

CAPELLA LED PLUS Z

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Energy efficiency class	Index
11	3000	1040	OPAL	F	>> 951305
11	4000	1120	OPAL	E	>> 951220
15	3000	1550	OPAL	E	>> 951312
15	4000	1650	OPAL	E	>> 951237


CAPELLA LED PLUS Z EDGE

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Energy efficiency class	Index
11	3000	950	OPAL	F	>> 951329
11	4000	1020	OPAL	F	>> 951244
15	3000	1400	OPAL	F	>> 951336
15	4000	1500	OPAL	E	>> 951251


CAPELLA LED PLUS Z

GENERAL CARD

LUMINOUS INTENSITY DISTRIB. CURVE



CAPELLA LED PLUS



CAPELLA LED PLUS EDGE

Card creation date: 22 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 162/2018



Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl