

MAGNUM FUTURE LITE 32W I KL. OCHR. Z GNIAZDEM PL-FR

DETAILED CARD



TECHNICAL PARAMETERS

| | |
|-------------------------------------|---------|
| Index: | 406218 |
| Ingress protection: | IP54 |
| Impact resistance: | IK10 |
| Nominal power [W]: | 32 |
| Colour temperature [K]: | 4000 |
| Luminous flux [lm]*: | 3600 |
| Supply voltage [V]: | 220-240 |
| Electrical protection class: | I |
| Material of the body: | PP |
| Colour of the body: | green |

CHARACTERISTICS

Compact and light LED floodlight for professional use. It provides uniform and stable directional lighting. Luminaire made of impact-resistant polypropylene (PP). Anti-glare diffuser made of polycarbonate (PC) transmits up to 80% of the light emitted by the diodes. It is equipped with a multi-position arm with a tilt lock of the housing, handles for cable winding and an ergonomic carrying handle.

APPLICATION

The luminaire will provide precise illumination of the workplace.

MAGNUM FUTURE LITE 32W I KL. OCHR. Z GNIAZDEM PL-FR

DETAILED CARD

TECHNICAL PARAMETERS TABLE

| | | | |
|------------------------------|------------|----------------------------|------------------------------|
| Nominal power [W]: | 32 | Material of the body: | PP |
| Light source: | LED module | Colour of the body: | green |
| Colour temperature [K]: | 4000 | Dimensions (H/W/T/S) [mm]: | 300/400/100 |
| Luminous flux [lm]: | 3600 | Ingress protection: | IP54 |
| Plug type: | UNI-SCHUKO | Impact resistance: | IK10 |
| Supply voltage [V]: | 220-240 | Wire type: | H07RN-F 2×1,0mm |
| Socket type: | PL-FR | Net weight [kg]: | 2.700 |
| Electrical protection class: | I | Index: | 406218 |
| Sockets: | 1 | Category type: | workplace floodlights |
| Beam angle [°]: | 120 | Warranty [years]: | 2 |
| Diffuser material: | PC | Manual: | Download PDF |
| Cable length [m]: | 3 | Energy efficiency class: | E |
| Diffuser type: | frozen | ETIM class: | EC000346 |

MAGNUM FUTURE LITE 32W I KL. OCHR. Z GNIAZDEM PL-FR

DETAILED CARD

ACCESSORIES AVAILABLE

| index | Name |
|--------|--|
| 000737 | FUTURE STAND Tripod with Click Head System |
| 000720 | Standard tripod |



FUTURE STAND Tripod with Click Head System (000737)



Standard tripod (000720)

Card creation date: 08 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 139/2023