

# MAGNUM BATTERY XS

GENERAL CARD



## TECHNICAL PARAMETERS

|                                     |            |
|-------------------------------------|------------|
| <b>Ingress protection:</b>          | IP20       |
| <b>Impact resistance:</b>           | IK09       |
| <b>Nominal power [W]:</b>           | 20.00      |
| <b>Colour temperature [K]:</b>      | 4000       |
| <b>Supply voltage [V]:</b>          | 18         |
| <b>Electrical protection class:</b> | III        |
| <b>Material of the body:</b>        | PP         |
| <b>Colour of the body:</b>          | grey       |
| <b>Diffuser material:</b>           | PC         |
| <b>Diffuser type:</b>               | matrix led |
| <b>Luminous flux [lm]*:</b>         | 2300       |
| <b>Energy efficiency class:</b>     | E          |
| <b>Warranty [years]:</b>            | 3          |

## CHARACTERISTICS

Compact and light LED floodlight for professional use. It provides uniform and stable directional lighting. Made of impact-resistant polypropylene (PP). Anti-glare diffuser made of polycarbonate (PC), transmits up to 80% of the light emitted by the diodes. The smaller size and compact design make it convenient to transport. It is equipped with a movable, multi-position arm also acting as a hook. It has a switch with 4-step luminous flux control. It can be mounted on a Future Stand, significantly increasing the range and comfort of use. MAGNUM BATTERY XS is also available as a set with a capacious, branded and durable battery and charger. The battery is compatible with other Bosch devices.

Battery-powered version:

Operating modes for battery-based operation:

2Ah Battery:

200 lm, working time: 900 min

750 lm, working time: 300 min

1500 lm, working time: 150 min

2300 lm, working time: 90 min

5Ah Battery:

200 lm, working time: 2250 min

750 lm, working time: 750 min

1500 lm, working time: 375 min

2300 lm, working time: 225 min

## APPLICATION

It can be used as a workplace luminaire to illuminate workplaces, workshops or garages.

# MAGNUM BATTERY XS

GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

| Nominal power [W] | Colour temperature [K] | Luminous flux [lm]* | Switch | Battery   | Battery capacity [mAh] | Version           | Accessories included                             | Index                           |
|-------------------|------------------------|---------------------|--------|-----------|------------------------|-------------------|--|---------------------------------|
| 20                | 4000                   | 2300                | yes    |           |                        |                   |  | <a href="#">&gt;&gt; 249006</a> |
| 20                | 4000                   | 2300                | yes    | Bosch 18V | 2                      |                   | 1 x 2Ah battery Bosch                            | <a href="#">&gt;&gt; 249013</a> |
| 20                | 4000                   | 2300                | yes    | Bosch 18V | 2                      | with accu charger | 1 x 2Ah battery Bosch; charger GAL 18V-40        | <a href="#">&gt;&gt; 249020</a> |
| 20                | 4000                   | 2300                | yes    | Bosch 18V | 5                      |                   | 1 x Bosch 5Ah battery                            | <a href="#">&gt;&gt; 249136</a> |
| 20                | 4000                   | 2300                | yes    | Bosch 18V | 5                      | with accu charger | 1 x Bosch 5Ah battery; charger GAL 18V-40        | <a href="#">&gt;&gt; 249143</a> |
| 20                | 4000                   | 2300                | yes    | Bosch 18V | 2                      |                   | 2 x 2Ah batteries Bosch                          | <a href="#">&gt;&gt; 249303</a> |
| 20                | 4000                   | 2300                | yes    | Bosch 18V | 2                      | with accu charger | 2 x Bosch 2Ah batteries; with charger GAL 18V-40 | <a href="#">&gt;&gt; 249310</a> |

# MAGNUM BATTERY XS

GENERAL CARD

## ACCESSORIES AVAILABLE

| index                  | Name                                       |
|------------------------|--|
| <a href="#">000737</a> | FUTURE STAND Tripod with Click Head System |
|                        | ACCU BOSCH 18V 2Ah                         |
|                        | ACCU BOSCH 18V 5Ah                         |
|                        | ACCU CHARGER BOSCH EU 18V 2Ah/5Ah          |
|                        | ACCU CHARGER BOSCH UK 18V 2Ah/5Ah          |



FUTURE STAND Tripod with Click Head System (000737)

Card creation date: 17 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 114/2023