

# MAGNUM BATTERY L

GENERAL CARD



## TECHNICAL PARAMETERS

<b>Ingress protection:</b>	IP20
<b>Impact resistance:</b>	IK10
<b>Nominal power [W]:</b>	70.00
<b>Colour temperature [K]:</b>	4000
<b>Luminous flux [lm]*:</b>	9250
<b>Supply voltage [V]:</b>	18
<b>Energy efficiency class:</b>	D
<b>Electrical protection class:</b>	III
<b>Material of the body:</b>	PP
<b>Colour of the body:</b>	grey
<b>Diffuser material:</b>	PC
<b>Dimensions (H/W/T/S) [mm]:</b>	300/478/84;
<b>Warranty [years]:</b>	3

## CHARACTERISTICS

Compact and light LED floodlight for professional use. It provides uniform and stable directional lighting. Made of impact-resistant polypropylene (PP). Anti-glare diffuser made of polycarbonate (PC), transmits up to 80% of the light emitted by the diodes. The smaller size and compact design make it convenient to transport. It is equipped with a movable, multi-position arm also acting as a hook. It has a switch with 4-step luminous flux control. It can be mounted on a Future Stand, significantly increasing the range and comfort of use. MAGNUM BATTERY L is also available as a set with a capacious, branded and durable battery and charger. The battery is compatible with other Bosch devices.

Battery-powered version:

Operating modes for battery-based operation:

2Ah Battery:

1000 lm, working time: 5h

3800 lm, working time: 1h 15min

5650 lm, working time: 45min

9250 lm, working time: 25min

5Ah Battery:

1000 lm, working time: 12h

3800 lm, working time: 3h 20min

5650 lm, working time: 2h

9250 lm, working time: 1h 10min

## APPLICATION

It can be used as a workplace luminaire to illuminate workplaces, workshops or garages.

# MAGNUM BATTERY L

GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Battery	Battery capacity [mAh]	Accessories included	Index
70	4000	9250				<a href="#">&gt;&gt; 249259</a>
70	4000	9250	Bosch 18V	2		<a href="#">&gt;&gt; 249266</a>
70	4000	9250	Bosch 18V	2	1 x 2Ah battery; stand with CLICK function	<a href="#">&gt;&gt; 249365</a>
70	4000	9250	Bosch 18V	2	1 x 2Ah battery; charger GAL 18V-40; stand with CLICK function	<a href="#">&gt;&gt; 249372</a>
70	4000	9250	Bosch 18V	2	2 x 2Ah batteries; stand with CLICK function	<a href="#">&gt;&gt; 249389</a>
70	4000	9250	Bosch 18V	2	2 x 2Ah batteries; charger GAL 18V-40; stand with CLICK function	<a href="#">&gt;&gt; 249396</a>

# MAGNUM BATTERY L

GENERAL CARD

## ACCESSORIES AVAILABLE

index	Name
<a href="#">000737</a>	FUTURE STAND Tripod with Click Head System
	ACCU BOSCH 18V 2Ah
	ACCU BOSCH 18V 5Ah
	ACCU CHARGER BOSCH EU 18V 2Ah/5Ah
	ACCU CHARGER BOSCH UK 18V 2Ah/5Ah



FUTURE STAND Tripod with Click Head System (000737)

Card creation date: 08 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 116/2023