

# MAGNUM BATTERY M

## GENERAL CARD



### TECHNICAL PARAMETERS

Ingress protection:	IP20
Impact resistance:	IK10
Nominal power [W]:	30.00
Colour temperature [K]:	4000
Luminous flux [lm]*:	4050
Supply voltage [V]:	18
Energy efficiency class:	D
Electrical protection class:	III
Material of the body:	PP
Colour of the body:	grey
Diffuser material:	PC
Dimensions (H/W/T/S) [mm]:	205/400/82;
Warranty [years]:	3

### CHARACTERISTICS

Compact and light LED floodlight for professional use. It provides uniform and stable directional lighting. Made of impact-resistant polypropylene (PP). Anti-glare diffuser made of polycarbonate (PC), transmits up to 80% of the light emitted by the diodes. The smaller size and compact design make it convenient to transport. It is equipped with a movable, multi-position arm also acting as a hook. It has a switch with 4-step luminous flux control. It can be mounted on a Future Stand, significantly increasing the range and comfort of use. MAGNUM BATTERY M is also available as a set with a capacious, branded and durable battery and charger. The battery is compatible with other Bosch devices.

Battery-powered version:  
Operating modes for battery-based operation:  
2Ah Battery:  
500 lm, working time: 9h  
1850 lm, working time: 2h 30min  
2750 lm, working time: 1h 30min  
4050 lm, working time: 1h  
5Ah Battery:  
500 lm, working time: 23h  
1850 lm, working time: 6h  
2750 lm, working time: 4h  
4050 lm, working time: 2h 30min

### APPLICATION

It can be used as a workplace luminaire to illuminate workplaces, workshops or garages.

# MAGNUM BATTERY M

## GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Battery	Battery capacity [mAh]	Accessories included	Index
30	4000	4050				<a href="#">&gt;&gt; 249228</a>
30	4000	4050	Bosch 18V	2		<a href="#">&gt;&gt; 249235</a>
30	4000	4050	Bosch 18V	2	1 x 2Ah battery Bosch; stand 2m with CLICK function	<a href="#">&gt;&gt; 249327</a>
30	4000	4050	Bosch 18V	2	1 x 2Ah battery; charger GAL 18V-40; stand with CLICK function	<a href="#">&gt;&gt; 249334</a>
30	4000	4050	Bosch 18V	2	2 x 2Ah batteries; stand with CLICK function	<a href="#">&gt;&gt; 249341</a>
30	4000	4050	Bosch 18V	2	2 x 2Ah batteries; charger GAL 18V-40; stand with CLICK function	<a href="#">&gt;&gt; 249358</a>

# MAGNUM BATTERY M

GENERAL CARD

## ACCESSORIES AVAILABLE

index	Name
<a href="#">000737</a>	FUTURE STAND Tripod with Click Head System
	ACCU BOSCH 18V 2Ah
	ACCU BOSCH 18V 5Ah
	ACCU CHARGER BOSCH EU 18V 2Ah/5Ah
	ACCU CHARGER BOSCH UK 18V 2Ah/5Ah



FUTURE STAND Tripod with Click Head System (000737)

Card creation date: 08 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%

 This product is a subject to electric and electronic waste equipment regulations (WEEE).

 Certificate CE - Nr: 116/2023