

EXPO LED 2

GENERAL CARD



TECHNICAL PARAMETERS

Rated power of the luminaire [W]*:	9.00 - 35.00
Luminous flux [lm]*:	1046 - 4227
Colour temperature [K]:	3000; 4000
Energy efficiency class:	D; E; F
Color rendering index (Ra) >:	80; 90
Ingress protection:	IP20
Electrical protection class:	I
Colour of the body:	black; white
Optics material:	aluminium
Beam angle [°]:	15; 38; 60
Optics:	reflector
Dimensions (H/W/T/S) [mm]:	107/225;

CHARACTERISTICS

High quality aluminum projector with LED light source. Universal application with track system. Lack of ultraviolet emission or infrared radiation, high color rendering index, high luminous efficacy and durability.

APPLICATION

Possible use of specialized filters to highlight food stands. As accentuating lighting in commercial buildings, museums, exhibition halls and offices. For connection with track systems in the color of the projector.

EXPO LED 2

GENERAL CARD

AVAILABLE VERSIONS



Click index >>, to see details

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	Colour of the body	Color rendering index (Ra) >	Index
9	3000	1046	15	white	90	>> 837838
9	3000	1046	38	white	90	>> 837951
9	3000	1046	60	white	90	>> 750076
9	4000	1126	15	white	90	>> 837890
9	4000	1126	38	white	90	>> 750014
9	4000	1126	60	white	90	>> 750137
9	3000	1243	15	white	80	>> 837807
9	3000	1243	38	white	80	>> 837920
9	3000	1243	60	white	80	>> 750045
9	4000	1297	15	white	80	>> 837869
9	4000	1297	38	white	80	>> 837982
9	4000	1297	60	white	80	>> 750106
9	3000	1046	15	black	90	>> 837470
9	3000	1046	38	black	90	>> 837593
9	3000	1046	60	black	90	>> 837715
9	4000	1126	15	black	90	>> 837531
9	4000	1126	38	black	90	>> 837654
9	4000	1126	60	black	90	>> 837777
9	3000	1243	15	black	80	>> 837449
9	3000	1243	38	black	80	>> 837562
9	3000	1243	60	black	80	>> 837685
9	4000	1297	15	black	80	>> 837500
9	4000	1297	38	black	80	>> 837623
9	4000	1297	60	black	80	>> 837746
22	3000	2380	15	white	90	>> 837845
22	3000	2380	38	white	90	>> 837968
22	3000	2380	60	white	90	>> 750083
22	4000	2561	15	white	90	>> 837906
22	4000	2561	38	white	90	>> 750021
22	4000	2561	60	white	90	>> 750144
22	3000	2827	15	white	80	>> 837814
22	3000	2827	38	white	80	>> 837937
22	3000	2827	60	white	80	>> 750052
22	4000	2950	15	white	80	>> 837876
22	4000	2950	38	white	80	>> 837999

EXPO LED 2

GENERAL CARD

22	4000	2950	60	white	80	>> 750113
22	3000	2380	15	black	90	>> 837487
22	3000	2380	38	black	90	>> 837609
22	3000	2380	60	black	90	>> 837722
22	4000	2561	15	black	90	>> 837548
22	4000	2561	38	black	90	>> 837661
22	4000	2561	60	black	90	>> 837784
22	3000	2827	15	black	80	>> 837456
22	3000	2827	38	black	80	>> 837579
22	3000	2827	60	black	80	>> 837692
22	4000	2950	15	black	80	>> 837517
22	4000	2950	38	black	80	>> 837630
22	4000	2950	60	black	80	>> 837753
35	3000	3411	15	white	90	>> 837852
35	3000	3411	38	white	90	>> 837975
35	3000	3411	60	white	90	>> 750090
35	4000	3670	15	white	90	>> 837913
35	4000	3670	38	white	90	>> 750038
35	4000	3670	60	white	90	>> 750151
35	3000	4053	15	white	80	>> 837821
35	3000	4053	38	white	80	>> 837944
35	3000	4053	60	white	80	>> 750069
35	4000	4227	15	white	80	>> 837883
35	4000	4227	38	white	80	>> 750007
35	4000	4227	60	white	80	>> 750120
35	3000	3411	15	black	90	>> 837494
35	3000	3411	38	black	90	>> 837616
35	3000	3411	60	black	90	>> 837739
35	4000	3670	15	black	90	>> 837555
35	4000	3670	38	black	90	>> 837678
35	4000	3670	60	black	90	>> 837791
35	3000	4053	15	black	80	>> 837463
35	3000	4053	38	black	80	>> 837586
35	3000	4053	60	black	80	>> 837708
35	4000	4227	15	black	80	>> 837524
35	4000	4227	38	black	80	>> 837647
35	4000	4227	60	black	80	>> 837760

Card creation date: 14 March 2025

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 199/2020



Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl