

EXPO LED 2

GENERAL CARD



TECHNICAL PARAMETERS

| | |
|---|--------------|
| Rated power of the luminaire [W]*: | 9.00 - 35.00 |
| Luminous flux [lm]*: | 1046 - 4227 |
| Colour temperature [K]: | 3000; 4000 |
| Energy efficiency class: | D; E; F |
| Color rendering index (Ra) >: | 80; 90 |
| Ingress protection: | IP20 |
| Electrical protection class: | I |
| Colour of the body: | black; white |
| Optics material: | aluminium |
| Beam angle [°]: | 15; 38; 60 |
| Optics: | reflector |
| Dimensions (H/W/T/S) [mm]: | 107/225; |

CHARACTERISTICS

High quality aluminum projector with LED light source. Universal application with track system. Lack of ultraviolet emission or infrared radiation, high color rendering index, high luminous efficacy and durability.

APPLICATION

Possible use of specialized filters to highlight food stands. As accentuating lighting in commercial buildings, museums, exhibition halls and offices. For connection with track systems in the color of the projector.

EXPO LED 2

GENERAL CARD

AVAILABLE VERSIONS



Click index >>, to see details

| Rated power of the luminaire [W]* | Colour temperature [K] | Luminous flux [lm]* | Beam angle [°] | Colour of the body | Color rendering index (Ra) > | Index |
|-----------------------------------|------------------------|---------------------|----------------|--------------------|------------------------------|---------------------------------|
| 9 | 3000 | 1046 | 15 | white | 90 | >> 837838 |
| 9 | 3000 | 1046 | 38 | white | 90 | >> 837951 |
| 9 | 3000 | 1046 | 60 | white | 90 | >> 750076 |
| 9 | 4000 | 1126 | 15 | white | 90 | >> 837890 |
| 9 | 4000 | 1126 | 38 | white | 90 | >> 750014 |
| 9 | 4000 | 1126 | 60 | white | 90 | >> 750137 |
| 9 | 3000 | 1243 | 15 | white | 80 | >> 837807 |
| 9 | 3000 | 1243 | 38 | white | 80 | >> 837920 |
| 9 | 3000 | 1243 | 60 | white | 80 | >> 750045 |
| 9 | 4000 | 1297 | 15 | white | 80 | >> 837869 |
| 9 | 4000 | 1297 | 38 | white | 80 | >> 837982 |
| 9 | 4000 | 1297 | 60 | white | 80 | >> 750106 |
| 9 | 3000 | 1046 | 15 | black | 90 | >> 837470 |
| 9 | 3000 | 1046 | 38 | black | 90 | >> 837593 |
| 9 | 3000 | 1046 | 60 | black | 90 | >> 837715 |
| 9 | 4000 | 1126 | 15 | black | 90 | >> 837531 |
| 9 | 4000 | 1126 | 38 | black | 90 | >> 837654 |
| 9 | 4000 | 1126 | 60 | black | 90 | >> 837777 |
| 9 | 3000 | 1243 | 15 | black | 80 | >> 837449 |
| 9 | 3000 | 1243 | 38 | black | 80 | >> 837562 |
| 9 | 3000 | 1243 | 60 | black | 80 | >> 837685 |
| 9 | 4000 | 1297 | 15 | black | 80 | >> 837500 |
| 9 | 4000 | 1297 | 38 | black | 80 | >> 837623 |
| 9 | 4000 | 1297 | 60 | black | 80 | >> 837746 |
| 22 | 3000 | 2380 | 15 | white | 90 | >> 837845 |
| 22 | 3000 | 2380 | 38 | white | 90 | >> 837968 |
| 22 | 3000 | 2380 | 60 | white | 90 | >> 750083 |
| 22 | 4000 | 2561 | 15 | white | 90 | >> 837906 |
| 22 | 4000 | 2561 | 38 | white | 90 | >> 750021 |
| 22 | 4000 | 2561 | 60 | white | 90 | >> 750144 |
| 22 | 3000 | 2827 | 15 | white | 80 | >> 837814 |
| 22 | 3000 | 2827 | 38 | white | 80 | >> 837937 |
| 22 | 3000 | 2827 | 60 | white | 80 | >> 750052 |
| 22 | 4000 | 2950 | 15 | white | 80 | >> 837876 |
| 22 | 4000 | 2950 | 38 | white | 80 | >> 837999 |

EXPO LED 2

GENERAL CARD

| | | | | | | |
|----|------|------|----|-------|----|---------------------------------|
| 22 | 4000 | 2950 | 60 | white | 80 | >> 750113 |
| 22 | 3000 | 2380 | 15 | black | 90 | >> 837487 |
| 22 | 3000 | 2380 | 38 | black | 90 | >> 837609 |
| 22 | 3000 | 2380 | 60 | black | 90 | >> 837722 |
| 22 | 4000 | 2561 | 15 | black | 90 | >> 837548 |
| 22 | 4000 | 2561 | 38 | black | 90 | >> 837661 |
| 22 | 4000 | 2561 | 60 | black | 90 | >> 837784 |
| 22 | 3000 | 2827 | 15 | black | 80 | >> 837456 |
| 22 | 3000 | 2827 | 38 | black | 80 | >> 837579 |
| 22 | 3000 | 2827 | 60 | black | 80 | >> 837692 |
| 22 | 4000 | 2950 | 15 | black | 80 | >> 837517 |
| 22 | 4000 | 2950 | 38 | black | 80 | >> 837630 |
| 22 | 4000 | 2950 | 60 | black | 80 | >> 837753 |
| 35 | 3000 | 3411 | 15 | white | 90 | >> 837852 |
| 35 | 3000 | 3411 | 38 | white | 90 | >> 837975 |
| 35 | 3000 | 3411 | 60 | white | 90 | >> 750090 |
| 35 | 4000 | 3670 | 15 | white | 90 | >> 837913 |
| 35 | 4000 | 3670 | 38 | white | 90 | >> 750038 |
| 35 | 4000 | 3670 | 60 | white | 90 | >> 750151 |
| 35 | 3000 | 4053 | 15 | white | 80 | >> 837821 |
| 35 | 3000 | 4053 | 38 | white | 80 | >> 837944 |
| 35 | 3000 | 4053 | 60 | white | 80 | >> 750069 |
| 35 | 4000 | 4227 | 15 | white | 80 | >> 837883 |
| 35 | 4000 | 4227 | 38 | white | 80 | >> 750007 |
| 35 | 4000 | 4227 | 60 | white | 80 | >> 750120 |
| 35 | 3000 | 3411 | 15 | black | 90 | >> 837494 |
| 35 | 3000 | 3411 | 38 | black | 90 | >> 837616 |
| 35 | 3000 | 3411 | 60 | black | 90 | >> 837739 |
| 35 | 4000 | 3670 | 15 | black | 90 | >> 837555 |
| 35 | 4000 | 3670 | 38 | black | 90 | >> 837678 |
| 35 | 4000 | 3670 | 60 | black | 90 | >> 837791 |
| 35 | 3000 | 4053 | 15 | black | 80 | >> 837463 |
| 35 | 3000 | 4053 | 38 | black | 80 | >> 837586 |
| 35 | 3000 | 4053 | 60 | black | 80 | >> 837708 |
| 35 | 4000 | 4227 | 15 | black | 80 | >> 837524 |
| 35 | 4000 | 4227 | 38 | black | 80 | >> 837647 |
| 35 | 4000 | 4227 | 60 | black | 80 | >> 837760 |

Card creation date: 14 March 2025

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 199/2020



Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl