# MAGNUM MULTIBATTERY XS

GENERAL CARD



## TECHNICAL PARAMETERS

| | |
|---|---|
| **Ingress protection:** | IP20 |
| **Impact resistance:** | IK09 |
| **Rated power of the luminaire [W]*:** | 22.00 |
| **Colour temperature [K]:** | 4000 |
| **Luminous flux [lm]*:** | 2300 |
| **Supply voltage [V]:** | 18 |
| **Energy efficiency class:** | E |
| **Electrical protection class:** | III |
| **Material of the body:** | PP |
| **Colour of the body:** | grey |
| **Diffuser material:** | PC |
| **Diffuser type:** | matrix led |
| **Dimensions (H/W/T/S) [mm]:** | 205/212/124; |

## CHARACTERISTICS

Compact LED floodlight for professional use. Provides even and stable directional lighting. Made of impact resistant polypropylene (PP). Anti-glare polycarbonate (PC) diffuser transmits up to 80% of the light emitted by the LED. Smaller size and compact design makes it more convenient to transport. Equipped with an on/off switch with 4-step luminous flux adjustment. It can be mounted on the Future Stand, significantly increasing the range and comfort of use. The lamp is compatible with 18V batteries of such manufacturers as: Bosch (18V Professional), Makita, Milwaukee, DeWalt, Berner. The device has a low battery indication.
Operating modes for battery operation:
for 2Ah Battery:
- 200 lm - working time: 900 min
- 750 lm - working time: 300 min
- 1500 lm - working time: 150 min
- 2300 lm - working time: 90 min
for 5Ah Battery:
- 200 lm - working time: 2250 min
- 750 lm - working time: 750 min
- 1500 lm - working time: 375 min
- 2300 lm - working time: 225 min

## APPLICATION

It can be used as a workplace luminaire to illuminate workplaces, workshops or garages.

# MAGNUM MULTIBATTERY XS

GENERAL CARD

## AVAILABLE VERSIONS

Click index >>, to see details

| Rated power of the luminaire [W]* | Colour temperature [K] | Luminous flux [lm]* | Diffuser type | Switch | Electrical protection class | Supply voltage [V] | Additional accessories | Dimensions (H/W/T/S) [mm] | Index |
|---|---|---|---|---|---|---|---|---|---|
| 22 | 4000 | 2300 | matrix led | yes | III | 18 | Adapter for the Milwaukee / DeWalt battery | 205/212/124 | >> 249068 |
| 22 | 4000 | 2300 | matrix led | yes | III | 18 | Adapter for the MAKITA battery | 205/212/124 | >> 249426 |

# MAGNUM MULTIBATTERY XS

GENERAL CARD

## ACCESSORIES AVAILABLE

| index | Name |
|---|---|
| 608681 | Adapter for Makita 18V batteries |
| 608650 | Adapter for Milwaukee/DeWalt 18V batteries |

Card creation date: 12 May 2026

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%

This product is a subject to electric andelectronic waste equipment regulations (WEEE).

Certificate CE - Nr: 115/2023; 67/2021

LENA LIGHTING

Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl