

# MAGNUM MULTIBATTERY L

## GENERAL CARD



## TECHNICAL PARAMETERS

<b>Ingress protection:</b>	IP20
<b>Impact resistance:</b>	IK10
<b>Rated power of the luminaire [W]*:</b>	73.00
<b>Colour temperature [K]:</b>	4000
<b>Luminous flux [lm]*:</b>	9250
<b>Supply voltage [V]:</b>	18; 18 / 22
<b>Energy efficiency class:</b>	D
<b>Electrical protection class:</b>	III
<b>Material of the body:</b>	PP
<b>Colour of the body:</b>	grey
<b>Diffuser material:</b>	PC
<b>Dimensions (H/W/T/S) [mm]:</b>	300/478/84;

## CHARACTERISTICS

Compact LED floodlight for professional use. Provides even and stable directional lighting. Made of impact resistant polypropylene (PP). Anti-glare polycarbonate (PC) diffuser transmits up to 80% of the light emitted by the LED. Smaller size and compact design makes it more convenient to transport. Equipped with an on/off switch with 4-step luminous flux adjustment. It can be mounted on the Future Stand, significantly increasing the range and comfort of use. The lamp is compatible with 18V batteries of such manufacturers as: Bosch (Professional), Makita, Milwaukee, DeWalt, Festool, Hikoki, Metabo (CAS). The device has a low battery indication.

Operating modes for battery operation:  
for 2Ah Battery:

- 1000 lm - working time: 5h
- 3800 lm - working time: 1h 15min
- 5650 lm - working time: 45min
- 9250 lm - working time: 25min

for 5Ah Battery:

- 1000 lm - working time: 12h
- 3800 lm - working time: 3h 20min
- 5650 lm - working time: 2h
- 9250 lm - working time: 1h 10min

## APPLICATION

It can be used as a workplace luminaire to illuminate workplaces, workshops or garages.

# MAGNUM MULTIBATTERY L

## GENERAL CARD

### AVAILABLE VERSIONS



Click index >>, to see details

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Electrical protection class	Supply voltage [V]	Additional accessories	Dimensions (H/W/T/S) [mm]	Index
73	4000	9250	III	18	Adapter for the Milwaukee / DeWalt battery	300/478/84	<a href="#">&gt;&gt; 249082</a>
73	4000	9250	III	18	Adapter for the MAKITA battery	300/478/84	<a href="#">&gt;&gt; 249440</a>
73	4000	9250	III	18 / 22	Adapter for the Hilti	300/478/84	<a href="#">&gt;&gt; 609978</a>

# MAGNUM MULTIBATTERY L

## GENERAL CARD

### ACCESSORIES AVAILABLE

index	Name
608841	Adapter for Magnum Battery BOSCH / METABO (NEW)
608834	Adapter for Magnum Battery BOSCH / Hilti 22V (NEW)
608858	Adapter for Magnum Battery BOSCH / Hikoki 18V (NEW)
608803	Adapter for Magnum Battery BOSCH / MIL - DEW (NEW)
608827	Adapter for Magnum Battery BOSCH / FESTOOL (NEW)
608810	Adapter for Magnum Battery BOSCH / MAKITA (NEW)



Adapter for Magnum Battery BOSCH / METABO (NEW) (608841)




Adapter for Magnum Battery BOSCH / Hikoki 18V (NEW) (608858)



Adapter for Magnum Battery BOSCH / MIL - DEW (NEW) (608803)



Adapter for Magnum Battery BOSCH / FESTOOL (NEW) (608827)



Adapter for Magnum Battery BOSCH / MAKITA (NEW) (608810)

Card creation date: 24 September 2024

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 118/2023; 69/2021