

# UV-C STERILON FLOW 144W

GENERAL CARD



## TECHNICAL PARAMETERS

<b>Nominal power [W]:</b>	144.00
<b>Supply voltage [V]:</b>	220 - 240
<b>Electrical protection class:</b>	I
<b>Material of the body:</b>	powder coated carbon steel
<b>Colour of the body:</b>	white-silver
<b>Dimensions (H/W/T/S) [mm]:</b>	724/160/220;
<b>Ingress protection:</b>	IP20
<b>Mounting version:</b>	detached
<b>Version:</b>	dual-purpose
<b>Max volume of the disinfected room [m3]:</b>	120.00
<b>Warranty [years]:</b>	2

## CHARACTERISTICS

UV-C STERILON FLOW 144W luminaires emitting ultraviolet (UV-C) light are one of the most effective devices capable of removing viruses, bacteria, fungi from the surface or destroying the DNA or RNA of any exposed microorganisms. It is available as dual-function products.

## APPLICATION

Luminaires are recommended for use in service-providing facilities (hair and beauty salons), health care facilities, hotels, restaurants, public administration, educational and care facilities.

# UV-C STERILON FLOW 144W

GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details


Nominal power [W]	Service life of the UV-C radiation source [h]	Plug type	Cable length [m]	Electrical protection class	Air flow [m3 / h]	Working time counter	Protection against opening	HEPA filter holder	Index
144	9000	UNI-SCHUKO	3	I	200			yes	<a href="#">&gt;&gt; 246463</a>
144	9000	UNI-SCHUKO	3	I	200		yes	yes	<a href="#">&gt;&gt; 240423</a>
144	9000	UNI-SCHUKO	3	I	200	yes	yes	yes	<a href="#">&gt;&gt; 240553</a>
144	9000	UNI-SCHUKO	3	I	200	yes		yes	<a href="#">&gt;&gt; 240539</a>

# UV-C STERILON FLOW 144W

GENERAL CARD

## ACCESSORIES AVAILABLE

index	Name
243677	HEPA H10 filter - set of 5 only for the Flow model
243639	UV-C protective glasses
WSAW347	WSAW347 - SterilOn fan dust filter 115x115 PPM 30 1pkg=3pcs
WL36500	PL-L UV-C 36W 2G11 OSR fluorescent lamp
243660	Set of guide wheels Sterilon Flow 144W white matt
240492	Wall bracket STERILON FLOW 144W



HEPA H10 filter - set of 5 only for the Flow model (243677)



UV-C protective glasses (243639)



Set of guide wheels Sterilon Flow 144W white matt (243660)

Card creation date: 04 November 2025

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 324/2023