

# UV-C STERILON AIR 72W

## GENERAL CARD



### TECHNICAL PARAMETERS

|                                                 |                                                                                                                                                                                                  |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Nominal power [W]:</b>                       | 72.00                                                                                                                                                                                            |
| <b>Supply voltage [V]:</b>                      | 220 - 240                                                                                                                                                                                        |
| <b>Electrical protection class:</b>             | I                                                                                                                                                                                                |
| <b>Material of the body:</b>                    | carbon steel                                                                                                                                                                                     |
| <b>Colour of the body:</b>                      | white / endcap gray                                                                                                                                                                              |
| <b>Dimensions (H/W/T/S) [mm]:</b>               | 600/148/148; 679/148/148;<br>717/230/230;                                                                                                                                                        |
| <b>Ingress protection:</b>                      | IP20                                                                                                                                                                                             |
| <b>Mounting version:</b>                        | investment version to be connected to the electrical installation; standing version with a cable for the socket; version on trolley / wheels and handle; wall version with a cord for the socket |
| <b>Max volume of the disinfected room [m3]:</b> | 90.00                                                                                                                                                                                            |
| <b>Warranty [years]:</b>                        | 2                                                                                                                                                                                                |

### CHARACTERISTICS

V-C STERILON AIR luminaires emitting ultraviolet (UV-C) light are one of the most effective devices capable of removing viruses, bacteria, mold from the surface or destroying the DNA or RNA of any exposed microorganisms. The luminaires are intended for wall mounting but are also available in a free-standing version. Selected versions are equipped with a 3-meter power cord and a switch. The luminaire is equipped with ECO mode, which makes its operation quieter.

### APPLICATION

Luminaires are recommended for use in service-providing facilities (hair and beauty salons), health care facilities, hotels, restaurants, public administration, educational and care facilities.

# UV-C STERILON AIR 72W

GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

| Nominal power [W] | Service life of the UV-C radiation source [h] | Plug type  | Cable length [m] | Max volume of the disinfected room [m3] | ECO mode | Working time counter | Protection against opening | Mounting version                                                  | Index                           |
|-------------------|-----------------------------------------------|------------|------------------|-----------------------------------------|----------|----------------------|----------------------------|-------------------------------------------------------------------|---------------------------------|
| 72                | 9000                                          | UNI-SCHUKO | 3                | 90                                      | yes      | yes                  | yes                        | wall version with a cord for the socket                           | <a href="#">&gt;&gt; 240621</a> |
| 72                | 9000                                          | UNI-SCHUKO | 3                | 90                                      | yes      | yes                  | yes                        | investment version to be connected to the electrical installation | <a href="#">&gt;&gt; 240607</a> |
| 72                | 9000                                          | UNI-SCHUKO | 3                | 90                                      | yes      | yes                  | yes                        | standing version with a cable for the socket                      | <a href="#">&gt;&gt; 240645</a> |
| 72                | 9000                                          | UNI-SCHUKO | 3                | 90                                      | yes      | yes                  | yes                        | version on trolley / wheels and handle                            | <a href="#">&gt;&gt; 240447</a> |

# UV-C STERILON AIR 72W

GENERAL CARD

## ACCESSORIES AVAILABLE

| index   | Name                                              |
|---------|---------------------------------------------------|
| WL36500 | PL-L UV-C 36W 2G11 OSR fluorescent lamp           |
| 244339  | Set of 5 x Sterilon AIR G1 3x127x135mm pre-filter |

Card creation date: 08 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 334/2023; 335/2023



Lena Lighting S.A.  
ul. Kórnicka 52, 63-000 Środa Wielkopolska  
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl