
UV-C STERILON HEPA

GENERAL CARD



TECHNICAL PARAMETERS

Nominal power [W]:	216.00
Supply voltage [V]:	220 - 240
Electrical protection class:	I
Material of the body:	powder coated carbon steel
Colour of the body:	black and gold; white-silver
Dimensions (H/W/T/S) [mm]:	724/260/260;
Ingress protection:	IP20
Mounting version:	detached
Max volume of the disinfected room [m3]:	300.00
Warranty [years]:	2

CHARACTERISTICS

UV-C STERILON HEPA flow luminaires emitting ultraviolet (UV-C) light are one of the most effective (99.9%) devices capable of safely removing viruses, bacteria, and mold from the environment in the presence of people and animals.
Air-flow adjustment (noise level):
25% fan power = ~70 m3/h (~38dB)
50% fan power = ~90 m3/h (~44dB)
75% fan power = ~110 m3/h (~48dB)
100% fan power = ~200 m3/h (~51,5dB)

APPLICATION

Luminaires are recommended for use in service-providing facilities (hair and beauty salons), health care facilities, hotels, restaurants, public administration, educational and care facilities.

UV-C STERILON HEPA

GENERAL CARD

AVAILABLE VERSIONS

Click index >>, to see details

Nominal power [W]	Service life of the UV-C radiation source [h]	Colour of the body	Plug type	Cable length [m]	Air flow [m3 / h]	ECO mode adjustment	Working time counter	HEPA filter holder	Net weight [kg]	ECO mode	Index
216	9000	white-silver	UNI-SCHUKO	3	200	yes	yes	yes	15.720	yes	>> 245985
216	9000	black and gold	UNI-SCHUKO	3	200	yes	yes	yes	14.590	yes	>> 245992

UV-C STERILON HEPA

GENERAL CARD

ACCESSORIES AVAILABLE

index	Name
WL36500	PL-L UV-C 36W 2G11 OSR fluorescent lamp
244315	HEPA H13 + CARBON filter

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%

This product is a subject to electric andelectronic waste equipment regulations (WEEE).

Certificate CE - Nr: 326/2023; 50/2021

LENA LIGHTING

Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl