# UV-C STERILON CAR 18W/12V

GENERAL CARD



## TECHNICAL PARAMETERS

| | |
|---|---|
| **Nominal power [W]:** | 18.00 |
| **Supply voltage [V]:** | 12 |
| **Electrical protection class:** | III |
| **Exchangeable source:** | yes |
| **Material of the body:** | powder coated carbon steel |
| **Colour of the body:** | white / endcap gray |
| **Dimensions (H/W/T/S) [mm]:** | 407/145/148; |
| **Ingress protection:** | IP20 |
| **Mounting version:** | in the car |
| **Flow air disinfection function:** | yes |
| **Warranty [years]:** | 2 |

## CHARACTERISTICS

UV-C STERILON CAR luminaires emitting ultraviolet (UV-C) light are one of the most effective devices capable of removing viruses, bacteria, mold from the surface or destroying the DNA or RNA of any exposed microorganisms.

## APPLICATION

Luminaires are dedicated for installation inside means of transport (taxis, buses, mini-buses, coaches, trains, trams).

# UV-C STERILON CAR 18W/12V

GENERAL CARD

## AVAILABLE VERSIONS

Click index >>, to see details

| Nominal power [W] | Service life of the UV-C radiation source [h] | Plug type | Cable length [m] | Electrical protection class | Supply voltage [V] | Air flow [m3 / h] | Working time counter | Index |
|---|---|---|---|---|---|---|---|---|
| 18 | 9000 | car 12V | 5 | III | 12 | 84 | yes | >> 243769 |

# UV-C STERILON CAR 18W/12V

GENERAL CARD

## ACCESSORIES AVAILABLE

| index | Name |
|---|---|
| 244339 | Set of 5 x Sterilon AIR G1 3x127x135mm pre-filter |
| 160UV003 | TC-L UV-C 18W 2G11 TUV fluorescent lamp |

Card creation date: 08 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%

This product is a subject to electric andelectronic waste equipment regulations (WEEE).

Certificate CE - Nr: 327/2023

LENA LIGHTING

Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl