

# UV-C STERILON CAR 18W/24V

## GENERAL CARD



### TECHNICAL PARAMETERS

Nominal power [W]:	18.00
Supply voltage [V]:	24
Electrical protection class:	III
Material of the body:	powder coated carbon steel
Colour of the body:	white / endcap gray
Dimensions (H/W/T/S) [mm]:	407/145/148;
Ingress protection:	IP20
Mounting version:	in the car
Warranty [years]:	2

### CHARACTERISTICS

UV-C STERILON CAR luminaires emitting ultraviolet (UV-C) light are one of the most effective devices capable of removing viruses, bacteria, mold from the surface or destroying the DNA or RNA of any exposed microorganisms.

### APPLICATION

Luminaires are dedicated for installation inside means of transport (taxis, buses, mini-buses, coaches, trains, trams).

# UV-C STERILON CAR 18W/24V

## GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

Nominal power [W]	Service life of the UV-C radiation source [h]	Plug type	Cable length [m]	Electrical protection class	Supply voltage [V]	Air flow [m3 / h]	Working time counter	Index
18	9000	car 24V	5	III	24	84	yes	<a href="#">&gt;&gt; 244391</a>

# UV-C STERILON CAR 18W/24V

## GENERAL CARD

### ACCESSORIES AVAILABLE

index	Name
244339	Set of 5 x Sterilon AIR G1 3x127x135mm pre-filter
160UV003	TC-L UV-C 18W 2G11 TUV fluorescent lamp

Card creation date: 08 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 327/2023



Lena Lighting S.A.  
ul. Kórnicka 52, 63-000 Środa Wielkopolska  
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl