

UV-C STERILON FLOW 144W PREMIUM

GENERAL CARD



TECHNICAL PARAMETERS

Nominal power [W]:	144.00
Supply voltage [V]:	220 - 240
Electrical protection class:	I
Material of the body:	powder coated carbon steel
Colour of the body:	black and gold; white-silver
Dimensions (H/W/T/S) [mm]:	724/160/220;
Ingress protection:	IP20
Mounting version:	detached
Version:	dual-purpose
Max volume of the disinfected room [m3]:	120.00
Warranty [years]:	2

CHARACTERISTICS

UV-C STERILON FLOW 144W PREMIUM luminaires emitting ultraviolet (UV-C) light are one of the most effective devices capable of removing viruses, bacteria, fungi from the surface or destroying the DNA or RNA of any exposed microorganisms. It is available as dual-function products. The luminaire is equipped with the ECO mode, which makes it quieter.

APPLICATION

Luminaires are recommended for use in service-providing facilities (hair and beauty salons), health care facilities, hotels, restaurants, public administration, educational and care facilities.

UV-C STERILON FLOW 144W PREMIUM

GENERAL CARD

AVAILABLE VERSIONS



Click index >>, to see details


Nominal power [W]	Service life of the UV-C radiation source [h]	Air flow [m3 / h]	Max volume of the disinfected room [m3]	ECO mode	Working time counter	Protection against opening	HEPA filter holder	Index
144	9000	200	120	yes	yes	yes	yes	>> 240409
144	9000	200	120	yes	yes	yes	yes	>> 240966

UV-C STERILON FLOW 144W PREMIUM

GENERAL CARD

ACCESSORIES AVAILABLE

index	Name
243677	HEPA H10 filter - set of 5 only for the Flow model
243639	UV-C protective glasses
WSAW347	WSAW347 - SterilOn fan dust filter 115x115 PPM 30 1pkg=3pcs
WL36500	PL-L UV-C 36W 2G11 OSR fluorescent lamp
243660	Set of guide wheels Sterilon Flow 144W white matt
240492	Wall bracket STERILON FLOW 144W



HEPA H10 filter - set of 5 only for the Flow model (243677)



UV-C protective glasses (243639)



Set of guide wheels Sterilon Flow 144W white matt (243660)

Card creation date: 04 November 2025

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 323/2023



Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl