HANDY MULTI LED

GENERAL CARD



HANDY MULTI LED

GENERAL CARD

TECHNICAL PARAMETERS

Light source:	LED
Ingress protection:	IP40
Rated power of the luminaire [W]*:	5.00
Colour temperature [K]:	6500
Diffuser colour:	transparent
Material of the body:	PC + TPR + Aluminium
Colour of the body:	green
Dimensions (H/W/T/S) [mm]:	150/48/39;

CHARACTERISTICS

The manual LED luminaire is a proposal for people working in a car workshop, mobile service center, garage, or on a construction site. Professionals and DIY enthusiasts alike will benefit from the functionality of the LED hand-held luminaire - everyone for whom good lighting is important during work or hobby. The luminaire is characterized by high durability, a strong light beam, and a long working time, which allows you to focus on the task. At the same time, the emitted light is pleasant to the eyes, and the energy-saving LED technology itself.

- Light source: 5 W COB LED + 2 x 3 W LED
- Luminous flux: 240 and 400 lm
- Strong magnet in the base
- Durable casing
- Dimensions: 150x48x39 mm
- 2 lighting modes
- Ingress protection class: IP40
- Charging time: 3,5 h
- Lighting time: 2,5 - 4 h
- Stepless dimming and brightening

APPLICATION

It is used as a working luminaire for lighting workplaces, workshops, or garages.

HANDY MULTI LED

GENERAL CARD

AVAILABLE VERSIONS

Click index >>, to see details

Rated power of the luminaire [W]*	Colour temperature [K]	Battery	Battery capacity [mAh]	Diffuser colour	Material of the body	Colour of the body	Dimensions (H/W/T/S) [mm]	Index
5	6500	Li-ion 3,7V 18650 2000mAh	2000	transparent	PC + TPR + Aluminium	green	150/48/39	>> 608568

Card creation date: 20 May 2026

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%

This product is a subject to electric andelectronic waste equipment regulations (WEEE).

Certificate CE - Nr: 195/2023

LENA LIGHTING
Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl