

# BARIS 52 LED P SM

GENERAL CARD



## TECHNICAL PARAMETERS

|   |                                       |
|---|---------------------------------------|
| <b>Ingress protection:</b>                | IP44/IP20                             |
| <b>Impact resistance:</b>                 | IK03                                  |
| <b>Rated power of the luminaire [W]*:</b> | 9.00 - 45.00                          |
| <b>Luminous flux [lm]*:</b>               | 850 - 4500                            |
| <b>Colour temperature [K]:</b>            | 3000; 4000                            |
| <b>Material of the body:</b>              | aluminium                             |
| <b>Colour of the body:</b>                | black; grey; white                    |
| <b>Diffuser material:</b>                 | PC                                    |
| <b>Diffuser type:</b>                     | OPAL; PRM                             |
| <b>Mounting version:</b>                  | recessed                              |
| <b>Dimensions (H/W/T/S) [mm]:</b>         | 593/69/60; 1193/69/60;<br>1793/69/60; |
| <b>Warranty [years]:</b>                  | 5                                     |

## CHARACTERISTICS

A recessed luminaire with classic proportions and modern design, intended for installation in modular ceilings. The luminaire is available in three lengths: 595mm, 1195mm, 1795mm. The housing of the luminaire is made of an anodized aluminum profile in gray or an aluminum profile painted in white or black (other colors available on request). The optical system is in the form of a dedicated, flexible opal diffuser that evenly illuminates the luminaire, with a PRM prismatic diffuser. The luminaire is equipped with a complete mounting system enabling quick and easy installation in modular ceilings.

## APPLICATION

The luminaire is dedicated to indoor use. It is applied as the source of the main light and is conducive to office work requiring concentration of eyesight. Classic design, energy-saving LED modules, and the possibility of cooperation with external lighting control systems in the DALI standard dedicate the lamp to be used in modern office buildings of the A+ class, with particular consideration of representative rooms, conference halls, passageways.

# BARIS 52 LED P SM

GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

BARIS 52 LED P SM 1193/69/60mm

| Rated power of the luminaire [W]* | Colour temperature [K] | Luminous flux [lm]* | Diffuser type | Colour of the body | DIMM DALI | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|------------------------|---------------------|---------------|--------------------|-----------|---------------------------|---------------------------------|
| 18                                | 4000                   | 1900                | OPAL          | grey               |           | 1193/69/60                | <a href="#">&gt;&gt; 928246</a> |
| 18                                | 4000                   | 1900                | PRM           | grey               |           | 1193/69/60                | <a href="#">&gt;&gt; 928253</a> |
| 18                                | 4000                   | 1900                | OPAL          | white              |           | 1193/69/60                | <a href="#">&gt;&gt; 928284</a> |
| 18                                | 4000                   | 1900                | PRM           | white              |           | 1193/69/60                | <a href="#">&gt;&gt; 928291</a> |
| 18                                | 4000                   | 1900                | OPAL          | black              |           | 1193/69/60                | <a href="#">&gt;&gt; 928321</a> |
| 18                                | 4000                   | 1900                | PRM           | black              |           | 1193/69/60                | <a href="#">&gt;&gt; 928338</a> |
| 18                                | 4000                   | 1900                | OPAL          | grey               | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928369</a> |
| 18                                | 4000                   | 1900                | PRM           | grey               | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928376</a> |
| 18                                | 4000                   | 1900                | OPAL          | white              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928406</a> |
| 18                                | 4000                   | 1900                | PRM           | white              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928413</a> |
| 18                                | 4000                   | 1900                | OPAL          | black              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928444</a> |
| 18                                | 4000                   | 1900                | PRM           | black              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928451</a> |
| 18                                | 3000                   | 1800                | OPAL          | grey               |           | 1193/69/60                | <a href="#">&gt;&gt; 928963</a> |
| 18                                | 3000                   | 1800                | PRM           | grey               |           | 1193/69/60                | <a href="#">&gt;&gt; 928970</a> |
| 18                                | 3000                   | 1800                | OPAL          | white              |           | 1193/69/60                | <a href="#">&gt;&gt; 929007</a> |
| 18                                | 3000                   | 1800                | PRM           | white              |           | 1193/69/60                | <a href="#">&gt;&gt; 929014</a> |
| 18                                | 3000                   | 1800                | OPAL          | black              |           | 1193/69/60                | <a href="#">&gt;&gt; 929045</a> |
| 18                                | 3000                   | 1800                | PRM           | black              |           | 1193/69/60                | <a href="#">&gt;&gt; 929052</a> |
| 18                                | 3000                   | 1800                | OPAL          | grey               | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929083</a> |
| 18                                | 3000                   | 1800                | PRM           | grey               | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929090</a> |
| 18                                | 3000                   | 1800                | OPAL          | white              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929120</a> |
| 18                                | 3000                   | 1800                | PRM           | white              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929137</a> |
| 18                                | 3000                   | 1800                | OPAL          | black              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929168</a> |
| 18                                | 3000                   | 1800                | PRM           | black              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929175</a> |
| 30                                | 4000                   | 3000                | OPAL          | grey               |           | 1193/69/60                | <a href="#">&gt;&gt; 928260</a> |
| 30                                | 4000                   | 3000                | PRM           | grey               |           | 1193/69/60                | <a href="#">&gt;&gt; 928277</a> |
| 30                                | 4000                   | 3000                | OPAL          | white              |           | 1193/69/60                | <a href="#">&gt;&gt; 928307</a> |
| 30                                | 4000                   | 3000                | PRM           | white              |           | 1193/69/60                | <a href="#">&gt;&gt; 928314</a> |
| 30                                | 4000                   | 3000                | OPAL          | black              |           | 1193/69/60                | <a href="#">&gt;&gt; 928345</a> |
| 30                                | 4000                   | 3000                | PRM           | black              |           | 1193/69/60                | <a href="#">&gt;&gt; 928352</a> |
| 30                                | 4000                   | 3000                | OPAL          | grey               | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928383</a> |
| 30                                | 4000                   | 3000                | PRM           | grey               | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928390</a> |
| 30                                | 4000                   | 3000                | OPAL          | white              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928420</a> |

# BARIS 52 LED P SM

## GENERAL CARD

| Rated power of the luminaire [W]* | Colour temperature [K] | Luminous flux [lm]* | Diffuser type | Colour of the body | DIMM DALI | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|------------------------|---------------------|---------------|--------------------|-----------|---------------------------|---------------------------------|
| 30                                | 4000                   | 3000                | PRM           | white              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928437</a> |
| 30                                | 4000                   | 3000                | OPAL          | black              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928468</a> |
| 30                                | 4000                   | 3000                | PRM           | black              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 928475</a> |
| 30                                | 3000                   | 2800                | OPAL          | grey               |           | 1193/69/60                | <a href="#">&gt;&gt; 928987</a> |
| 30                                | 3000                   | 2800                | PRM           | grey               |           | 1193/69/60                | <a href="#">&gt;&gt; 928994</a> |
| 30                                | 3000                   | 2800                | OPAL          | white              |           | 1193/69/60                | <a href="#">&gt;&gt; 929021</a> |
| 30                                | 3000                   | 2800                | PRM           | white              |           | 1193/69/60                | <a href="#">&gt;&gt; 929038</a> |
| 30                                | 3000                   | 2800                | OPAL          | black              |           | 1193/69/60                | <a href="#">&gt;&gt; 929069</a> |
| 30                                | 3000                   | 2800                | PRM           | black              |           | 1193/69/60                | <a href="#">&gt;&gt; 929076</a> |
| 30                                | 3000                   | 2800                | OPAL          | grey               | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929106</a> |
| 30                                | 3000                   | 2800                | PRM           | grey               | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929113</a> |
| 30                                | 3000                   | 2800                | OPAL          | white              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929144</a> |
| 30                                | 3000                   | 2800                | PRM           | white              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929151</a> |
| 30                                | 3000                   | 2800                | OPAL          | black              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929182</a> |
| 30                                | 3000                   | 2800                | PRM           | black              | yes       | 1193/69/60                | <a href="#">&gt;&gt; 929199</a> |

## BARIS 52 LED P SM 1793/69/60mm

| Rated power of the luminaire [W]* | Colour temperature [K] | Luminous flux [lm]* | Diffuser type | Colour of the body | DIMM DALI | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|------------------------|---------------------|---------------|--------------------|-----------|---------------------------|---------------------------------|
| 26                                | 4000                   | 2700                | OPAL          | grey               |           | 1793/69/60                | <a href="#">&gt;&gt; 928482</a> |
| 26                                | 4000                   | 2700                | PRM           | grey               |           | 1793/69/60                | <a href="#">&gt;&gt; 928499</a> |
| 26                                | 4000                   | 2700                | OPAL          | white              |           | 1793/69/60                | <a href="#">&gt;&gt; 928529</a> |
| 26                                | 4000                   | 2700                | PRM           | white              |           | 1793/69/60                | <a href="#">&gt;&gt; 928536</a> |
| 26                                | 4000                   | 2700                | OPAL          | black              |           | 1793/69/60                | <a href="#">&gt;&gt; 928567</a> |
| 26                                | 4000                   | 2700                | PRM           | black              |           | 1793/69/60                | <a href="#">&gt;&gt; 928574</a> |
| 26                                | 4000                   | 2700                | OPAL          | grey               | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928604</a> |
| 26                                | 4000                   | 2700                | PRM           | grey               | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928611</a> |
| 26                                | 4000                   | 2700                | OPAL          | white              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928642</a> |
| 26                                | 4000                   | 2700                | PRM           | white              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928659</a> |
| 26                                | 4000                   | 2700                | OPAL          | black              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928680</a> |
| 26                                | 4000                   | 2700                | PRM           | black              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928697</a> |
| 26                                | 3000                   | 2558                | OPAL          | grey               |           | 1793/69/60                | <a href="#">&gt;&gt; 929205</a> |
| 26                                | 3000                   | 2558                | PRM           | grey               |           | 1793/69/60                | <a href="#">&gt;&gt; 929212</a> |
| 26                                | 3000                   | 2558                | OPAL          | white              |           | 1793/69/60                | <a href="#">&gt;&gt; 929243</a> |
| 26                                | 3000                   | 2558                | PRM           | white              |           | 1793/69/60                | <a href="#">&gt;&gt; 929250</a> |
| 26                                | 3000                   | 2558                | OPAL          | black              |           | 1793/69/60                | <a href="#">&gt;&gt; 929281</a> |
| 26                                | 3000                   | 2558                | PRM           | black              |           | 1793/69/60                | <a href="#">&gt;&gt; 929298</a> |
| 26                                | 3000                   | 2558                | OPAL          | grey               | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929328</a> |
| 26                                | 3000                   | 2558                | PRM           | grey               | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929335</a> |

# BARIS 52 LED P SM

## GENERAL CARD

| Rated power of the luminaire [W]* | Colour temperature [K] | Luminous flux [lm]* | Diffuser type | Colour of the body | DIMM DALI | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|------------------------|---------------------|---------------|--------------------|-----------|---------------------------|---------------------------------|
| 26                                | 3000                   | 2558                | OPAL          | white              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929366</a> |
| 26                                | 3000                   | 2558                | PRM           | white              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929373</a> |
| 26                                | 3000                   | 2558                | OPAL          | black              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929403</a> |
| 26                                | 3000                   | 2558                | PRM           | black              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929410</a> |
| 45                                | 4000                   | 4500                | OPAL          | grey               |           | 1793/69/60                | <a href="#">&gt;&gt; 928505</a> |
| 45                                | 4000                   | 4500                | PRM           | grey               |           | 1793/69/60                | <a href="#">&gt;&gt; 928512</a> |
| 45                                | 4000                   | 4500                | OPAL          | white              |           | 1793/69/60                | <a href="#">&gt;&gt; 928543</a> |
| 45                                | 4000                   | 4500                | PRM           | white              |           | 1793/69/60                | <a href="#">&gt;&gt; 928550</a> |
| 45                                | 4000                   | 4500                | OPAL          | black              |           | 1793/69/60                | <a href="#">&gt;&gt; 928581</a> |
| 45                                | 4000                   | 4500                | PRM           | black              |           | 1793/69/60                | <a href="#">&gt;&gt; 928598</a> |
| 45                                | 4000                   | 4500                | OPAL          | grey               | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928628</a> |
| 45                                | 4000                   | 4500                | PRM           | grey               | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928635</a> |
| 45                                | 4000                   | 4500                | OPAL          | white              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928666</a> |
| 45                                | 4000                   | 4500                | PRM           | white              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928673</a> |
| 45                                | 4000                   | 4500                | OPAL          | black              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928703</a> |
| 45                                | 4000                   | 4500                | PRM           | black              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 928710</a> |
| 45                                | 3000                   | 4200                | OPAL          | grey               |           | 1793/69/60                | <a href="#">&gt;&gt; 929229</a> |
| 45                                | 3000                   | 4200                | PRM           | grey               |           | 1793/69/60                | <a href="#">&gt;&gt; 929236</a> |
| 45                                | 3000                   | 4200                | OPAL          | white              |           | 1793/69/60                | <a href="#">&gt;&gt; 929267</a> |
| 45                                | 3000                   | 4200                | PRM           | white              |           | 1793/69/60                | <a href="#">&gt;&gt; 929274</a> |
| 45                                | 3000                   | 4200                | OPAL          | black              |           | 1793/69/60                | <a href="#">&gt;&gt; 929304</a> |
| 45                                | 3000                   | 4200                | PRM           | black              |           | 1793/69/60                | <a href="#">&gt;&gt; 929311</a> |
| 45                                | 3000                   | 4200                | OPAL          | grey               | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929342</a> |
| 45                                | 3000                   | 4200                | PRM           | grey               | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929359</a> |
| 45                                | 3000                   | 4200                | OPAL          | white              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929380</a> |
| 45                                | 3000                   | 4200                | PRM           | white              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929397</a> |
| 45                                | 3000                   | 4200                | OPAL          | black              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929427</a> |
| 45                                | 3000                   | 4200                | PRM           | black              | yes       | 1793/69/60                | <a href="#">&gt;&gt; 929434</a> |

## BARIS 52 LED P SM 593/69/60mm

| Rated power of the luminaire [W]* | Colour temperature [K] | Luminous flux [lm]* | Diffuser type | Colour of the body | DIMM DALI | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|------------------------|---------------------|---------------|--------------------|-----------|---------------------------|---------------------------------|
| 9                                 | 4000                   | 900                 | OPAL          | grey               |           | 593/69/60                 | <a href="#">&gt;&gt; 928000</a> |
| 9                                 | 4000                   | 900                 | PRM           | grey               |           | 593/69/60                 | <a href="#">&gt;&gt; 928017</a> |
| 9                                 | 4000                   | 900                 | OPAL          | white              |           | 593/69/60                 | <a href="#">&gt;&gt; 928048</a> |
| 9                                 | 4000                   | 900                 | PRM           | white              |           | 593/69/60                 | <a href="#">&gt;&gt; 928055</a> |
| 9                                 | 4000                   | 900                 | OPAL          | black              |           | 593/69/60                 | <a href="#">&gt;&gt; 928086</a> |
| 9                                 | 4000                   | 900                 | PRM           | black              |           | 593/69/60                 | <a href="#">&gt;&gt; 928093</a> |
| 9                                 | 4000                   | 900                 | OPAL          | grey               | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928123</a> |

# BARIS 52 LED P SM

## GENERAL CARD

| Rated power of the luminaire [W]* | Colour temperature [K] | Luminous flux [lm]* | Diffuser type | Colour of the body | DIMM DALI | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|------------------------|---------------------|---------------|--------------------|-----------|---------------------------|---------------------------------|
| 9                                 | 4000                   | 900                 | PRM           | grey               | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928130</a> |
| 9                                 | 4000                   | 900                 | OPAL          | white              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928161</a> |
| 9                                 | 4000                   | 900                 | PRM           | white              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928178</a> |
| 9                                 | 4000                   | 900                 | OPAL          | black              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928208</a> |
| 9                                 | 4000                   | 900                 | PRM           | black              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928215</a> |
| 9                                 | 3000                   | 850                 | OPAL          | grey               |           | 593/69/60                 | <a href="#">&gt;&gt; 928727</a> |
| 9                                 | 3000                   | 850                 | PRM           | grey               |           | 593/69/60                 | <a href="#">&gt;&gt; 928734</a> |
| 9                                 | 3000                   | 850                 | OPAL          | white              |           | 593/69/60                 | <a href="#">&gt;&gt; 928765</a> |
| 9                                 | 3000                   | 850                 | PRM           | white              |           | 593/69/60                 | <a href="#">&gt;&gt; 928772</a> |
| 9                                 | 3000                   | 850                 | OPAL          | black              |           | 593/69/60                 | <a href="#">&gt;&gt; 928802</a> |
| 9                                 | 3000                   | 850                 | PRM           | black              |           | 593/69/60                 | <a href="#">&gt;&gt; 928819</a> |
| 9                                 | 3000                   | 850                 | OPAL          | grey               | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928840</a> |
| 9                                 | 3000                   | 850                 | PRM           | grey               | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928857</a> |
| 9                                 | 3000                   | 850                 | OPAL          | white              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928888</a> |
| 9                                 | 3000                   | 850                 | PRM           | white              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928895</a> |
| 9                                 | 3000                   | 850                 | OPAL          | black              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928925</a> |
| 9                                 | 3000                   | 850                 | PRM           | black              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928932</a> |
| 16                                | 4000                   | 1500                | OPAL          | grey               |           | 593/69/60                 | <a href="#">&gt;&gt; 928024</a> |
| 16                                | 4000                   | 1500                | PRM           | grey               |           | 593/69/60                 | <a href="#">&gt;&gt; 928031</a> |
| 16                                | 4000                   | 1500                | OPAL          | white              |           | 593/69/60                 | <a href="#">&gt;&gt; 928062</a> |
| 16                                | 4000                   | 1500                | PRM           | white              |           | 593/69/60                 | <a href="#">&gt;&gt; 928079</a> |
| 16                                | 4000                   | 1500                | OPAL          | black              |           | 593/69/60                 | <a href="#">&gt;&gt; 928109</a> |
| 16                                | 4000                   | 1500                | PRM           | black              |           | 593/69/60                 | <a href="#">&gt;&gt; 928116</a> |
| 16                                | 4000                   | 1500                | OPAL          | grey               | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928147</a> |
| 16                                | 4000                   | 1500                | PRM           | grey               | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928154</a> |
| 16                                | 4000                   | 1500                | OPAL          | white              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928185</a> |
| 16                                | 4000                   | 1500                | PRM           | white              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928192</a> |
| 16                                | 4000                   | 1500                | OPAL          | black              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928222</a> |
| 16                                | 4000                   | 1500                | PRM           | black              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928239</a> |
| 16                                | 3000                   | 1400                | OPAL          | grey               |           | 593/69/60                 | <a href="#">&gt;&gt; 928741</a> |
| 16                                | 3000                   | 1400                | PRM           | grey               |           | 593/69/60                 | <a href="#">&gt;&gt; 928758</a> |
| 16                                | 3000                   | 1400                | OPAL          | white              |           | 593/69/60                 | <a href="#">&gt;&gt; 928789</a> |
| 16                                | 3000                   | 1400                | PRM           | white              |           | 593/69/60                 | <a href="#">&gt;&gt; 928796</a> |
| 16                                | 3000                   | 1400                | OPAL          | black              |           | 593/69/60                 | <a href="#">&gt;&gt; 928826</a> |
| 16                                | 3000                   | 1400                | PRM           | black              |           | 593/69/60                 | <a href="#">&gt;&gt; 928833</a> |
| 16                                | 3000                   | 1400                | OPAL          | grey               | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928864</a> |
| 16                                | 3000                   | 1400                | PRM           | grey               | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928871</a> |
| 16                                | 3000                   | 1400                | OPAL          | white              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928901</a> |

# BARIS 52 LED P SM

## GENERAL CARD

| Rated power of the luminaire [W]* | Colour temperature [K] | Luminous flux [lm]* | Diffuser type | Colour of the body | DIMM DALI | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|------------------------|---------------------|---------------|--------------------|-----------|---------------------------|---------------------------------|
| 16                                | 3000                   | 1400                | PRM           | white              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928918</a> |
| 16                                | 3000                   | 1400                | OPAL          | black              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928949</a> |
| 16                                | 3000                   | 1400                | PRM           | black              | yes       | 593/69/60                 | <a href="#">&gt;&gt; 928956</a> |

Card creation date: 11 July 2024

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 245/2023



Lena Lighting S.A.  
ul. Kórnicka 52, 63-000 Środa Wielkopolska  
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl

