GENERAL CARD





TECHNICAL PARAMETERS

Rated power of the luminaire [W]*: 6.00; 8.00; 12.00; 17.00

Luminous flux [Im]*:240 - 1600Energy efficiency class:A; BElectrical protection class:I

Colour temperature [K]:3000; 4000Colour rendering index:70; 80Diffuser material:PMMA

Diffuser colour: transparent; white

Material of the body: aluminium; coated aluminium

Colour of the body: black; graphite; grey;

Impact resistance: IKO4
Ingress protection: IP54
Mounting version: surface
Dimensions (H/W/T/S) [mm]: 260/110/100;
Nominal power [W]: 6.00; 12.00
Optics material: PMMA

Optics: RM12; RM8; RW10; RW5;

general

CHARACTERISTICS

Terraco LED is a modernist luminaire distinguished by its interesting minimalist design. The powder-coated aluminium body of the lamp is available in four colour versions: grey, graphite, white and black. The multitude of versions with different luminous surfaces allows it to be used in a variety of places and in different ways: vertically and horizontally. Installed on a building façade, it can shine downwards, upwards and sideways. It has a high ingress protection rating of IP54. It is designed for surface mounting.

APPLICATION

The Terraco LED lamp will be particularly suitable as outdoor facade lighting, terrace lighting, and balcony lighting. Small dimensions increase the range of its applications - it can illuminate alcoves or hard-to-reach places. Terraco lamps can also be used in the interiors of buildings and arranged in a variety of ways on the wall to form interesting lighting arrangements. The lamp allows to realize a large number of interesting lighting concepts. It is used to illuminate contemporary architecture.



TERRACO LED

GENERAL CARD

AVAILABLE VERSIONS



TERRACO LED 6W

Rated power of the luminaire [W]*	Luminous flux [lm]*	Colour temperature [K]	Colour rendering index	Light distribution type	Optics	Colour of the body	Index
6	600	3000	70	DIR	RW10	white	>> 774379
6	600	3000	70	DIR	RW10	black	<u>>> 774515</u>
6	600	3000	70	DIR	RW10	graphite	>> 774591
6	600	3000	70	DIR	RW10	grey	>> 774430
6	700	4000	70	DIR	RW10	white	>> 774386
6	700	4000	70	DIR	RW10	black	>> 774546
6	700	4000	70	DIR	RW10	graphite	>> 774621
6	700	4000	70	DIR	RW10	grey	>> 774461
6	700	4000	70	DIR	RW5	white	>> 774348
6	700	4000	70	DIR	RW5	black	>> 774577
6	700	4000	70	DIR	RW5	graphite	>> 774652
6	700	4000	70	DIR	RW5	grey	>> 774492

TERRACO LED 8W

Rated power of the luminaire [W]*	Luminous flux [lm]*	Colour temperature [K]	Colour rendering index	Light distribution type	Optics	Colour of the body	Index
8	240	4000	80	SIDE DIR	general	black	>> 774201
8	250	4000	80	SIDE DIR	general	graphite	>> 774218
8	270	4000	80	SIDE DIR	general	grey	>> 774225
8	440	4000	80	SIDE DIR	general	white	>> 774232

TERRACO LED 12W

Rated power of the luminaire [W]*	Luminous flux [lm]*	Colour temperature [K]	Colour rendering index	Light distribution type	Optics	Colour of the body	Index
12	1400	3000	70	DIR	RM8	white	>> 774409
12	1400	3000	70	DIR	RM8	black	>> 774539
12	1400	3000	70	DIR	RM8	graphite	>> 774614
12	1400	3000	70	DIR	RM8	grey	>> 774454
12	1500	3000	70	DIR	RM12	white	>> 774393
12	1500	3000	70	DIR	RM12	black	>> 774553
12	1500	3000	70	DIR	RM12	graphite	>> 774638
12	1500	3000	70	DIR	RM12	grey	>> 774478
12	1500	4000	70	DIR	RM8	white	>> 774362
12	1500	4000	70	DIR	RM8	black	>> 774560
12	1500	4000	70	DIR	RM8	graphite	>> 774645
12	1500	4000	70	DIR	RM8	grey	>> 774485
12	1600	4000	70	DIR	RM12	white	<u>>> 774355</u>



TERRACO LED

GENERAL CARD

Rated power of the luminaire [W]*	Luminous flux [lm]*	Colour temperature [K]	Colour rendering index	Light distribution type	Optics	Colour of the body	Index
12	1600	4000	70	DIR	RM12	black	>> 774584
12	1600	4000	70	DIR	RM12	graphite	>> 774669
12	1600	4000	70	DIR	RM12	grey	>> 774508

TERRACO LED 17W

Rated power of the luminaire [W]*	Luminous flux [lm]*	Colour temperature [K]	Colour rendering index	Light distribution type	Optics	Colour of the body	Index
17	640	4000	80	DIR	general	black	>> 774058
17	640	4000	80	DIR	general	graphite	<u>>> 774065</u>
17	690	4000	80	DIR	general	grey	>> 774072
17	1020	4000	80	DIR	general	white	>> 774041
17	370	4000	80	DIR/IND	general	black	>> 995958
17	390	4000	80	DIR/IND	general	graphite	>> 995941
17	480	4000	80	DIR/IND	general	grey	>> 995934
17	1020	4000	80	DIR/IND	general	white	>> 995965
17	630	4000	80	FRONT	general	graphite	>> 774157
17	630	4000	80	FRONT	general	grey	>> 774133
17	640	4000	80	FRONT	general	black	>> 774140
17	1100	4000	80	FRONT	general	white	>> 774126
17	510	4000	80	SIDE DIR/IND	general	black	>> 774287
17	530	4000	80	SIDE DIR/IND	general	graphite	>> 774294
17	540	4000	80	SIDE DIR/IND	general	grey	>> 774300
17	870	4000	80	SIDE DIR/IND	general	white	>> 774317

Card creation date: 03 September 2025



