

# LINEA S LED IP40 TRUNKING SYSTEM

GENERAL CARD



## TECHNICAL PARAMETERS

<b>Ingress protection:</b>	IP40
<b>Material of the body:</b>	Steel
<b>Colour of the body:</b>	RAL9010; white
<b>Mounting version:</b>	surface, suspended
<b>Dimensions (H/W/T/S) [mm]:</b>	1764/53/28; 3528/53/28; 5292/53/28; 1176/53/28;
<b>Impact resistance:</b>	IK03

## CHARACTERISTICS

LINEA S LED is a surface-mounted and suspended light-line system, representing a new generation of luminaires dedicated to LED technology. The innovative connection system and loop-through cabling enables the rapid assembly of luminaires into a light line and allows flexible replacement of light modules to meet current needs. The design used allows for easy assembly and power connection. The steel body, designed from the ground up, ensures the luminaire's strength and robustness, while the narrow side profile allows installation in hard-to-reach areas. Diodes from a renowned manufacturer and new LED modules contribute to the very high luminous efficiency.

## APPLICATION

Versatile led lamp designed for indoor use, especially recommended for lighting large-scale commercial, manufacturing and warehouse facilities. The lamp for use in both new applications and replacements of traditional T8 and T5 fixtures with energy-efficient LED solutions.

# LINEA S LED IP40 TRUNKING SYSTEM

## GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

### Linea S LED IP40 trunking system 1176/53/28mm

Material of the body	Wire type	Remarks	Dimensions (H/W/T/S) [mm]	Index
Steel	5x2,5 + 6x1,5	Number of connectors: 1	1176/53/28	<a href="#">&gt;&gt; 983818</a>
Steel	5x2,5 + 6x1,5	Number of connectors: 2	1176/53/28	<a href="#">&gt;&gt; 983825</a>
Steel	5x2,5	Number of connectors: 1	1176/53/28	<a href="#">&gt;&gt; 983771</a>
Steel	5x2,5	Number of connectors: 2	1176/53/28	<a href="#">&gt;&gt; 983788</a>
Steel	5x2,5 + 2x1,5	Number of connectors: 1	1176/53/28	<a href="#">&gt;&gt; 981890</a>
Steel	5x2,5 + 2x1,5	Number of connectors: 2	1176/53/28	<a href="#">&gt;&gt; 983764</a>
Steel	5x2,5 + 4x1,5	Number of connectors: 1	1176/53/28	<a href="#">&gt;&gt; 983795</a>
Steel	5x2,5 + 4x1,5	Number of connectors: 2	1176/53/28	<a href="#">&gt;&gt; 983801</a>

### Linea S LED IP40 trunking system 1764/53/28mm

Material of the body	Wire type	Remarks	Dimensions (H/W/T/S) [mm]	Index
Steel	5x2,5	Number of connectors: 1	1764/53/28	<a href="#">&gt;&gt; 980008</a>
Steel	5x2,5	Number of connectors: 3	1764/53/28	<a href="#">&gt;&gt; 980107</a>
Steel	5x2,5 + 2x1,5	Number of connectors: 1	1764/53/28	<a href="#">&gt;&gt; 980091</a>
Steel	5x2,5 + 2x1,5	Number of connectors: 3	1764/53/28	<a href="#">&gt;&gt; 980114</a>
Steel	5x2,5 + 4x1,5	Number of connectors: 1	1764/53/28	<a href="#">&gt;&gt; 981302</a>
Steel	5x2,5 + 6x1,5	Number of connectors: 1	1764/53/28	<a href="#">&gt;&gt; 981340</a>
Steel	5x2,5 + 6x1,5	Number of connectors: 3	1764/53/28	<a href="#">&gt;&gt; 981395</a>
Steel	5x2,5 + 4x1,5	Number of connectors: 3	1764/53/28	<a href="#">&gt;&gt; 981333</a>

### Linea S LED IP40 trunking system 3528/53/28mm

Material of the body	Wire type	Remarks	Dimensions (H/W/T/S) [mm]	Index
Steel	5x2,5	Number of connectors: 2	3528/53/28	<a href="#">&gt;&gt; 980015</a>
Steel	5x2,5 + 2x1,5	Number of connectors: 2	3528/53/28	<a href="#">&gt;&gt; 980121</a>
Steel	5x2,5 + 4x1,5	Number of connectors: 2	3528/53/28	<a href="#">&gt;&gt; 981319</a>
Steel	5x2,5 + 6x1,5	Number of connectors: 2	3528/53/28	<a href="#">&gt;&gt; 981357</a>

### Linea S LED IP40 trunking system 5292/53/28mm

Material of the body	Wire type	Remarks	Dimensions (H/W/T/S) [mm]	Index
Steel	5x2,5	Number of connectors: 3	5292/53/28	<a href="#">&gt;&gt; 980022</a>
Steel	5x2,5 + 2x1,5	Number of connectors: 3	5292/53/28	<a href="#">&gt;&gt; 980138</a>
Steel	5x2,5 + 4x1,5	Number of connectors: 3	5292/53/28	<a href="#">&gt;&gt; 981326</a>
Steel	5x2,5 + 6x1,5	Number of connectors: 3	5292/53/28	<a href="#">&gt;&gt; 981364</a>

# LINEA S LED IP40 TRUNKING SYSTEM

GENERAL CARD

## ACCESSORIES AVAILABLE

index	Name
981173	LINEA S LED hang 1.5m
980077	LINEA S LED hang 3m
981425	LINEA S LED chain pendant
981418	LINEA S LED pendant sm 1.5
980961	LINEA S LED pendant sm 3m
980954	Linea S LED surface mount bracket
980930	LINEA S LED PVC bezel 1176mm
981159	LINEA S LED - PVC grille 1764mm
981401	LINEA S LED IP40 connection bezel
980985	LINEA S LED metal grille 588mm
980947	LINEA S LED metal grille 1176mm
980039	LINEA S LED masking 1764mm
980060	LINEA S LED – end cap IP40 push-in
981166	LINEA S LED – end cap IP40 for screws
980084	LINEA S LED power set 5P
980978	Linea S LED power set 7P
981388	LINEA S LED power set 11P

# LINEA S LED IP40 TRUNKING SYSTEM

## GENERAL CARD



LINEA S LED hang 1.5m (981173)



LINEA S LED chain pendant (981425)



Linea S LED surface mount bracket (980954)



LINEA S LED PVC bezel 1176mm (980930)



LINEA S LED - PVC grille 1764mm (981159)



LINEA S LED metal grille 588mm (980985)



LINEA S LED metal grille 1176mm (980947)




LINEA S LED masking 1764mm (980039)



LINEA S LED - end cap IP40 push-in (980060)



LINEA S LED power set 5P (980084)



Linea S LED power set 7P (980978)



LINEA S LED power set 11P (981388)

Card creation date: 09 August 2024

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: