

# RQ 220 LED P PLUS

GENERAL CARD



## TECHNICAL PARAMETERS

<b>Light source:</b>	LED module
<b>Rated power of the luminaire [W]*:</b>	20.00; 24.00
<b>Luminous flux [lm]*:</b>	2450; 2700; 2900; 3100; 3300
<b>Energy efficiency class:</b>	C; D; E
<b>Electrical protection class:</b>	I; II
<b>Colour temperature [K]:</b>	3000; 4000
<b>Diffuser material:</b>	PC
<b>Diffuser type:</b>	MAT; OPAL; PRM
<b>Colour of the body:</b>	white
<b>Dimensions (H/W/T/S) [mm]:</b>	221/221/51;
<b>Impact resistance:</b>	IK07
<b>Ingress protection:</b>	IP65/IP20

## CHARACTERISTICS

RQ 220 LED P PLUS is a new line of round downlights. Designed from the ground up, the design introduces new solutions to ensure excellent light performance. The body is made of plastic, so it is characterized by low weight. The diffuser provides the lamp with excellent light characteristics. Integrated LED module Provides low electricity consumption and all the advantages of modern lamps with LED source for investment lighting.

## APPLICATION

Designed from scratch, the design introduces new solutions to ensure excellent light performance. The body is made of plastic, so it is characterized by low weight. The lampshade provides the lamp with excellent light characteristics. Integrated LED module Provides low electricity consumption and all the advantages of modern lamps with LED source for investment lighting.

The lamp is especially recommended for office spaces, spacious corridors and public spaces.

# RQ 220 LED P PLUS

GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

Rated power of the luminaire [W]*	Luminous flux [lm]*	Colour temperature [K]	Diffuser type	DIMM DALI	Version	Index
20	2300	3000	MAT		Trio (3 pieces)	<a href="#">&gt;&gt; 983139</a>
20	2300	3000	MAT	yes	Trio (3 pieces)	<a href="#">&gt;&gt; 983177</a>
20	2300	3000	MAT			<a href="#">&gt;&gt; 983047</a>
20	2300	3000	MAT			<a href="#">&gt;&gt; 983030</a>
20	2300	3000	MAT	yes		<a href="#">&gt;&gt; 983054</a>
20	2450	4000	MAT		Trio (3 pieces)	<a href="#">&gt;&gt; 983122</a>
20	2450	4000	MAT	yes	Trio (3 pieces)	<a href="#">&gt;&gt; 983160</a>
20	2450	4000	MAT			<a href="#">&gt;&gt; 983016</a>
20	2450	4000	MAT			<a href="#">&gt;&gt; 983009</a>
20	2450	4000	MAT	yes		<a href="#">&gt;&gt; 983023</a>
20	2650	3000	PRM		Trio (3 pieces)	<a href="#">&gt;&gt; 983153</a>
20	2650	3000	PRM			<a href="#">&gt;&gt; 983108</a>
20	2650	3000	PRM			<a href="#">&gt;&gt; 983092</a>
20	2650	3000	PRM	yes		<a href="#">&gt;&gt; 983115</a>
20	2750	3000	PRM	yes	Trio (3 pieces)	<a href="#">&gt;&gt; 983191</a>
20	2850	4000	PRM		Trio (3 pieces)	<a href="#">&gt;&gt; 983146</a>
20	2850	4000	PRM	yes	Trio (3 pieces)	<a href="#">&gt;&gt; 983184</a>
20	2850	4000	PRM			<a href="#">&gt;&gt; 983078</a>
20	2850	4000	PRM			<a href="#">&gt;&gt; 983061</a>
20	2850	4000	PRM	yes		<a href="#">&gt;&gt; 983085</a>
24	2700	3000	MAT			<a href="#">&gt;&gt; 947032</a>
24	2700	3000	MAT			<a href="#">&gt;&gt; 947049</a>
24	2700	3000	MAT	yes		<a href="#">&gt;&gt; 947056</a>
24	2700	3000	OPAL		Trio (3 pieces)	<a href="#">&gt;&gt; 947636</a>
24	2700	3000	OPAL	yes	Trio (3 pieces)	<a href="#">&gt;&gt; 947759</a>
24	2900	4000	MAT			<a href="#">&gt;&gt; 947001</a>
24	2900	4000	MAT			<a href="#">&gt;&gt; 947018</a>
24	2900	4000	MAT	yes		<a href="#">&gt;&gt; 947025</a>
24	2900	4000	OPAL		Trio (3 pieces)	<a href="#">&gt;&gt; 947629</a>
24	2900	4000	OPAL	yes	Trio (3 pieces)	<a href="#">&gt;&gt; 947742</a>
24	3100	3000	PRM			<a href="#">&gt;&gt; 947094</a>
24	3100	3000	PRM			<a href="#">&gt;&gt; 947100</a>
24	3100	3000	PRM	yes		<a href="#">&gt;&gt; 947117</a>
24	3100	3000	PRM		Trio (3 pieces)	<a href="#">&gt;&gt; 947650</a>
24	3100	3000	PRM	yes	Trio (3 pieces)	<a href="#">&gt;&gt; 947773</a>


# RQ 220 LED P PLUS


## GENERAL CARD

24	3300	4000	PRM			<a href="#">&gt;&gt; 947063</a>
24	3300	4000	PRM			<a href="#">&gt;&gt; 947070</a>
24	3300	4000	PRM	yes		<a href="#">&gt;&gt; 947087</a>
24	3300	4000	PRM		Trio (3 pieces)	<a href="#">&gt;&gt; 947643</a>
24	3300	4000	PRM	yes	Trio (3 pieces)	<a href="#">&gt;&gt; 947766</a>

Card creation date: 09 January 2025

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%

 This product is a subject to electric and electronic waste equipment regulations (WEEE).

 Certificate CE - Nr: 11/2023; 301/2023; 302/2023