

# ALTEZZO L 150

GENERAL CARD



## TECHNICAL PARAMETERS

|   |  |
|---|--|
| <b>Rated power of the luminaire [W]*:</b> | 32.00 - 82.00  |
| <b>Luminous flux [lm]*:</b>               | 3600 - 10700   |
| <b>Ingress protection:</b>                | IP65   |
| <b>Impact resistance:</b>                 | IK09   |
| <b>Colour temperature [K]:</b>            | 2700; 3000; 4000   |
| <b>Material of the body:</b>              | aluminium  |
| <b>Colour of the body:</b>                | RAL7016  |
| <b>Diffuser material:</b>                 | PC   |
| <b>Beam angle [°]:</b>                    | 110; RM7   |
| <b>Mounting version:</b>                  | on a foundation  |
| <b>Dimensions (H/W/T/S) [mm]:</b>         | 2500/150/150/800;<br>3000/150/150/800;<br>3500/150/150/800;<br>4000/150/150/800;<br>5000/150/150/800 |
| <b>CE certificate:</b>                    | 92/2023  |

## CHARACTERISTICS

Altezzo L 150 is a family of outdoor lamps with a modern design. We offer them in five dimensions - with heights ranging from 2500 mm to 5000 mm. Their construction provides for the possibility of customising the lamp in accordance with the designer or architect's guidelines. The lamp component containing the light module can be oriented parallel to the plane to be illuminated. In addition, the profile itself can bifurcate. As a result, up to four light module elements can be mounted on a single post - one on each plane of the post - at the same or different heights.

The compact (150 mm x 150 mm), square cross-section profile of the Altezzo lamps is impact-resistant (IK09). It is made of aluminium in graphite (RAL 7016). The light module is made up of leds with a lifetime of up to 196,000 h, with lenses made of PMMA and a durable polycarbonate diffuser.

The Altezzo lamp is available with dozens of types of light distribution. The designer has the option of choosing one that ensures not only that the stringent standards are met, but also that the lighting is adequate, energy-efficient and that the users are safe.

## APPLICATION

The wide range of wattages, luminous fluxes and light distributions of the Altezzo L 150 lamp series make it possible to design energy-efficient lighting for roads, pavements, car parks, residential streets or walkways. The lower wattage versions are also suitable for parks and gardens, to illuminate street furniture.

The lamps are designed to operate in very low and high temperatures from -30°C to +50°C and in harsh weather conditions. They are characterised by very high IP65 tightness.

## DETAILS

The selection of the foundation for the lighting column, in accordance with the Building Act, rests with the designer, with the relevant qualifications. The designer is also obliged to check the standard solution from the lighting manufacturer's offer, as he knows, among other things, the soil and water conditions in the designed area. If the dedicated foundation does not provide the safe conditions specified in the design, a suitable one should be selected from outside the lighting manufacturer's offer, with an anchor spacing of 180x180 - 220x220mm. As standard, in the case of Altezzo L100, universal 13kg foundations are used for garden lamps or FBO 35/7.5 M6 foundations for taller posts and/or more difficult ground and water conditions. For **Altezzo L150**, B-50 universal foundations or B-51 foundations are used for taller posts and/or more difficult soil and water conditions.

# ALTEZZO L 150

GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

ALTEZZO L 150 2500/150/150/800mm

| Rated power of the luminaire [W]* | Luminous flux [lm]* | Colour temperature [K] | DIMM DALI | Beam angle [°] | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|---------------------|------------------------|-----------|----------------|---------------------------|---------------------------------|
| 32                                | 3600                | 2700                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 985546</a> |
| 32                                | 3600                | 2700                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986741</a> |
| 32                                | 3800                | 3000                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 985348</a> |
| 32                                | 3800                | 3000                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986543</a> |
| 32                                | 3850                | 2700                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984945</a> |
| 32                                | 3850                | 2700                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 986147</a> |
| 32                                | 4000                | 4000                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 985140</a> |
| 32                                | 4000                | 4000                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986345</a> |
| 32                                | 4100                | 3000                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984747</a> |
| 32                                | 4100                | 3000                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 985942</a> |
| 32                                | 4300                | 4000                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984549</a> |
| 32                                | 4300                | 4000                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 985744</a> |
| 42                                | 4900                | 2700                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 985492</a> |
| 42                                | 4900                | 2700                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986697</a> |
| 42                                | 5200                | 3000                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 985294</a> |
| 42                                | 5200                | 3000                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986499</a> |
| 42                                | 5250                | 2700                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984891</a> |
| 42                                | 5250                | 2700                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 986093</a> |
| 42                                | 5500                | 4000                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 985096</a> |
| 42                                | 5500                | 4000                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986291</a> |
| 42                                | 5600                | 3000                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984693</a> |
| 42                                | 5600                | 3000                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 985898</a> |
| 42                                | 5900                | 4000                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984495</a> |
| 42                                | 5900                | 4000                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 985690</a> |
| 58                                | 6700                | 2700                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 985447</a> |
| 58                                | 6700                | 2700                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986642</a> |
| 58                                | 7100                | 3000                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 985249</a> |
| 58                                | 7100                | 3000                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986444</a> |
| 58                                | 7150                | 2700                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984846</a> |
| 58                                | 7150                | 2700                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 986048</a> |
| 58                                | 7500                | 4000                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 985041</a> |
| 58                                | 7500                | 4000                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986246</a> |
| 58                                | 7600                | 3000                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984648</a> |
| 58                                | 7600                | 3000                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 985843</a> |

# ALTEZZO L 150

## GENERAL CARD

| Rated power of the luminaire [W]* | Luminous flux [lm]* | Colour temperature [K] | DIMM DALI | Beam angle [°] | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|---------------------|------------------------|-----------|----------------|---------------------------|---------------------------------|
| 58                                | 8000                | 4000                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984440</a> |
| 58                                | 8000                | 4000                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 985645</a> |
| 82                                | 8950                | 2700                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 985393</a> |
| 82                                | 8950                | 2700                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986598</a> |
| 82                                | 9500                | 3000                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 985195</a> |
| 82                                | 9500                | 3000                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986390</a> |
| 82                                | 9550                | 2700                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984792</a> |
| 82                                | 9550                | 2700                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 985997</a> |
| 82                                | 10000               | 4000                   |           | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 984990</a> |
| 82                                | 10000               | 4000                   | yes       | RM7            | 2500/150/150/800          | <a href="#">&gt;&gt; 986192</a> |
| 82                                | 10150               | 3000                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984594</a> |
| 82                                | 10150               | 3000                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 985799</a> |
| 82                                | 10700               | 4000                   |           | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 984396</a> |
| 82                                | 10700               | 4000                   | yes       | 110            | 2500/150/150/800          | <a href="#">&gt;&gt; 985591</a> |

## ALTEZZO L 150 3000/150/150/800mm

| Rated power of the luminaire [W]* | Luminous flux [lm]* | Colour temperature [K] | DIMM DALI | Beam angle [°] | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|---------------------|------------------------|-----------|----------------|---------------------------|---------------------------------|
| 32                                | 3600                | 2700                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985553</a> |
| 32                                | 3600                | 2700                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986758</a> |
| 32                                | 3800                | 3000                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985355</a> |
| 32                                | 3800                | 3000                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986550</a> |
| 32                                | 3850                | 2700                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984952</a> |
| 32                                | 3850                | 2700                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 986154</a> |
| 32                                | 4000                | 4000                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985157</a> |
| 32                                | 4000                | 4000                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986352</a> |
| 32                                | 4100                | 3000                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984754</a> |
| 32                                | 4100                | 3000                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 985959</a> |
| 32                                | 4300                | 4000                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984556</a> |
| 32                                | 4300                | 4000                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 985751</a> |
| 42                                | 4900                | 2700                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985508</a> |
| 42                                | 4900                | 2700                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986703</a> |
| 42                                | 5200                | 3000                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985300</a> |
| 42                                | 5200                | 3000                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986505</a> |
| 42                                | 5250                | 2700                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984907</a> |
| 42                                | 5250                | 2700                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 986109</a> |
| 42                                | 5500                | 4000                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985102</a> |
| 42                                | 5500                | 4000                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986307</a> |
| 42                                | 5600                | 3000                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984709</a> |
| 42                                | 5600                | 3000                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 985904</a> |

# ALTEZZO L 150

## GENERAL CARD

| Rated power of the luminaire [W]* | Luminous flux [lm]* | Colour temperature [K] | DIMM DALI | Beam angle [°] | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|---------------------|------------------------|-----------|----------------|---------------------------|---------------------------------|
| 42                                | 5900                | 4000                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984501</a> |
| 42                                | 5900                | 4000                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 985706</a> |
| 58                                | 6700                | 2700                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985454</a> |
| 58                                | 6700                | 2700                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986659</a> |
| 58                                | 7100                | 3000                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985256</a> |
| 58                                | 7100                | 3000                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986451</a> |
| 58                                | 7150                | 2700                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984853</a> |
| 58                                | 7150                | 2700                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 986055</a> |
| 58                                | 7500                | 4000                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985058</a> |
| 58                                | 7500                | 4000                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986253</a> |
| 58                                | 7600                | 3000                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984655</a> |
| 58                                | 7600                | 3000                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 985850</a> |
| 58                                | 8000                | 4000                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984457</a> |
| 58                                | 8000                | 4000                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 985652</a> |
| 82                                | 8950                | 2700                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985409</a> |
| 82                                | 8950                | 2700                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986604</a> |
| 82                                | 9500                | 3000                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985201</a> |
| 82                                | 9500                | 3000                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986406</a> |
| 82                                | 9550                | 2700                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984808</a> |
| 82                                | 9550                | 2700                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 986000</a> |
| 82                                | 10000               | 4000                   |           | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 985003</a> |
| 82                                | 10000               | 4000                   | yes       | RM7            | 3000/150/150/800          | <a href="#">&gt;&gt; 986208</a> |
| 82                                | 10150               | 3000                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984600</a> |
| 82                                | 10150               | 3000                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 985805</a> |
| 82                                | 10700               | 4000                   |           | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 984402</a> |
| 82                                | 10700               | 4000                   | yes       | 110            | 3000/150/150/800          | <a href="#">&gt;&gt; 985607</a> |

## ALTEZZO L 150 3500/150/150/800mm

| Rated power of the luminaire [W]* | Luminous flux [lm]* | Colour temperature [K] | DIMM DALI | Beam angle [°] | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|---------------------|------------------------|-----------|----------------|---------------------------|---------------------------------|
| 32                                | 3600                | 2700                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985560</a> |
| 32                                | 3600                | 2700                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986765</a> |
| 32                                | 3800                | 3000                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985362</a> |
| 32                                | 3800                | 3000                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986567</a> |
| 32                                | 3850                | 2700                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984969</a> |
| 32                                | 3850                | 2700                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 986161</a> |
| 32                                | 4000                | 4000                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985164</a> |
| 32                                | 4000                | 4000                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986369</a> |
| 32                                | 4100                | 3000                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984761</a> |
| 32                                | 4100                | 3000                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 985966</a> |

# ALTEZZO L 150

## GENERAL CARD

| Rated power of the luminaire [W]* | Luminous flux [lm]* | Colour temperature [K] | DIMM DALI | Beam angle [°] | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|---------------------|------------------------|-----------|----------------|---------------------------|---------------------------------|
| 32                                | 4300                | 4000                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984563</a> |
| 32                                | 4300                | 4000                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 985768</a> |
| 42                                | 4900                | 2700                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985515</a> |
| 42                                | 4900                | 2700                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986710</a> |
| 42                                | 5200                | 3000                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985317</a> |
| 42                                | 5200                | 3000                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986512</a> |
| 42                                | 5250                | 2700                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984914</a> |
| 42                                | 5250                | 2700                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 986116</a> |
| 42                                | 5500                | 4000                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985119</a> |
| 42                                | 5500                | 4000                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986314</a> |
| 42                                | 5600                | 3000                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984716</a> |
| 42                                | 5600                | 3000                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 985911</a> |
| 42                                | 5900                | 4000                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984518</a> |
| 42                                | 5900                | 4000                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 985713</a> |
| 58                                | 6700                | 2700                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985461</a> |
| 58                                | 6700                | 2700                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986666</a> |
| 58                                | 7100                | 3000                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985263</a> |
| 58                                | 7100                | 3000                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986468</a> |
| 58                                | 7150                | 2700                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984860</a> |
| 58                                | 7150                | 2700                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 986062</a> |
| 58                                | 7500                | 4000                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985065</a> |
| 58                                | 7500                | 4000                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986260</a> |
| 58                                | 7600                | 3000                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984662</a> |
| 58                                | 7600                | 3000                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 985867</a> |
| 58                                | 8000                | 4000                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984464</a> |
| 58                                | 8000                | 4000                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 985669</a> |
| 82                                | 8950                | 2700                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985416</a> |
| 82                                | 8950                | 2700                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986611</a> |
| 82                                | 9500                | 3000                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985218</a> |
| 82                                | 9500                | 3000                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986413</a> |
| 82                                | 9550                | 2700                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984815</a> |
| 82                                | 9550                | 2700                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 986017</a> |
| 82                                | 10000               | 4000                   |           | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 985010</a> |
| 82                                | 10000               | 4000                   | yes       | RM7            | 3500/150/150/800          | <a href="#">&gt;&gt; 986215</a> |
| 82                                | 10150               | 3000                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984617</a> |
| 82                                | 10150               | 3000                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 985812</a> |
| 82                                | 10700               | 4000                   |           | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 984419</a> |
| 82                                | 10700               | 4000                   | yes       | 110            | 3500/150/150/800          | <a href="#">&gt;&gt; 985614</a> |

# ALTEZZO L 150

## GENERAL CARD

### ALTEZZO L 150 4000/150/150/800mm

| Rated power of the luminaire [W]* | Luminous flux [lm]* | Colour temperature [K] | DIMM DALI | Beam angle [°] | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|---------------------|------------------------|-----------|----------------|---------------------------|---------------------------------|
| 32                                | 3600                | 2700                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985577</a> |
| 32                                | 3600                | 2700                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986772</a> |
| 32                                | 3800                | 3000                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985379</a> |
| 32                                | 3800                | 3000                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986574</a> |
| 32                                | 3850                | 2700                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984976</a> |
| 32                                | 3850                | 2700                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 986178</a> |
| 32                                | 4000                | 4000                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985171</a> |
| 32                                | 4000                | 4000                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986376</a> |
| 32                                | 4100                | 3000                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984778</a> |
| 32                                | 4100                | 3000                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 985973</a> |
| 32                                | 4300                | 4000                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984570</a> |
| 32                                | 4300                | 4000                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 985775</a> |
| 42                                | 4900                | 2700                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985522</a> |
| 42                                | 4900                | 2700                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986727</a> |
| 42                                | 5200                | 3000                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985324</a> |
| 42                                | 5200                | 3000                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986529</a> |
| 42                                | 5250                | 2700                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984921</a> |
| 42                                | 5250                | 2700                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 986123</a> |
| 42                                | 5500                | 4000                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985126</a> |
| 42                                | 5500                | 4000                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986321</a> |
| 42                                | 5600                | 3000                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984723</a> |
| 42                                | 5600                | 3000                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 985928</a> |
| 42                                | 5900                | 4000                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984525</a> |
| 42                                | 5900                | 4000                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 985720</a> |
| 58                                | 6700                | 2700                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985478</a> |
| 58                                | 6700                | 2700                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986673</a> |
| 58                                | 7100                | 3000                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985270</a> |
| 58                                | 7100                | 3000                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986475</a> |
| 58                                | 7150                | 2700                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984877</a> |
| 58                                | 7150                | 2700                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 986079</a> |
| 58                                | 7500                | 4000                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985072</a> |
| 58                                | 7500                | 4000                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986277</a> |
| 58                                | 7600                | 3000                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984679</a> |
| 58                                | 7600                | 3000                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 985874</a> |
| 58                                | 8000                | 4000                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984471</a> |
| 58                                | 8000                | 4000                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 985676</a> |
| 82                                | 8950                | 2700                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985423</a> |

# ALTEZZO L 150

## GENERAL CARD

| Rated power of the luminaire [W]* | Luminous flux [lm]* | Colour temperature [K] | DIMM DALI | Beam angle [°] | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|---------------------|------------------------|-----------|----------------|---------------------------|---------------------------------|
| 82                                | 8950                | 2700                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986628</a> |
| 82                                | 9500                | 3000                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985225</a> |
| 82                                | 9500                | 3000                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986420</a> |
| 82                                | 9550                | 2700                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984822</a> |
| 82                                | 9550                | 2700                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 986024</a> |
| 82                                | 10000               | 4000                   |           | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 985027</a> |
| 82                                | 10000               | 4000                   | yes       | RM7            | 4000/150/150/800          | <a href="#">&gt;&gt; 986222</a> |
| 82                                | 10150               | 3000                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984624</a> |
| 82                                | 10150               | 3000                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 985829</a> |
| 82                                | 10700               | 4000                   |           | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 984426</a> |
| 82                                | 10700               | 4000                   | yes       | 110            | 4000/150/150/800          | <a href="#">&gt;&gt; 985621</a> |

## ALTEZZO L 150 5000/150/150/800mm

| Rated power of the luminaire [W]* | Luminous flux [lm]* | Colour temperature [K] | DIMM DALI | Beam angle [°] | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|---------------------|------------------------|-----------|----------------|---------------------------|---------------------------------|
| 32                                | 3600                | 2700                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985584</a> |
| 32                                | 3600                | 2700                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986789</a> |
| 32                                | 3800                | 3000                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985386</a> |
| 32                                | 3800                | 3000                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986581</a> |
| 32                                | 3850                | 2700                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984983</a> |
| 32                                | 3850                | 2700                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 986185</a> |
| 32                                | 4000                | 4000                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985188</a> |
| 32                                | 4000                | 4000                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986383</a> |
| 32                                | 4100                | 3000                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984785</a> |
| 32                                | 4100                | 3000                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 985980</a> |
| 32                                | 4300                | 4000                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984587</a> |
| 32                                | 4300                | 4000                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 985782</a> |
| 42                                | 4900                | 2700                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985539</a> |
| 42                                | 4900                | 2700                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986734</a> |
| 42                                | 5200                | 3000                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985331</a> |
| 42                                | 5200                | 3000                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986536</a> |
| 42                                | 5250                | 2700                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984938</a> |
| 42                                | 5250                | 2700                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 986130</a> |
| 42                                | 5500                | 4000                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985133</a> |
| 42                                | 5500                | 4000                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986338</a> |
| 42                                | 5600                | 3000                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984730</a> |
| 42                                | 5600                | 3000                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 985935</a> |
| 42                                | 5900                | 4000                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984532</a> |
| 42                                | 5900                | 4000                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 985737</a> |
| 58                                | 6700                | 2700                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985485</a> |

# ALTEZZO L 150

## GENERAL CARD

| Rated power of the luminaire [W]* | Luminous flux [lm]* | Colour temperature [K] | DIMM DALI | Beam angle [°] | Dimensions (H/W/T/S) [mm] | Index                           |
|-----------------------------------|---------------------|------------------------|-----------|----------------|---------------------------|---------------------------------|
| 58                                | 6700                | 2700                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986680</a> |
| 58                                | 7100                | 3000                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985287</a> |
| 58                                | 7100                | 3000                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986482</a> |
| 58                                | 7150                | 2700                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984884</a> |
| 58                                | 7150                | 2700                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 986086</a> |
| 58                                | 7500                | 4000                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985089</a> |
| 58                                | 7500                | 4000                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986284</a> |
| 58                                | 7600                | 3000                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984686</a> |
| 58                                | 7600                | 3000                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 985881</a> |
| 58                                | 8000                | 4000                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984488</a> |
| 58                                | 8000                | 4000                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 985683</a> |
| 82                                | 8950                | 2700                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985430</a> |
| 82                                | 8950                | 2700                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986635</a> |
| 82                                | 9500                | 3000                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985232</a> |
| 82                                | 9500                | 3000                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986437</a> |
| 82                                | 9550                | 2700                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984839</a> |
| 82                                | 9550                | 2700                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 986031</a> |
| 82                                | 10000               | 4000                   |           | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 985034</a> |
| 82                                | 10000               | 4000                   | yes       | RM7            | 5000/150/150/800          | <a href="#">&gt;&gt; 986239</a> |
| 82                                | 10150               | 3000                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984631</a> |
| 82                                | 10150               | 3000                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 985836</a> |
| 82                                | 10700               | 4000                   |           | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 984433</a> |
| 82                                | 10700               | 4000                   | yes       | 110            | 5000/150/150/800          | <a href="#">&gt;&gt; 985638</a> |

Card creation date: 19 February 2024

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 92/2023