

# TERRA 3 LED

GENERAL CARD



## TECHNICAL PARAMETERS

<b>Rated power of the luminaire [W]*:</b>	16.00 - 70.00
<b>Luminous flux [lm]*:</b>	1800 - 8600
<b>Colour temperature [K]:</b>	3000; 4000
<b>Colour rendering index:</b>	>80
<b>Ingress protection:</b>	IP20
<b>Energy efficiency class:</b>	C; D; E; F
<b>Electrical protection class:</b>	II
<b>Material of the body:</b>	powder coated steel
<b>Colour of the body:</b>	black mat; czarny mat struktura; white gloss; white mat
<b>Diffuser material:</b>	PC
<b>Diffuser type:</b>	matrix led
<b>Mounting version:</b>	recessed; surface; suspended
<b>Dimensions (H/W/T/S) [mm]:</b>	595/300/37 - 1195/170/37

## CHARACTERISTICS

A luminaire equipped with energy-efficient LED modules characterised by high luminous flux. The low side profile provides an aesthetically pleasing, timeless appearance. Robust, compact construction. Made of powder-coated steel sheet. Patented high-performance HE reflector guarantees high efficiency while effectively eliminating glare.

Available mounting versions: surface mounted, flush mounted in modular ceilings or pendant. The surface-mounted version features solutions for fast and safe installation.

UGR < 19

The Unified Glare Rating is an indicator that characterises glare. The lower the Unified Glare Rating (UGR), the lower the glare. In the case of lamps for office spaces, UGR<19 values translate into, among other things, greater working comfort, reduction of errors and fatigue. The UGR value also depends on a number of factors that characterise the room and the location of the observer. Dedicated computer programmes, among others, are used to precisely determine the degree of glare for specific conditions.

## APPLICATION

The versatile luminaire is designed for indoor use in offices or general utility rooms. Its high luminous parameters make it suitable as the main source of light and conducive to work requiring visual focus. The luminaire is suitable for both new applications and the replacement of traditional fluorescent lamps with energy-efficient LED solutions.

# TERRA 3 LED

GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

### TERRA 3 LED surface

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
16	3000	1800		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426667</a>
16	4000	1900		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426124</a>
16	3000	2100		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426605</a>
16	3000	2100		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426544</a>
16	4000	2200		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426063</a>
16	4000	2200		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426001</a>
21	3000	2550		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426674</a>
21	4000	2600		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426131</a>
21	3000	2900		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426612</a>
21	3000	2900		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426551</a>
21	4000	3000		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426070</a>
21	4000	3000		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426018</a>
28	3000	2850		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426681</a>
28	3000	2850	yes	black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427404</a>
28	4000	3050		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426148</a>
28	4000	3050	yes	black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427169</a>
28	3000	3300		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426629</a>
28	3000	3300		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426568</a>
28	3000	3300	yes	white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427367</a>
28	3000	3300	yes	white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427329</a>
28	4000	3500		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426087</a>
28	4000	3500		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426025</a>
28	4000	3500	yes	white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427121</a>
28	4000	3500	yes	white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427084</a>
35	3000	3500		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426704</a>
35	3000	3500	yes	black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427428</a>
35	4000	3700		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426162</a>
35	4000	3700	yes	black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427183</a>
35	3000	4100		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426643</a>
35	3000	4100		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426582</a>
35	3000	4100	yes	white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427381</a>
35	3000	4100	yes	white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427343</a>
35	4000	4300		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426100</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
35	4000	4300		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426049</a>
35	4000	4300	yes	white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427145</a>
35	4000	4300	yes	white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427107</a>
40	3000	3900		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426698</a>
40	3000	3900	yes	black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427411</a>
40	4000	4200		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426155</a>
40	4000	4200	yes	black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427176</a>
40	3000	4600		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426636</a>
40	3000	4600		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426575</a>
40	3000	4600	yes	white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427374</a>
40	3000	4600	yes	white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427336</a>
40	4000	4800		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426094</a>
40	4000	4800		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426032</a>
40	4000	4800	yes	white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427138</a>
40	4000	4800	yes	white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427091</a>
42	3000	5150		black mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426964</a>
42	4000	5300		black mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426421</a>
42	3000	5800		white mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426933</a>
42	3000	5800		white gloss	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426902</a>
42	4000	6000		white mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426391</a>
42	4000	6000		white gloss	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426360</a>
56	3000	5150		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426711</a>
56	3000	5150	yes	black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427435</a>
56	4000	5400		black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426179</a>
56	4000	5400	yes	black mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427190</a>
56	3000	5700		black mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426971</a>
56	3000	5900		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426650</a>
56	3000	5900		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426599</a>
56	3000	5900	yes	white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427398</a>
56	3000	5900	yes	white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427350</a>
56	4000	6100		black mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426438</a>
56	4000	6300		white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426117</a>
56	4000	6300		white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 426056</a>
56	4000	6300	yes	white mat	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427152</a>
56	4000	6300	yes	white gloss	2x1	595/595/37	surface	<a href="#">&gt;&gt; 427114</a>
56	3000	6600		white mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426940</a>
56	3000	6600		white gloss	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426919</a>
56	4000	7000		white mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426407</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
56	4000	7000		white gloss	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426377</a>
70	3000	7050		black mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426988</a>
70	4000	7400		black mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426445</a>
70	3000	8200		white mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426957</a>
70	3000	8200		white gloss	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426926</a>
70	4000	8600		white mat	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426414</a>
70	4000	8600		white gloss	4x1	595/595/37	surface	<a href="#">&gt;&gt; 426384</a>
16	3000	1800		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426841</a>
16	4000	1900		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426308</a>
16	3000	2100		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426780</a>
16	3000	2100		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426728</a>
16	4000	2200		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426247</a>
16	4000	2200		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426186</a>
21	3000	2550		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426858</a>
21	4000	2600		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426315</a>
21	3000	2900		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426797</a>
21	3000	2900		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426735</a>
21	4000	3000		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426254</a>
21	4000	3000		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426193</a>
28	3000	2850		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426865</a>
28	3000	2850	yes	black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427527</a>
28	4000	3050		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426322</a>
28	4000	3050	yes	black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427282</a>
28	3000	3300		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426803</a>
28	3000	3300		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426742</a>
28	3000	3300	yes	white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427480</a>
28	3000	3300	yes	white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427442</a>
28	4000	3500		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426261</a>
28	4000	3500		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426209</a>
28	4000	3500	yes	white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427244</a>
28	4000	3500	yes	white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427206</a>
35	3000	3500		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426889</a>
35	3000	3500	yes	black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427541</a>
35	4000	3700		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426346</a>
35	4000	3700	yes	black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427305</a>
35	3000	4100		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426827</a>
35	3000	4100		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426766</a>
35	3000	4100	yes	white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427503</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
35	3000	4100	yes	white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427466</a>
35	4000	4300		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426285</a>
35	4000	4300		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426223</a>
35	4000	4300	yes	white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427268</a>
35	4000	4300	yes	white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427220</a>
40	3000	3900		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426872</a>
40	3000	3900	yes	black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427534</a>
40	4000	4200		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426339</a>
40	4000	4200	yes	black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427299</a>
40	3000	4600		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426810</a>
40	3000	4600		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426759</a>
40	3000	4600	yes	white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427497</a>
40	3000	4600	yes	white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427459</a>
40	4000	4800		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426278</a>
40	4000	4800		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426216</a>
40	4000	4800	yes	white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427251</a>
40	4000	4800	yes	white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427213</a>
56	3000	5150		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426896</a>
56	3000	5150	yes	black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427558</a>
56	4000	5400		black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426353</a>
56	4000	5400	yes	black mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427312</a>
56	3000	5900		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426834</a>
56	3000	5900		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426773</a>
56	3000	5900	yes	white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427510</a>
56	3000	5900	yes	white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427473</a>
56	4000	6300		white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426292</a>
56	4000	6300		white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 426230</a>
56	4000	6300	yes	white mat	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427275</a>
56	4000	6300	yes	white gloss	2x1	595/300/37	surface	<a href="#">&gt;&gt; 427237</a>
16	3000	1800		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428029</a>
16	4000	1900		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427961</a>
16	3000	2100		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427749</a>
16	3000	2100		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427688</a>
16	4000	2200		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427626</a>
16	4000	2200		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427565</a>
21	3000	2550		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428036</a>
21	4000	2600		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427978</a>
21	3000	2900		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427756</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
21	3000	2900		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427695</a>
21	4000	3000		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427633</a>
21	4000	3000		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427572</a>
28	3000	2850		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428043</a>
28	3000	2850	yes	black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428128</a>
28	4000	3050		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427985</a>
28	4000	3050	yes	black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428081</a>
28	3000	3300		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427763</a>
28	3000	3300		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427701</a>
28	3000	3300	yes	white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427923</a>
28	3000	3300	yes	white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427886</a>
28	4000	3500		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427640</a>
28	4000	3500		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427589</a>
28	4000	3500	yes	white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427848</a>
28	4000	3500	yes	white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427800</a>
35	3000	3500		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428067</a>
35	3000	3500	yes	black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428142</a>
35	4000	3700		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428005</a>
35	4000	3700	yes	black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428104</a>
35	3000	4100		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427787</a>
35	3000	4100		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427725</a>
35	3000	4100	yes	white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427947</a>
35	3000	4100	yes	white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427909</a>
35	4000	4300		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427664</a>
35	4000	4300		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427602</a>
35	4000	4300	yes	white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427862</a>
35	4000	4300	yes	white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427824</a>
40	3000	3900		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428050</a>
40	3000	3900	yes	black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428135</a>
40	4000	4200		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427992</a>
40	4000	4200	yes	black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428098</a>
40	3000	4600		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427770</a>
40	3000	4600		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427718</a>
40	3000	4600	yes	white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427930</a>
40	3000	4600	yes	white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427893</a>
40	4000	4800		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427657</a>
40	4000	4800		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427596</a>
40	4000	4800	yes	white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427855</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
40	4000	4800	yes	white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427817</a>
42	3000	5150		black mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 427053</a>
42	4000	5300		black mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 426513</a>
42	3000	5800		white mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 427022</a>
42	3000	5800		white gloss	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 426995</a>
42	4000	6000		white mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 426483</a>
42	4000	6000		white gloss	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 426452</a>
56	3000	5150		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428074</a>
56	3000	5150	yes	black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428159</a>
56	4000	5400		black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428012</a>
56	4000	5400	yes	black mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 428111</a>
56	3000	5700		black mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 427060</a>
56	3000	5900		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427794</a>
56	3000	5900		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427732</a>
56	3000	5900	yes	white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427954</a>
56	3000	5900	yes	white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427916</a>
56	4000	6100		black mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 426520</a>
56	4000	6300		white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427671</a>
56	4000	6300		white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427619</a>
56	4000	6300	yes	white mat	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427879</a>
56	4000	6300	yes	white gloss	2x1	1195/300/37	surface	<a href="#">&gt;&gt; 427831</a>
56	3000	6600		white mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 427039</a>
56	3000	6600		white gloss	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 427008</a>
56	4000	7000		white mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 426490</a>
56	4000	7000		white gloss	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 426469</a>
70	3000	7050		black mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 427077</a>
70	4000	7400		black mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 426537</a>
70	3000	8200		white mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 427046</a>
70	3000	8200		white gloss	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 427015</a>
70	4000	8600		white mat	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 426506</a>
70	4000	8600		white gloss	4x1	1195/300/37	surface	<a href="#">&gt;&gt; 426476</a>
16	3000	1800		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428807</a>
16	4000	1900		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428746</a>
16	3000	2100		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428524</a>
16	3000	2100		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428463</a>
16	4000	2200		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428401</a>
16	4000	2200		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428340</a>
21	3000	2550		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428814</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
21	4000	2600		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428753</a>
21	3000	2900		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428531</a>
21	3000	2900		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428470</a>
21	4000	3000		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428418</a>
21	4000	3000		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428357</a>
28	3000	2850		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428821</a>
28	3000	2850	yes	black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428906</a>
28	4000	3050		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428760</a>
28	4000	3050	yes	black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428869</a>
28	3000	3300		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428548</a>
28	3000	3300		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428487</a>
28	3000	3300	yes	white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428708</a>
28	3000	3300	yes	white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428661</a>
28	4000	3500		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428425</a>
28	4000	3500		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428364</a>
28	4000	3500	yes	white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428623</a>
28	4000	3500	yes	white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428586</a>
35	3000	3500		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428845</a>
35	3000	3500	yes	black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428920</a>
35	4000	3700		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428784</a>
35	4000	3700	yes	black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428883</a>
35	3000	4100		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428562</a>
35	3000	4100		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428500</a>
35	3000	4100	yes	white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428722</a>
35	3000	4100	yes	white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428685</a>
35	4000	4300		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428449</a>
35	4000	4300		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428388</a>
35	4000	4300	yes	white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428647</a>
35	4000	4300	yes	white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428609</a>
40	3000	3900		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428838</a>
40	3000	3900	yes	black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428913</a>
40	4000	4200		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428777</a>
40	4000	4200	yes	black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428876</a>
40	3000	4600		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428555</a>
40	3000	4600		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428494</a>
40	3000	4600	yes	white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428715</a>
40	3000	4600	yes	white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428678</a>
40	4000	4800		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428432</a>



# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
40	4000	4800		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428371</a>
40	4000	4800	yes	white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428630</a>
40	4000	4800	yes	white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428593</a>
42	3000	5150		black mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428319</a>
42	4000	5300		black mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428227</a>
42	3000	5800		white mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428289</a>
42	3000	5800		white gloss	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428258</a>
42	4000	6000		white mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428197</a>
42	4000	6000		white gloss	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428166</a>
56	3000	5150		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428852</a>
56	3000	5150	yes	black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428937</a>
56	4000	5400		black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428791</a>
56	4000	5400	yes	black mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428890</a>
56	3000	5700		black mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428326</a>
56	3000	5900		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428579</a>
56	3000	5900		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428517</a>
56	3000	5900	yes	white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428739</a>
56	3000	5900	yes	white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428692</a>
56	4000	6100		black mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428234</a>
56	4000	6300		white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428456</a>
56	4000	6300		white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428395</a>
56	4000	6300	yes	white mat	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428654</a>
56	4000	6300	yes	white gloss	2x1	1195/170/37	surface	<a href="#">&gt;&gt; 428616</a>
56	3000	6600		white mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428296</a>
56	3000	6600		white gloss	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428265</a>
56	4000	7000		white mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428203</a>
56	4000	7000		white gloss	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428173</a>
70	3000	7050		black mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428333</a>
70	4000	7400		black mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428241</a>
70	3000	8200		white mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428302</a>
70	3000	8200		white gloss	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428272</a>
70	4000	8600		white mat	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428210</a>
70	4000	8600		white gloss	4x1	1195/170/37	surface	<a href="#">&gt;&gt; 428180</a>

## TERRA 3 LED recessed

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
16	3000	1800		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418877</a>
16	4000	1900		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418310</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
16	3000	2100		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418754</a>
16	3000	2100		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418815</a>
16	4000	2200		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418006</a>
16	4000	2200		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418259</a>
21	3000	2550		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418884</a>
21	4000	2600		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418327</a>
21	4000	2850		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418129</a>
21	4000	2850		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418266</a>
21	3000	2900		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418761</a>
21	3000	2900		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418822</a>
28	3000	2850		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418891</a>
28	3000	2850	yes	black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419676</a>
28	4000	3050		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418341</a>
28	4000	3050	yes	black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419379</a>
28	3000	3300		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418778</a>
28	3000	3300		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418839</a>
28	3000	3300	yes	white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419591</a>
28	3000	3300	yes	white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419638</a>
28	4000	3500		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418174</a>
28	4000	3500		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418273</a>
28	4000	3500	yes	white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419294</a>
28	4000	3500	yes	white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419331</a>
35	3000	3500		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418914</a>
35	3000	3500	yes	black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419690</a>
35	4000	3700		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418365</a>
35	4000	3700	yes	black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419393</a>
35	3000	4100		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418792</a>
35	3000	4100		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418853</a>
35	3000	4100	yes	white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419614</a>
35	3000	4100	yes	white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419652</a>
35	4000	4300		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418204</a>
35	4000	4300		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418297</a>
35	4000	4300	yes	white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419317</a>
35	4000	4300	yes	white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419355</a>
40	3000	3900		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418907</a>
40	3000	3900	yes	black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419683</a>
40	4000	4200		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418358</a>
40	4000	4200	yes	black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419386</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
40	3000	4600		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418785</a>
40	3000	4600		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418846</a>
40	3000	4600	yes	white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419607</a>
40	3000	4600	yes	white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419645</a>
40	4000	4800		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418198</a>
40	4000	4800		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418280</a>
40	4000	4800	yes	white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419300</a>
40	4000	4800	yes	white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419348</a>
42	3000	5150		black mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 419171</a>
42	4000	5300		black mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 418631</a>
42	3000	5800		white gloss	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 419119</a>
42	3000	5800		white mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 419140</a>
42	4000	6000		white gloss	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 418570</a>
42	4000	6000		white mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 418600</a>
56	3000	5150		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418921</a>
56	3000	5150	yes	black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419706</a>
56	4000	5400		black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418372</a>
56	4000	5400	yes	black mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419409</a>
56	3000	5700		black mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 419188</a>
56	3000	5900		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418808</a>
56	3000	5900		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418860</a>
56	3000	5900	yes	white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419621</a>
56	3000	5900	yes	white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419669</a>
56	4000	6100		black mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 418648</a>
56	4000	6300		white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418242</a>
56	4000	6300		white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 418303</a>
56	4000	6300	yes	white gloss	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419324</a>
56	4000	6300	yes	white mat	2x1	595/595/32	recessed	<a href="#">&gt;&gt; 419362</a>
56	3000	6600		white gloss	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 419126</a>
56	3000	6600		white mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 419157</a>
56	4000	7000		white gloss	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 418587</a>
56	4000	7000		white mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 418617</a>
70	3000	7050		black mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 419195</a>
70	4000	7400		black mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 418655</a>
70	3000	8200		white gloss	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 419133</a>
70	3000	8200		white mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 419164</a>
70	4000	8600		white gloss	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 418594</a>
70	4000	8600		white mat	4x1	595/595/32	recessed	<a href="#">&gt;&gt; 418624</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
16	3000	1800		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419058</a>
16	4000	1900		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418518</a>
16	3000	2100		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418938</a>
16	3000	2100		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418990</a>
16	4000	2200		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418389</a>
16	4000	2200		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418457</a>
21	3000	2550		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419065</a>
21	4000	2600		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418525</a>
21	4000	2850		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418396</a>
21	4000	2850		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418464</a>
21	3000	2900		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418945</a>
21	3000	2900		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419003</a>
28	3000	2850		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419072</a>
28	3000	2850	yes	black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419850</a>
28	4000	3050		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418532</a>
28	4000	3050	yes	black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419492</a>
28	3000	3300		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418952</a>
28	3000	3300		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419010</a>
28	3000	3300	yes	white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419713</a>
28	3000	3300	yes	white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419751</a>
28	4000	3500		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418402</a>
28	4000	3500		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418471</a>
28	4000	3500	yes	white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419416</a>
28	4000	3500	yes	white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419454</a>
35	3000	3500		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419096</a>
35	3000	3500	yes	black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419874</a>
35	4000	3700		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418556</a>
35	4000	3700	yes	black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419515</a>
35	3000	4100		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418976</a>
35	3000	4100		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419034</a>
35	3000	4100	yes	white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419737</a>
35	3000	4100	yes	white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419775</a>
35	4000	4300		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418426</a>
35	4000	4300		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418495</a>
35	4000	4300	yes	white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419430</a>
35	4000	4300	yes	white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419478</a>
40	3000	3900		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419089</a>
40	3000	3900	yes	black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419867</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
40	4000	4200		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418549</a>
40	4000	4200	yes	black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419508</a>
40	3000	4600		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418969</a>
40	3000	4600		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419027</a>
40	3000	4600	yes	white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419720</a>
40	3000	4600	yes	white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419768</a>
40	4000	4800		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418419</a>
40	4000	4800		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418488</a>
40	4000	4800	yes	white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419423</a>
40	4000	4800	yes	white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419461</a>
56	3000	5150		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419102</a>
56	3000	5150	yes	black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419881</a>
56	4000	5400		black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418563</a>
56	4000	5400	yes	black mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419522</a>
56	3000	5900		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418983</a>
56	3000	5900		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419041</a>
56	3000	5900	yes	white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419744</a>
56	3000	5900	yes	white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419782</a>
56	4000	6300		white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418440</a>
56	4000	6300		white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 418501</a>
56	4000	6300	yes	white gloss	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419447</a>
56	4000	6300	yes	white mat	2x1	595/295/32	recessed	<a href="#">&gt;&gt; 419485</a>
16	3000	1800		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420542</a>
16	4000	1900		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420481</a>
16	3000	2100		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420207</a>
16	3000	2100		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420269</a>
16	4000	2200		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420009</a>
16	4000	2200		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420061</a>
21	3000	2550		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420559</a>
21	4000	2600		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420498</a>
21	4000	2850		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420016</a>
21	3000	2900		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420214</a>
21	3000	2900		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420276</a>
21	4000	3000		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420078</a>
28	3000	2850		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420566</a>
28	3000	2850	yes	black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420641</a>
28	4000	3050		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420504</a>
28	4000	3050	yes	black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420603</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
28	3000	3300		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420221</a>
28	3000	3300		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420283</a>
28	3000	3300	yes	white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420405</a>
28	3000	3300	yes	white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420443</a>
28	4000	3500		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420023</a>
28	4000	3500		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420085</a>
28	4000	3500	yes	white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420320</a>
28	4000	3500	yes	white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420368</a>
35	3000	3500		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420580</a>
35	3000	3500	yes	black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420665</a>
35	4000	3700		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420528</a>
35	4000	3700	yes	black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420627</a>
35	3000	4100		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420245</a>
35	3000	4100		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420306</a>
35	3000	4100	yes	white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420429</a>
35	3000	4100	yes	white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420467</a>
35	4000	4300		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420047</a>
35	4000	4300		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420184</a>
35	4000	4300	yes	white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420344</a>
35	4000	4300	yes	white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420382</a>
40	3000	3900		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420573</a>
40	3000	3900	yes	black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420658</a>
40	4000	4200		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420511</a>
40	4000	4200	yes	black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420610</a>
40	3000	4600		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420238</a>
40	3000	4600		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420290</a>
40	3000	4600	yes	white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420412</a>
40	3000	4600	yes	white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420450</a>
40	4000	4800		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420030</a>
40	4000	4800		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420092</a>
40	4000	4800	yes	white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420337</a>
40	4000	4800	yes	white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420375</a>
42	3000	5150		black mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 419263</a>
42	4000	5300		black mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 418723</a>
42	3000	5800		white gloss	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 419201</a>
42	3000	5800		white mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 419232</a>
42	4000	6000		white gloss	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 418662</a>
42	4000	6000		white mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 418693</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
56	3000	5150		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420597</a>
56	3000	5150	yes	black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420672</a>
56	4000	5400		black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420535</a>
56	4000	5400	yes	black mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420634</a>
56	3000	5700		black mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 419270</a>
56	3000	5900		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420252</a>
56	3000	5900		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420313</a>
56	3000	5900	yes	white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420436</a>
56	3000	5900	yes	white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420474</a>
56	4000	6100		black mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 418730</a>
56	4000	6300		white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420054</a>
56	4000	6300		white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420191</a>
56	4000	6300	yes	white gloss	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420351</a>
56	4000	6300	yes	white mat	2x1	1195/295/32	recessed	<a href="#">&gt;&gt; 420399</a>
56	3000	6600		white gloss	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 419218</a>
56	3000	6600		white mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 419249</a>
56	4000	7000		white gloss	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 418679</a>
56	4000	7000		white mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 418709</a>
70	3000	7050		black mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 419287</a>
70	4000	7400		black mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 418747</a>
70	3000	8200		white gloss	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 419225</a>
70	3000	8200		white mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 419256</a>
70	4000	8600		white gloss	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 418686</a>
70	4000	8600		white mat	4x1	1195/295/32	recessed	<a href="#">&gt;&gt; 418716</a>

## TERRA 3 LED suspended

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
16	3000	1800		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440571</a>
16	4000	1900		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440120</a>
16	3000	2100		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440519</a>
16	3000	2100		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440458</a>
16	4000	2200		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440069</a>
16	4000	2200		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440007</a>
21	3000	2550		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440588</a>
21	4000	2600		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440137</a>
21	3000	2900		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440526</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
21	3000	2900		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440465</a>
21	4000	3000		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440076</a>
21	4000	3000		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440014</a>
28	3000	2850		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440595</a>
28	3000	2850	yes	czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441240</a>
28	4000	3050		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440144</a>
28	4000	3050	yes	czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441004</a>
28	3000	3300		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440533</a>
28	3000	3300		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440472</a>
28	3000	3300	yes	white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441202</a>
28	3000	3300	yes	white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441165</a>
28	4000	3500		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440083</a>
28	4000	3500		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440021</a>
28	4000	3500	yes	white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440953</a>
28	4000	3500	yes	white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440915</a>
35	3000	3500		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440618</a>
35	3000	3500	yes	czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441264</a>
35	4000	3700		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440168</a>
35	4000	3700	yes	czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441028</a>
35	3000	4100		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440557</a>
35	3000	4100		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440496</a>
35	3000	4100	yes	white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441226</a>
35	3000	4100	yes	white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441189</a>
35	4000	4300		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440106</a>
35	4000	4300		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440045</a>
35	4000	4300	yes	white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440977</a>
35	4000	4300	yes	white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440939</a>
40	3000	3900		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440601</a>
40	3000	3900	yes	czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441257</a>
40	4000	4200		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440151</a>
40	4000	4200	yes	czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441011</a>
40	3000	4600		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440540</a>



# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
40	3000	4600		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440489</a>
40	3000	4600	yes	white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441219</a>
40	3000	4600	yes	white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441172</a>
40	4000	4800		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440090</a>
40	4000	4800		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440038</a>
40	4000	4800	yes	white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440960</a>
40	4000	4800	yes	white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440922</a>
42	3000	5150		czarny mat struktura	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440885</a>
42	4000	5300		czarny mat struktura	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440427</a>
42	3000	5800		white mat	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440854</a>
42	3000	5800		white gloss	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440823</a>
42	4000	6000		white mat	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440397</a>
42	4000	6000		white gloss	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440366</a>
56	3000	5150		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440625</a>
56	3000	5150	yes	czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441271</a>
56	4000	5400		czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440175</a>
56	4000	5400	yes	czarny mat struktura	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441035</a>
56	3000	5700		czarny mat struktura	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440892</a>
56	3000	5900		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440564</a>
56	3000	5900		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440502</a>
56	3000	5900	yes	white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441233</a>
56	3000	5900	yes	white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 441196</a>
56	4000	6100		czarny mat struktura	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440434</a>
56	4000	6300		white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440113</a>
56	4000	6300		white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440052</a>
56	4000	6300	yes	white mat	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440984</a>
56	4000	6300	yes	white gloss	2x1	595/595/38	suspended	<a href="#">&gt;&gt; 440946</a>
56	3000	6600		white mat	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440861</a>
56	3000	6600		white gloss	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440830</a>
56	4000	7000		white mat	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440403</a>
56	4000	7000		white gloss	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440373</a>
70	3000	7050		czarny mat struktura	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440908</a>
70	4000	7400		czarny mat struktura	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440441</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
70	3000	8200		white mat	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440878</a>
70	3000	8200		white gloss	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440847</a>
70	4000	8600		white mat	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440410</a>
70	4000	8600		white gloss	4x1	595/595/38	suspended	<a href="#">&gt;&gt; 440380</a>
16	3000	1800		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440762</a>
16	4000	1900		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440304</a>
16	3000	2100		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440694</a>
16	3000	2100		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440632</a>
16	4000	2200		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440243</a>
16	4000	2200		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440182</a>
21	3000	2550		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440779</a>
21	4000	2600		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440311</a>
21	3000	2900		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440700</a>
21	3000	2900		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440649</a>
21	4000	3000		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440250</a>
21	4000	3000		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440199</a>
28	3000	2850		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440786</a>
28	3000	2850	yes	czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441363</a>
28	4000	3050		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440328</a>
28	4000	3050	yes	czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441127</a>
28	3000	3300		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440724</a>
28	3000	3300		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440656</a>
28	3000	3300	yes	white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441325</a>
28	3000	3300	yes	white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441288</a>
28	4000	3500		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440267</a>
28	4000	3500		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440205</a>
28	4000	3500	yes	white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441080</a>
28	4000	3500	yes	white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441042</a>
35	3000	3500		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440809</a>
35	3000	3500	yes	czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441387</a>
35	4000	3700		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440342</a>
35	4000	3700	yes	czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441141</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
35	3000	4100		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440748</a>
35	3000	4100		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440670</a>
35	3000	4100	yes	white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441349</a>
35	3000	4100	yes	white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441301</a>
35	4000	4300		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440281</a>
35	4000	4300		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440229</a>
35	4000	4300	yes	white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441103</a>
35	4000	4300	yes	white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441066</a>
40	3000	3900		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440793</a>
40	3000	3900	yes	czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441370</a>
40	4000	4200		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440335</a>
40	4000	4200	yes	czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441134</a>
40	3000	4600		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440731</a>
40	3000	4600		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440663</a>
40	3000	4600	yes	white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441332</a>
40	3000	4600	yes	white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441295</a>
40	4000	4800		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440274</a>
40	4000	4800		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440212</a>
40	4000	4800	yes	white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441097</a>
40	4000	4800	yes	white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441059</a>
56	3000	5150		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440816</a>
56	3000	5150	yes	czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441394</a>
56	4000	5400		czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440359</a>
56	4000	5400	yes	czarny mat struktura	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441158</a>
56	3000	5900		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440755</a>
56	3000	5900		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440687</a>
56	3000	5900	yes	white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441356</a>
56	3000	5900	yes	white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441318</a>
56	4000	6300		white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440298</a>
56	4000	6300		white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 440236</a>
56	4000	6300	yes	white mat	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441110</a>
56	4000	6300	yes	white gloss	2x1	595/300/38	suspended	<a href="#">&gt;&gt; 441073</a>
16	3000	1800		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441868</a>

# TERRA 3 LED

## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
16	4000	1900		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441806</a>
16	3000	2100		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441585</a>
16	3000	2100		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441523</a>
16	4000	2200		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441462</a>
16	4000	2200		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441400</a>
21	3000	2550		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441875</a>
21	4000	2600		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441813</a>
21	3000	2900		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441592</a>
21	3000	2900		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441530</a>
21	4000	3000		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441479</a>
21	4000	3000		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441417</a>
28	3000	2850		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441882</a>
28	3000	2850	yes	czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441967</a>
28	4000	3050		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441820</a>
28	4000	3050	yes	czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441929</a>
28	3000	3300		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441608</a>
28	3000	3300		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441547</a>
28	3000	3300	yes	white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441769</a>
28	3000	3300	yes	white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441721</a>
28	4000	3500		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441486</a>
28	4000	3500		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441424</a>
28	4000	3500	yes	white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441684</a>
28	4000	3500	yes	white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441646</a>
35	3000	3500		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441905</a>
35	3000	3500	yes	czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441981</a>
35	4000	3700		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441844</a>
35	4000	3700	yes	czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441943</a>
35	3000	4100		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441622</a>
35	3000	4100		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441561</a>
35	3000	4100	yes	white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441783</a>
35	3000	4100	yes	white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441745</a>
35	4000	4300		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441509</a>

# TERRA 3 LED


## GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	DIMM DALI	Colour of the body	Version	Dimensions (H/W/T/S) [mm]	Mounting version	Index
35	4000	4300		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441448</a>
35	4000	4300	yes	white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441707</a>
35	4000	4300	yes	white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441660</a>
40	3000	3900		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441899</a>
40	3000	3900	yes	czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441974</a>
40	4000	4200		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441837</a>
40	4000	4200	yes	czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441936</a>
40	3000	4600		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441615</a>
40	3000	4600		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441554</a>
40	3000	4600	yes	white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441776</a>
40	3000	4600	yes	white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441738</a>
40	4000	4800		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441493</a>
40	4000	4800		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441431</a>
40	4000	4800	yes	white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441691</a>
40	4000	4800	yes	white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441653</a>
56	3000	5150		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441912</a>
56	3000	5150	yes	czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441998</a>
56	4000	5400		czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441851</a>
56	4000	5400	yes	czarny mat struktura	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441950</a>
56	3000	5900		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441639</a>
56	3000	5900		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441578</a>
56	3000	5900	yes	white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441790</a>
56	3000	5900	yes	white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441752</a>
56	4000	6300		white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441516</a>
56	4000	6300		white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441455</a>
56	4000	6300	yes	white mat	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441714</a>
56	4000	6300	yes	white gloss	2x1	1195/230/38	suspended	<a href="#">&gt;&gt; 441677</a>

# TERRA 3 LED

GENERAL CARD

## LUMINOUS INTENSITY DISTRIB. CURVE




60D


# TERRA 3 LED

GENERAL CARD

## ACCESSORIES AVAILABLE



Plasterboard recessing kit 630x630 white (steel version) (999543)




Frame steel white structure RAL9016 600x600 SM "well effect" (998966)

index	Name
<a href="#">999543</a>	Plasterboard recessing kit 630x630 white (steel version)
<a href="#">998966</a>	Frame steel white structure RAL9016 600x600 SM "well effect"
<a href="#">374845</a>	Frame adapter KG 635x635 WHITE

Card creation date: 25 June 2024

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%

 This product is a subject to electric and electronic waste equipment regulations (WEEE).

 Certificate CE - Nr: 23/2024; 462/2023; 474/2023