TERRA 3 LED

GENERAL CARD



TECHNICAL PARAMETERS

Rated power of the luminaire [W]*:	14.00 - 56.00
Luminous flux [lm]*:	1800 - 8600
Colour temperature [K]:	3000; 4000
Color rendering index (Ra) >:	80
Ingress protection:	IP20
Energy efficiency class:	C; D; E; F
Electrical protection class:	II
Material of the body:	powder coated steel
Colour of the body:	black mat; black matt texture; white gloss; white mat
Diffuser material:	PC
Diffuser type:	matrix led
Mounting version:	recessed; surface; suspended
Dimensions (H/W/T/S) [mm]:	595/300/37 - 1195/170/37
SDCM:	3

CHARACTERISTICS

A luminaire equipped with energy-efficient LED modules characterised by high luminous flux. The low side profile provides an aesthetically pleasing, timeless appearance. Robust, compact construction. Made of powder-coated steel sheet. Patented high-performance HE reflector guarantees high efficiency while effectively eliminating glare.

Available mounting versions: surface mounted, flush mounted in modular ceilings or pendant. The surface-mounted version features solutions for fast and safe installation.

UGR < 19
The Unified Glare Rating is an indicator that characterises glare. The lower the Unified Glare Rating (UGR), the lower the glare. In the case of lamps for office spaces, UGR<19 values translate into, among other things, greater working comfort, reduction of errors and fatigue. The UGR value also depends on a number of factors that characterise the room and the location of the observer. Dedicated computer programmes, among others, are used to precisely determine the degree of glare for specific conditions.

APPLICATION

The versatile luminaire is designed for indoor use in offices or general utility rooms. Its high luminous parameters make it suitable as the main source of light and conducive to work requiring visual focus. The luminaire is suitable for both new applications and the replacement of traditional fluorescent lamps with energy-efficient LED solutions.

TERRA 3 LED

GENERAL CARD

AVAILABLE VERSIONS

Click index >>, to see details

TERRA 3 LED surface

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
14	3000	1800	60		black mat	2x1	surface	595/595/37	>> 426667
14	4000	1900	60		black mat	2x1	surface	595/595/37	>> 426124
14	3000	2100	60		white mat	2x1	surface	595/595/37	>> 426605
14	3000	2100	60		white gloss	2x1	surface	595/595/37	>> 426544
14	4000	2200	60		white mat	2x1	surface	595/595/37	>> 426063
14	4000	2200	60		white gloss	2x1	surface	595/595/37	>> 426001
20	3000	2550	60		black mat	2x1	surface	595/595/37	>> 426674
20	4000	2600	60		black mat	2x1	surface	595/595/37	>> 426131
20	3000	2900	60		white mat	2x1	surface	595/595/37	>> 426612
20	3000	2900	60		white gloss	2x1	surface	595/595/37	>> 426551
20	4000	3000	60		white mat	2x1	surface	595/595/37	>> 426070
20	4000	3000	60		white gloss	2x1	surface	595/595/37	>> 426018
25	3000	2850	60		black mat	2x1	surface	595/595/37	>> 426681
25	3000	2850	60	yes	black mat	2x1	surface	595/595/37	>> 427404
25	4000	3050	60		black mat	2x1	surface	595/595/37	>> 426148
25	4000	3050	60	yes	black mat	2x1	surface	595/595/37	>> 427169
25	3000	3300	60		white mat	2x1	surface	595/595/37	>> 426629
25	3000	3300	60		white gloss	2x1	surface	595/595/37	>> 426568
25	3000	3300	60	yes	white mat	2x1	surface	595/595/37	>> 427367
25	3000	3300	60	yes	white gloss	2x1	surface	595/595/37	>> 427329
25	4000	3500	60		white mat	2x1	surface	595/595/37	>> 426087
25	4000	3500	60		white gloss	2x1	surface	595/595/37	>> 426025
25	4000	3500	60	yes	white mat	2x1	surface	595/595/37	>> 427121
25	4000	3500	60	yes	white gloss	2x1	surface	595/595/37	>> 427084
29	3000	3500	60		black mat	2x1	surface	595/595/37	>> 426704
29	3000	3500	60	yes	black mat	2x1	surface	595/595/37	>> 427428
29	4000	3700	60		black mat	2x1	surface	595/595/37	>> 426162
29	4000	3700	60	yes	black mat	2x1	surface	595/595/37	>> 427183
29	3000	4100	60		white mat	2x1	surface	595/595/37	>> 426643
29	3000	4100	60		white gloss	2x1	surface	595/595/37	>> 426582
29	3000	4100	60	yes	white mat	2x1	surface	595/595/37	>> 427381
29	3000	4100	60	yes	white gloss	2x1	surface	595/595/37	>> 427343
29	4000	4300	60		white mat	2x1	surface	595/595/37	>> 426100

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
29	4000	4300	60		white gloss	2x1	surface	595/595/37	>> 426049
29	4000	4300	60	yes	white mat	2x1	surface	595/595/37	>> 427145
29	4000	4300	60	yes	white gloss	2x1	surface	595/595/37	>> 427107
34	3000	3900	60		black mat	2x1	surface	595/595/37	>> 426698
34	3000	3900	60	yes	black mat	2x1	surface	595/595/37	>> 427411
34	4000	4200	60		black mat	2x1	surface	595/595/37	>> 426155
34	4000	4200	60	yes	black mat	2x1	surface	595/595/37	>> 427176
34	3000	4600	60		white mat	2x1	surface	595/595/37	>> 426636
34	3000	4600	60		white gloss	2x1	surface	595/595/37	>> 426575
34	3000	4600	60	yes	white mat	2x1	surface	595/595/37	>> 427374
34	3000	4600	60	yes	white gloss	2x1	surface	595/595/37	>> 427336
34	4000	4800	60		white mat	2x1	surface	595/595/37	>> 426094
34	4000	4800	60		white gloss	2x1	surface	595/595/37	>> 426032
34	4000	4800	60	yes	white mat	2x1	surface	595/595/37	>> 427138
34	4000	4800	60	yes	white gloss	2x1	surface	595/595/37	>> 427091
40	3000	5150	60		black mat	4x1	surface	595/595/37	>> 426964
40	4000	5300	60		black mat	4x1	surface	595/595/37	>> 426421
40	3000	5800	60		white mat	4x1	surface	595/595/37	>> 426933
40	3000	5800	60		white gloss	4x1	surface	595/595/37	>> 426902
40	4000	6000	60		white mat	4x1	surface	595/595/37	>> 426391
40	4000	6000	60		white gloss	4x1	surface	595/595/37	>> 426360
43	3000	5150	60	yes	black mat	2x1	surface	595/595/37	>> 427435
43	4000	5400	60	yes	black mat	2x1	surface	595/595/37	>> 427190
43	3000	5900	60	yes	white mat	2x1	surface	595/595/37	>> 427398
43	3000	5900	60	yes	white gloss	2x1	surface	595/595/37	>> 427350
43	4000	6300	60	yes	white mat	2x1	surface	595/595/37	>> 427152
43	4000	6300	60	yes	white gloss	2x1	surface	595/595/37	>> 427114
45	3000	5150	60		black mat	2x1	surface	595/595/37	>> 426711
45	4000	5400	60		black mat	2x1	surface	595/595/37	>> 426179
45	3000	5900	60		white mat	2x1	surface	595/595/37	>> 426650
45	3000	5900	60		white gloss	2x1	surface	595/595/37	>> 426599
45	4000	6300	60		white mat	2x1	surface	595/595/37	>> 426117
45	4000	6300	60		white gloss	2x1	surface	595/595/37	>> 426056
49	3000	5700	60		black mat	4x1	surface	595/595/37	>> 426971
49	4000	6100	60		black mat	4x1	surface	595/595/37	>> 426438
49	3000	6600	60		white mat	4x1	surface	595/595/37	>> 426940
49	3000	6600	60		white gloss	4x1	surface	595/595/37	>> 426919
49	4000	7000	60		white mat	4x1	surface	595/595/37	>> 426407

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
49	4000	7000	60		white gloss	4x1	surface	595/595/37	>> 426377
56	3000	7050	60		black mat	4x1	surface	595/595/37	>> 426988
56	4000	7400	60		black mat	4x1	surface	595/595/37	>> 426445
56	3000	8200	60		white mat	4x1	surface	595/595/37	>> 426957
56	3000	8200	60		white gloss	4x1	surface	595/595/37	>> 426926
56	4000	8200	70		white gloss	4x1	surface	595/595/37	>> 420733
56	4000	8600	60		white mat	4x1	surface	595/595/37	>> 426414
56	4000	8600	60		white gloss	4x1	surface	595/595/37	>> 426384
14	3000	1800	60		black mat	2x1	surface	595/300/37	>> 426841
14	4000	1900	60		black mat	2x1	surface	595/300/37	>> 426308
14	3000	2100	60		white mat	2x1	surface	595/300/37	>> 426780
14	3000	2100	60		white gloss	2x1	surface	595/300/37	>> 426728
14	4000	2200	60		white mat	2x1	surface	595/300/37	>> 426247
14	4000	2200	60		white gloss	2x1	surface	595/300/37	>> 426186
20	3000	2550	60		black mat	2x1	surface	595/300/37	>> 426858
20	4000	2600	60		black mat	2x1	surface	595/300/37	>> 426315
20	3000	2900	60		white mat	2x1	surface	595/300/37	>> 426797
20	3000	2900	60		white gloss	2x1	surface	595/300/37	>> 426735
20	4000	3000	60		white mat	2x1	surface	595/300/37	>> 426254
20	4000	3000	60		white gloss	2x1	surface	595/300/37	>> 426193
25	3000	2850	60		black mat	2x1	surface	595/300/37	>> 426865
25	3000	2850	60	yes	black mat	2x1	surface	595/300/37	>> 427527
25	4000	3050	60		black mat	2x1	surface	595/300/37	>> 426322
25	4000	3050	60	yes	black mat	2x1	surface	595/300/37	>> 427282
25	3000	3300	60		white mat	2x1	surface	595/300/37	>> 426803
25	3000	3300	60		white gloss	2x1	surface	595/300/37	>> 426742
25	3000	3300	60	yes	white mat	2x1	surface	595/300/37	>> 427480
25	3000	3300	60	yes	white gloss	2x1	surface	595/300/37	>> 427442
25	4000	3500	60		white mat	2x1	surface	595/300/37	>> 426261
25	4000	3500	60		white gloss	2x1	surface	595/300/37	>> 426209
25	4000	3500	60	yes	white mat	2x1	surface	595/300/37	>> 427244
25	4000	3500	60	yes	white gloss	2x1	surface	595/300/37	>> 427206
29	3000	3500	60		black mat	2x1	surface	595/300/37	>> 426889
29	3000	3500	60	yes	black mat	2x1	surface	595/300/37	>> 427541
29	4000	3700	60		black mat	2x1	surface	595/300/37	>> 426346
29	4000	3700	60	yes	black mat	2x1	surface	595/300/37	>> 427305
29	3000	4100	60		white mat	2x1	surface	595/300/37	>> 426827
29	3000	4100	60		white gloss	2x1	surface	595/300/37	>> 426766

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
29	3000	4100	60	yes	white mat	2x1	surface	595/300/37	>> 427503
29	3000	4100	60	yes	white gloss	2x1	surface	595/300/37	>> 427466
29	4000	4300	60		white mat	2x1	surface	595/300/37	>> 426285
29	4000	4300	60		white gloss	2x1	surface	595/300/37	>> 426223
29	4000	4300	60	yes	white mat	2x1	surface	595/300/37	>> 427268
29	4000	4300	60	yes	white gloss	2x1	surface	595/300/37	>> 427220
34	3000	3900	60		black mat	2x1	surface	595/300/37	>> 426872
34	3000	3900	60	yes	black mat	2x1	surface	595/300/37	>> 427534
34	4000	4200	60		black mat	2x1	surface	595/300/37	>> 426339
34	4000	4200	60	yes	black mat	2x1	surface	595/300/37	>> 427299
34	3000	4600	60		white mat	2x1	surface	595/300/37	>> 426810
34	3000	4600	60		white gloss	2x1	surface	595/300/37	>> 426759
34	3000	4600	60	yes	white mat	2x1	surface	595/300/37	>> 427497
34	3000	4600	60	yes	white gloss	2x1	surface	595/300/37	>> 427459
34	4000	4800	60		white mat	2x1	surface	595/300/37	>> 426278
34	4000	4800	60		white gloss	2x1	surface	595/300/37	>> 426216
34	4000	4800	60	yes	white mat	2x1	surface	595/300/37	>> 427251
34	4000	4800	60	yes	white gloss	2x1	surface	595/300/37	>> 427213
43	3000	5150	60	yes	black mat	2x1	surface	595/300/37	>> 427558
43	4000	5400	60	yes	black mat	2x1	surface	595/300/37	>> 427312
43	3000	5900	60	yes	white mat	2x1	surface	595/300/37	>> 427510
43	3000	5900	60	yes	white gloss	2x1	surface	595/300/37	>> 427473
43	4000	6300	60	yes	white mat	2x1	surface	595/300/37	>> 427275
43	4000	6300	60	yes	white gloss	2x1	surface	595/300/37	>> 427237
45	3000	5150	60		black mat	2x1	surface	595/300/37	>> 426896
45	4000	5400	60		black mat	2x1	surface	595/300/37	>> 426353
45	3000	5900	60		white mat	2x1	surface	595/300/37	>> 426834
45	3000	5900	60		white gloss	2x1	surface	595/300/37	>> 426773
45	4000	6000	70		white gloss	2x1	surface	595/300/37	>> 420726
45	4000	6300	60		white mat	2x1	surface	595/300/37	>> 426292
45	4000	6300	60		white gloss	2x1	surface	595/300/37	>> 426230
14	3000	1800	60		black mat	2x1	surface	1195/300/37	>> 428029
14	4000	1900	60		black mat	2x1	surface	1195/300/37	>> 427961
14	3000	2100	60		white mat	2x1	surface	1195/300/37	>> 427749
14	3000	2100	60		white gloss	2x1	surface	1195/300/37	>> 427688
14	4000	2200	60		white mat	2x1	surface	1195/300/37	>> 427626
14	4000	2200	60		white gloss	2x1	surface	1195/300/37	>> 427565
20	3000	2550	60		black mat	2x1	surface	1195/300/37	>> 428036

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
20	4000	2600	60		black mat	2x1	surface	1195/300/37	>> 427978
20	3000	2900	60		white mat	2x1	surface	1195/300/37	>> 427756
20	3000	2900	60		white gloss	2x1	surface	1195/300/37	>> 427695
20	4000	3000	60		white mat	2x1	surface	1195/300/37	>> 427633
20	4000	3000	60		white gloss	2x1	surface	1195/300/37	>> 427572
25	3000	2850	60		black mat	2x1	surface	1195/300/37	>> 428043
25	3000	2850	60	yes	black mat	2x1	surface	1195/300/37	>> 428128
25	4000	3050	60		black mat	2x1	surface	1195/300/37	>> 427985
25	4000	3050	60	yes	black mat	2x1	surface	1195/300/37	>> 428081
25	3000	3300	60		white mat	2x1	surface	1195/300/37	>> 427763
25	3000	3300	60		white gloss	2x1	surface	1195/300/37	>> 427701
25	3000	3300	60	yes	white mat	2x1	surface	1195/300/37	>> 427923
25	3000	3300	60	yes	white gloss	2x1	surface	1195/300/37	>> 427886
25	4000	3500	60		white mat	2x1	surface	1195/300/37	>> 427640
25	4000	3500	60		white gloss	2x1	surface	1195/300/37	>> 427589
25	4000	3500	60	yes	white mat	2x1	surface	1195/300/37	>> 427848
25	4000	3500	60	yes	white gloss	2x1	surface	1195/300/37	>> 427800
29	3000	3500	60		black mat	2x1	surface	1195/300/37	>> 428067
29	3000	3500	60	yes	black mat	2x1	surface	1195/300/37	>> 428142
29	4000	3700	60		black mat	2x1	surface	1195/300/37	>> 428005
29	4000	3700	60	yes	black mat	2x1	surface	1195/300/37	>> 428104
29	3000	4100	60		white mat	2x1	surface	1195/300/37	>> 427787
29	3000	4100	60		white gloss	2x1	surface	1195/300/37	>> 427725
29	3000	4100	60	yes	white mat	2x1	surface	1195/300/37	>> 427947
29	3000	4100	60	yes	white gloss	2x1	surface	1195/300/37	>> 427909
29	4000	4300	60		white mat	2x1	surface	1195/300/37	>> 427664
29	4000	4300	60		white gloss	2x1	surface	1195/300/37	>> 427602
29	4000	4300	60	yes	white mat	2x1	surface	1195/300/37	>> 427862
29	4000	4300	60	yes	white gloss	2x1	surface	1195/300/37	>> 427824
34	3000	3900	60		black mat	2x1	surface	1195/300/37	>> 428050
34	3000	3900	60	yes	black mat	2x1	surface	1195/300/37	>> 428135
34	4000	4200	60		black mat	2x1	surface	1195/300/37	>> 427992
34	4000	4200	60	yes	black mat	2x1	surface	1195/300/37	>> 428098
34	3000	4600	60		white mat	2x1	surface	1195/300/37	>> 427770
34	3000	4600	60		white gloss	2x1	surface	1195/300/37	>> 427718
34	3000	4600	60	yes	white mat	2x1	surface	1195/300/37	>> 427930
34	3000	4600	60	yes	white gloss	2x1	surface	1195/300/37	>> 427893
34	4000	4800	60		white mat	2x1	surface	1195/300/37	>> 427657

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
34	4000	4800	60		white gloss	2x1	surface	1195/300/37	>> 427596
34	4000	4800	60	yes	white mat	2x1	surface	1195/300/37	>> 427855
34	4000	4800	60	yes	white gloss	2x1	surface	1195/300/37	>> 427817
40	3000	5150	60		black mat	4x1	surface	1195/300/37	>> 427053
40	4000	5300	60		black mat	4x1	surface	1195/300/37	>> 426513
40	3000	5800	60		white mat	4x1	surface	1195/300/37	>> 427022
40	3000	5800	60		white gloss	4x1	surface	1195/300/37	>> 426995
40	4000	6000	60		white mat	4x1	surface	1195/300/37	>> 426483
40	4000	6000	60		white gloss	4x1	surface	1195/300/37	>> 426452
43	3000	5150	60	yes	black mat	2x1	surface	1195/300/37	>> 428159
43	4000	5400	60	yes	black mat	2x1	surface	1195/300/37	>> 428111
43	3000	5900	60	yes	white mat	2x1	surface	1195/300/37	>> 427954
43	3000	5900	60	yes	white gloss	2x1	surface	1195/300/37	>> 427916
43	4000	6300	60	yes	white mat	2x1	surface	1195/300/37	>> 427879
43	4000	6300	60	yes	white gloss	2x1	surface	1195/300/37	>> 427831
45	3000	5150	60		black mat	2x1	surface	1195/300/37	>> 428074
45	4000	5400	60		black mat	2x1	surface	1195/300/37	>> 428012
45	3000	5900	60		white mat	2x1	surface	1195/300/37	>> 427794
45	3000	5900	60		white gloss	2x1	surface	1195/300/37	>> 427732
45	4000	6300	60		white mat	2x1	surface	1195/300/37	>> 427671
45	4000	6300	60		white gloss	2x1	surface	1195/300/37	>> 427619
49	3000	5700	60		black mat	4x1	surface	1195/300/37	>> 427060
49	4000	6100	60		black mat	4x1	surface	1195/300/37	>> 426520
49	3000	6600	60		white mat	4x1	surface	1195/300/37	>> 427039
49	3000	6600	60		white gloss	4x1	surface	1195/300/37	>> 427008
49	4000	7000	60		white mat	4x1	surface	1195/300/37	>> 426490
49	4000	7000	60		white gloss	4x1	surface	1195/300/37	>> 426469
56	3000	7050	60		black mat	4x1	surface	1195/300/37	>> 427077
56	4000	7400	60		black mat	4x1	surface	1195/300/37	>> 426537
56	3000	8200	60		white mat	4x1	surface	1195/300/37	>> 427046
56	3000	8200	60		white gloss	4x1	surface	1195/300/37	>> 427015
56	4000	8600	60		white mat	4x1	surface	1195/300/37	>> 426506
56	4000	8600	60		white gloss	4x1	surface	1195/300/37	>> 426476
14	3000	1800	60		black mat	2x1	surface	1195/170/37	>> 428807
14	4000	1900	60		black mat	2x1	surface	1195/170/37	>> 428746
14	3000	2100	60		white mat	2x1	surface	1195/170/37	>> 428524
14	3000	2100	60		white gloss	2x1	surface	1195/170/37	>> 428463
14	4000	2200	60		white mat	2x1	surface	1195/170/37	>> 428401

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
14	4000	2200	60		white gloss	2x1	surface	1195/170/37	>> 428340
20	3000	2550	60		black mat	2x1	surface	1195/170/37	>> 428814
20	4000	2600	60		black mat	2x1	surface	1195/170/37	>> 428753
20	3000	2900	60		white mat	2x1	surface	1195/170/37	>> 428531
20	3000	2900	60		white gloss	2x1	surface	1195/170/37	>> 428470
20	4000	3000	60		white mat	2x1	surface	1195/170/37	>> 428418
20	4000	3000	60		white gloss	2x1	surface	1195/170/37	>> 428357
25	3000	2850	60		black mat	2x1	surface	1195/170/37	>> 428821
25	3000	2850	60	yes	black mat	2x1	surface	1195/170/37	>> 428906
25	4000	3050	60		black mat	2x1	surface	1195/170/37	>> 428760
25	4000	3050	60	yes	black mat	2x1	surface	1195/170/37	>> 428869
25	3000	3300	60		white mat	2x1	surface	1195/170/37	>> 428548
25	3000	3300	60		white gloss	2x1	surface	1195/170/37	>> 428487
25	3000	3300	60	yes	white mat	2x1	surface	1195/170/37	>> 428708
25	3000	3300	60	yes	white gloss	2x1	surface	1195/170/37	>> 428661
25	4000	3300	70		white mat	2x1	surface	1195/170/37	>> 829017
25	4000	3500	60		white mat	2x1	surface	1195/170/37	>> 428425
25	4000	3500	60		white gloss	2x1	surface	1195/170/37	>> 428364
25	4000	3500	60	yes	white mat	2x1	surface	1195/170/37	>> 428623
25	4000	3500	60	yes	white gloss	2x1	surface	1195/170/37	>> 428586
29	3000	3500	60		black mat	2x1	surface	1195/170/37	>> 428845
29	3000	3500	60	yes	black mat	2x1	surface	1195/170/37	>> 428920
29	4000	3700	60		black mat	2x1	surface	1195/170/37	>> 428784
29	4000	3700	60	yes	black mat	2x1	surface	1195/170/37	>> 428883
29	4000	4000	70		white mat	2x1	surface	1195/170/37	>> 419959
29	3000	4100	60		white mat	2x1	surface	1195/170/37	>> 428562
29	3000	4100	60		white gloss	2x1	surface	1195/170/37	>> 428500
29	3000	4100	60	yes	white mat	2x1	surface	1195/170/37	>> 428722
29	3000	4100	60	yes	white gloss	2x1	surface	1195/170/37	>> 428685
29	4000	4300	60		white mat	2x1	surface	1195/170/37	>> 428449
29	4000	4300	60		white gloss	2x1	surface	1195/170/37	>> 428388
29	4000	4300	60	yes	white mat	2x1	surface	1195/170/37	>> 428647
29	4000	4300	60	yes	white gloss	2x1	surface	1195/170/37	>> 428609
34	3000	3900	60		black mat	2x1	surface	1195/170/37	>> 428838
34	3000	3900	60	yes	black mat	2x1	surface	1195/170/37	>> 428913
34	4000	4200	60		black mat	2x1	surface	1195/170/37	>> 428777
34	4000	4200	60	yes	black mat	2x1	surface	1195/170/37	>> 428876
34	3000	4600	60		white mat	2x1	surface	1195/170/37	>> 428555

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
34	3000	4600	60		white gloss	2x1	surface	1195/170/37	>> 428494
34	3000	4600	60	yes	white mat	2x1	surface	1195/170/37	>> 428715
34	3000	4600	60	yes	white gloss	2x1	surface	1195/170/37	>> 428678
34	4000	4800	60		white mat	2x1	surface	1195/170/37	>> 428432
34	4000	4800	60		white gloss	2x1	surface	1195/170/37	>> 428371
34	4000	4800	60	yes	white mat	2x1	surface	1195/170/37	>> 428630
34	4000	4800	60	yes	white gloss	2x1	surface	1195/170/37	>> 428593
40	3000	5150	60		black mat	4x1	surface	1195/170/37	>> 428319
40	4000	5300	60		black mat	4x1	surface	1195/170/37	>> 428227
40	3000	5800	60		white mat	4x1	surface	1195/170/37	>> 428289
40	3000	5800	60		white gloss	4x1	surface	1195/170/37	>> 428258
40	4000	6000	60		white mat	4x1	surface	1195/170/37	>> 428197
40	4000	6000	60		white gloss	4x1	surface	1195/170/37	>> 428166
43	4000	5400	60	yes	black mat	2x1	surface	1195/170/37	>> 428890
43	3000	5900	60	yes	white mat	2x1	surface	1195/170/37	>> 428739
43	3000	5900	60	yes	white gloss	2x1	surface	1195/170/37	>> 428692
43	4000	6300	60	yes	white mat	2x1	surface	1195/170/37	>> 428654
43	4000	6300	60	yes	white gloss	2x1	surface	1195/170/37	>> 428616
45	3000	5150	60		black mat	2x1	surface	1195/170/37	>> 428852
45	3000	5150	60	yes	black mat	2x1	surface	1195/170/37	>> 428937
45	4000	5400	60		black mat	2x1	surface	1195/170/37	>> 428791
45	3000	5900	60		white mat	2x1	surface	1195/170/37	>> 428579
45	3000	5900	60		white gloss	2x1	surface	1195/170/37	>> 428517
45	4000	6300	60		white mat	2x1	surface	1195/170/37	>> 428456
45	4000	6300	60		white gloss	2x1	surface	1195/170/37	>> 428395
49	3000	5700	60		black mat	4x1	surface	1195/170/37	>> 428326
49	4000	6100	60		black mat	4x1	surface	1195/170/37	>> 428234
49	3000	6600	60		white mat	4x1	surface	1195/170/37	>> 428296
49	3000	6600	60		white gloss	4x1	surface	1195/170/37	>> 428265
49	4000	7000	60		white mat	4x1	surface	1195/170/37	>> 428203
49	4000	7000	60		white gloss	4x1	surface	1195/170/37	>> 428173
56	3000	7050	60		black mat	4x1	surface	1195/170/37	>> 428333
56	4000	7400	60		black mat	4x1	surface	1195/170/37	>> 428241
56	3000	8200	60		white mat	4x1	surface	1195/170/37	>> 428302
56	3000	8200	60		white gloss	4x1	surface	1195/170/37	>> 428272
56	4000	8200	70		white gloss	4x1	surface	1195/170/37	>> 420740
56	4000	8600	60		white mat	4x1	surface	1195/170/37	>> 428210
56	4000	8600	60		white gloss	4x1	surface	1195/170/37	>> 428180

TERRA 3 LED

GENERAL CARD

TERRA 3 LED recessed

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
14	3000	1800	60		black mat	2x1	recessed	595/595/32	>> 418877
14	4000	1900	60		black mat	2x1	recessed	595/595/32	>> 418310
14	3000	2100	60		white gloss	2x1	recessed	595/595/32	>> 418754
14	3000	2100	60		white mat	2x1	recessed	595/595/32	>> 418815
14	4000	2200	60		white gloss	2x1	recessed	595/595/32	>> 418006
14	4000	2200	60		white mat	2x1	recessed	595/595/32	>> 418259
20	3000	2550	60		black mat	2x1	recessed	595/595/32	>> 418884
20	4000	2600	60		black mat	2x1	recessed	595/595/32	>> 418327
20	4000	2850	60		white gloss	2x1	recessed	595/595/32	>> 418129
20	4000	2850	60		white mat	2x1	recessed	595/595/32	>> 418266
20	3000	2900	60		white gloss	2x1	recessed	595/595/32	>> 418761
20	3000	2900	60		white mat	2x1	recessed	595/595/32	>> 418822
25	3000	2850	60		black mat	2x1	recessed	595/595/32	>> 418891
25	3000	2850	60	yes	black mat	2x1	recessed	595/595/32	>> 419676
25	4000	3050	60		black mat	2x1	recessed	595/595/32	>> 418341
25	4000	3050	60	yes	black mat	2x1	recessed	595/595/32	>> 419379
25	3000	3300	60		white gloss	2x1	recessed	595/595/32	>> 418778
25	3000	3300	60		white mat	2x1	recessed	595/595/32	>> 418839
25	3000	3300	60	yes	white gloss	2x1	recessed	595/595/32	>> 419591
25	3000	3300	60	yes	white mat	2x1	recessed	595/595/32	>> 419638
25	4000	3400	70		white mat	2x1	recessed	595/595/32	>> 419935
25	4000	3500	60		white gloss	2x1	recessed	595/595/32	>> 418174
25	4000	3500	60		white mat	2x1	recessed	595/595/32	>> 418273
25	4000	3500	60	yes	white gloss	2x1	recessed	595/595/32	>> 419294
25	4000	3500	60	yes	white mat	2x1	recessed	595/595/32	>> 419331
29	3000	3500	60		black mat	2x1	recessed	595/595/32	>> 418914
29	3000	3500	60	yes	black mat	2x1	recessed	595/595/32	>> 419690
29	4000	3700	60		black mat	2x1	recessed	595/595/32	>> 418365
29	4000	3700	60	yes	black mat	2x1	recessed	595/595/32	>> 419393
29	4000	4000	70		white mat	2x1	recessed	595/595/32	>> 419966
29	3000	4100	60		white gloss	2x1	recessed	595/595/32	>> 418792
29	3000	4100	60		white mat	2x1	recessed	595/595/32	>> 418853
29	3000	4100	60	yes	white gloss	2x1	recessed	595/595/32	>> 419614
29	3000	4100	60	yes	white mat	2x1	recessed	595/595/32	>> 419652
29	4000	4300	60		white gloss	2x1	recessed	595/595/32	>> 418204
29	4000	4300	60		white mat	2x1	recessed	595/595/32	>> 418297

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
29	4000	4300	60	yes	white gloss	2x1	recessed	595/595/32	>> 419317
29	4000	4300	60	yes	white mat	2x1	recessed	595/595/32	>> 419355
34	3000	3900	60		black mat	2x1	recessed	595/595/32	>> 418907
34	3000	3900	60	yes	black mat	2x1	recessed	595/595/32	>> 419683
34	4000	4200	60		black mat	2x1	recessed	595/595/32	>> 418358
34	4000	4200	60	yes	black mat	2x1	recessed	595/595/32	>> 419386
34	3000	4600	60		white gloss	2x1	recessed	595/595/32	>> 418785
34	3000	4600	60		white mat	2x1	recessed	595/595/32	>> 418846
34	3000	4600	60	yes	white gloss	2x1	recessed	595/595/32	>> 419607
34	3000	4600	60	yes	white mat	2x1	recessed	595/595/32	>> 419645
34	4000	4800	60		white gloss	2x1	recessed	595/595/32	>> 418198
34	4000	4800	60		white mat	2x1	recessed	595/595/32	>> 418280
34	4000	4800	60	yes	white gloss	2x1	recessed	595/595/32	>> 419300
34	4000	4800	60	yes	white mat	2x1	recessed	595/595/32	>> 419348
40	3000	5150	60		black mat	4x1	recessed	595/595/32	>> 419171
40	4000	5300	60		black mat	4x1	recessed	595/595/32	>> 418631
40	3000	5800	60		white gloss	4x1	recessed	595/595/32	>> 419119
40	3000	5800	60		white mat	4x1	recessed	595/595/32	>> 419140
40	4000	6000	60		white gloss	4x1	recessed	595/595/32	>> 418570
40	4000	6000	60		white mat	4x1	recessed	595/595/32	>> 418600
43	3000	5150	60	yes	black mat	2x1	recessed	595/595/32	>> 419706
43	4000	5400	60	yes	black mat	2x1	recessed	595/595/32	>> 419409
43	3000	5900	60	yes	white gloss	2x1	recessed	595/595/32	>> 419621
43	3000	5900	60	yes	white mat	2x1	recessed	595/595/32	>> 419669
43	4000	6300	60	yes	white gloss	2x1	recessed	595/595/32	>> 419324
43	4000	6300	60	yes	white mat	2x1	recessed	595/595/32	>> 419362
45	3000	5150	60		black mat	2x1	recessed	595/595/32	>> 418921
45	4000	5400	60		black mat	2x1	recessed	595/595/32	>> 418372
45	3000	5900	60		white gloss	2x1	recessed	595/595/32	>> 418808
45	3000	5900	60		white mat	2x1	recessed	595/595/32	>> 418860
45	4000	6300	60		white gloss	2x1	recessed	595/595/32	>> 418242
45	4000	6300	60		white mat	2x1	recessed	595/595/32	>> 418303
49	3000	5700	60		black mat	4x1	recessed	595/595/32	>> 419188
49	4000	6100	60		black mat	4x1	recessed	595/595/32	>> 418648
49	3000	6600	60		white gloss	4x1	recessed	595/595/32	>> 419126
49	3000	6600	60		white mat	4x1	recessed	595/595/32	>> 419157
49	4000	7000	60		white gloss	4x1	recessed	595/595/32	>> 418587
49	4000	7000	60		white mat	4x1	recessed	595/595/32	>> 418617

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
56	3000	7050	60		black mat	4x1	recessed	595/595/32	>> 419195
56	4000	7400	60		black mat	4x1	recessed	595/595/32	>> 418655
56	3000	8200	60		white gloss	4x1	recessed	595/595/32	>> 419133
56	3000	8200	60		white mat	4x1	recessed	595/595/32	>> 419164
56	4000	8200	70		white gloss	4x1	recessed	595/595/32	>> 420771
56	4000	8600	60		white gloss	4x1	recessed	595/595/32	>> 418594
56	4000	8600	60		white mat	4x1	recessed	595/595/32	>> 418624
14	3000	1800	60		black mat	2x1	recessed	595/295/32	>> 419058
14	4000	1900	60		black mat	2x1	recessed	595/295/32	>> 418518
14	3000	2100	60		white gloss	2x1	recessed	595/295/32	>> 418938
14	3000	2100	60		white mat	2x1	recessed	595/295/32	>> 418990
14	4000	2200	60		white gloss	2x1	recessed	595/295/32	>> 418389
14	4000	2200	60		white mat	2x1	recessed	595/295/32	>> 418457
20	3000	2550	60		black mat	2x1	recessed	595/295/32	>> 419065
20	4000	2600	60		black mat	2x1	recessed	595/295/32	>> 418525
20	4000	2850	60		white gloss	2x1	recessed	595/295/32	>> 418396
20	4000	2850	60		white mat	2x1	recessed	595/295/32	>> 418464
20	3000	2900	60		white gloss	2x1	recessed	595/295/32	>> 418945
20	3000	2900	60		white mat	2x1	recessed	595/295/32	>> 419003
25	3000	2850	60		black mat	2x1	recessed	595/295/32	>> 419072
25	3000	2850	60	yes	black mat	2x1	recessed	595/295/32	>> 419850
25	4000	3050	60		black mat	2x1	recessed	595/295/32	>> 418532
25	4000	3050	60	yes	black mat	2x1	recessed	595/295/32	>> 419492
25	3000	3300	60		white gloss	2x1	recessed	595/295/32	>> 418952
25	3000	3300	60		white mat	2x1	recessed	595/295/32	>> 419010
25	3000	3300	60	yes	white gloss	2x1	recessed	595/295/32	>> 419713
25	3000	3300	60	yes	white mat	2x1	recessed	595/295/32	>> 419751
25	4000	3500	60		white gloss	2x1	recessed	595/295/32	>> 418402
25	4000	3500	60		white mat	2x1	recessed	595/295/32	>> 418471
25	4000	3500	60	yes	white gloss	2x1	recessed	595/295/32	>> 419416
25	4000	3500	60	yes	white mat	2x1	recessed	595/295/32	>> 419454
29	3000	3500	60		black mat	2x1	recessed	595/295/32	>> 419096
29	3000	3500	60	yes	black mat	2x1	recessed	595/295/32	>> 419874
29	4000	3700	60		black mat	2x1	recessed	595/295/32	>> 418556
29	4000	3700	60	yes	black mat	2x1	recessed	595/295/32	>> 419515
29	3000	4100	60		white gloss	2x1	recessed	595/295/32	>> 418976
29	3000	4100	60		white mat	2x1	recessed	595/295/32	>> 419034
29	3000	4100	60	yes	white gloss	2x1	recessed	595/295/32	>> 419737

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
29	3000	4100	60	yes	white mat	2x1	recessed	595/295/32	>> 419775
29	4000	4300	60		white gloss	2x1	recessed	595/295/32	>> 418426
29	4000	4300	60		white mat	2x1	recessed	595/295/32	>> 418495
29	4000	4300	60	yes	white gloss	2x1	recessed	595/295/32	>> 419430
29	4000	4300	60	yes	white mat	2x1	recessed	595/295/32	>> 419478
34	3000	3900	60		black mat	2x1	recessed	595/295/32	>> 419089
34	3000	3900	60	yes	black mat	2x1	recessed	595/295/32	>> 419867
34	4000	4200	60		black mat	2x1	recessed	595/295/32	>> 418549
34	4000	4200	60	yes	black mat	2x1	recessed	595/295/32	>> 419508
34	3000	4600	60		white gloss	2x1	recessed	595/295/32	>> 418969
34	3000	4600	60		white mat	2x1	recessed	595/295/32	>> 419027
34	3000	4600	60	yes	white gloss	2x1	recessed	595/295/32	>> 419720
34	3000	4600	60	yes	white mat	2x1	recessed	595/295/32	>> 419768
34	4000	4800	60		white gloss	2x1	recessed	595/295/32	>> 418419
34	4000	4800	60		white mat	2x1	recessed	595/295/32	>> 418488
34	4000	4800	60	yes	white gloss	2x1	recessed	595/295/32	>> 419423
34	4000	4800	60	yes	white mat	2x1	recessed	595/295/32	>> 419461
43	3000	5150	60	yes	black mat	2x1	recessed	595/295/32	>> 419881
43	4000	5400	60	yes	black mat	2x1	recessed	595/295/32	>> 419522
43	3000	5900	60	yes	white gloss	2x1	recessed	595/295/32	>> 419744
43	3000	5900	60	yes	white mat	2x1	recessed	595/295/32	>> 419782
43	4000	6300	60	yes	white gloss	2x1	recessed	595/295/32	>> 419447
43	4000	6300	60	yes	white mat	2x1	recessed	595/295/32	>> 419485
45	3000	5150	60		black mat	2x1	recessed	595/295/32	>> 419102
45	4000	5400	60		black mat	2x1	recessed	595/295/32	>> 418563
45	3000	5900	60		white gloss	2x1	recessed	595/295/32	>> 418983
45	3000	5900	60		white mat	2x1	recessed	595/295/32	>> 419041
45	4000	6000	70		white gloss	2x1	recessed	595/295/32	>> 420764
45	4000	6300	60		white gloss	2x1	recessed	595/295/32	>> 418440
45	4000	6300	60		white mat	2x1	recessed	595/295/32	>> 418501
20	3000	2900	60		white mat	2x1	recessed	1560/170/32	>> 577888
14	3000	1800	60		black mat	2x1	recessed	1195/295/32	>> 420542
14	4000	1900	60		black mat	2x1	recessed	1195/295/32	>> 420481
14	3000	2100	60		white gloss	2x1	recessed	1195/295/32	>> 420207
14	3000	2100	60		white mat	2x1	recessed	1195/295/32	>> 420269
14	4000	2200	60		white gloss	2x1	recessed	1195/295/32	>> 420009
14	4000	2200	60		white mat	2x1	recessed	1195/295/32	>> 420061
20	3000	2550	60		black mat	2x1	recessed	1195/295/32	>> 420559

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
20	4000	2600	60		black mat	2x1	recessed	1195/295/32	>> 420498
20	4000	2850	60		white gloss	2x1	recessed	1195/295/32	>> 420016
20	3000	2900	60		white gloss	2x1	recessed	1195/295/32	>> 420214
20	3000	2900	60		white mat	2x1	recessed	1195/295/32	>> 420276
20	4000	3000	60		white mat	2x1	recessed	1195/295/32	>> 420078
25	3000	2850	60		black mat	2x1	recessed	1195/295/32	>> 420566
25	3000	2850	60	yes	black mat	2x1	recessed	1195/295/32	>> 420641
25	4000	3050	60		black mat	2x1	recessed	1195/295/32	>> 420504
25	4000	3050	60	yes	black mat	2x1	recessed	1195/295/32	>> 420603
25	3000	3300	60		white gloss	2x1	recessed	1195/295/32	>> 420221
25	3000	3300	60		white mat	2x1	recessed	1195/295/32	>> 420283
25	3000	3300	60	yes	white gloss	2x1	recessed	1195/295/32	>> 420405
25	3000	3300	60	yes	white mat	2x1	recessed	1195/295/32	>> 420443
25	4000	3500	60		white gloss	2x1	recessed	1195/295/32	>> 420023
25	4000	3500	60		white mat	2x1	recessed	1195/295/32	>> 420085
25	4000	3500	60	yes	white gloss	2x1	recessed	1195/295/32	>> 420320
25	4000	3500	60	yes	white mat	2x1	recessed	1195/295/32	>> 420368
29	3000	3500	60		black mat	2x1	recessed	1195/295/32	>> 420580
29	3000	3500	60	yes	black mat	2x1	recessed	1195/295/32	>> 420665
29	4000	3700	60		black mat	2x1	recessed	1195/295/32	>> 420528
29	4000	3700	60	yes	black mat	2x1	recessed	1195/295/32	>> 420627
29	3000	4100	60		white gloss	2x1	recessed	1195/295/32	>> 420245
29	3000	4100	60		white mat	2x1	recessed	1195/295/32	>> 420306
29	3000	4100	60	yes	white gloss	2x1	recessed	1195/295/32	>> 420429
29	3000	4100	60	yes	white mat	2x1	recessed	1195/295/32	>> 420467
29	4000	4300	60		white gloss	2x1	recessed	1195/295/32	>> 420047
29	4000	4300	60		white mat	2x1	recessed	1195/295/32	>> 420184
29	4000	4300	60	yes	white gloss	2x1	recessed	1195/295/32	>> 420344
29	4000	4300	60	yes	white mat	2x1	recessed	1195/295/32	>> 420382
34	3000	3900	60		black mat	2x1	recessed	1195/295/32	>> 420573
34	3000	3900	60	yes	black mat	2x1	recessed	1195/295/32	>> 420658
34	4000	4200	60		black mat	2x1	recessed	1195/295/32	>> 420511
34	4000	4200	60	yes	black mat	2x1	recessed	1195/295/32	>> 420610
34	3000	4600	60		white gloss	2x1	recessed	1195/295/32	>> 420238
34	3000	4600	60		white mat	2x1	recessed	1195/295/32	>> 420290
34	3000	4600	60	yes	white gloss	2x1	recessed	1195/295/32	>> 420412
34	3000	4600	60	yes	white mat	2x1	recessed	1195/295/32	>> 420450
34	4000	4800	60		white gloss	2x1	recessed	1195/295/32	>> 420030

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
34	4000	4800	60		white mat	2x1	recessed	1195/295/32	>> 420092
34	4000	4800	60	yes	white gloss	2x1	recessed	1195/295/32	>> 420337
34	4000	4800	60	yes	white mat	2x1	recessed	1195/295/32	>> 420375
40	3000	5150	60		black mat	4x1	recessed	1195/295/32	>> 419263
40	4000	5300	60		black mat	4x1	recessed	1195/295/32	>> 418723
40	3000	5800	60		white gloss	4x1	recessed	1195/295/32	>> 419201
40	3000	5800	60		white mat	4x1	recessed	1195/295/32	>> 419232
40	4000	6000	60		white gloss	4x1	recessed	1195/295/32	>> 418662
40	4000	6000	60		white mat	4x1	recessed	1195/295/32	>> 418693
43	3000	5150	60	yes	black mat	2x1	recessed	1195/295/32	>> 420672
43	4000	5400	60	yes	black mat	2x1	recessed	1195/295/32	>> 420634
43	3000	5900	60	yes	white gloss	2x1	recessed	1195/295/32	>> 420436
43	3000	5900	60	yes	white mat	2x1	recessed	1195/295/32	>> 420474
43	4000	6300	60	yes	white gloss	2x1	recessed	1195/295/32	>> 420351
43	4000	6300	60	yes	white mat	2x1	recessed	1195/295/32	>> 420399
45	3000	5150	60		black mat	2x1	recessed	1195/295/32	>> 420597
45	4000	5400	60		black mat	2x1	recessed	1195/295/32	>> 420535
45	3000	5900	60		white gloss	2x1	recessed	1195/295/32	>> 420252
45	3000	5900	60		white mat	2x1	recessed	1195/295/32	>> 420313
45	4000	6300	60		white gloss	2x1	recessed	1195/295/32	>> 420054
45	4000	6300	60		white mat	2x1	recessed	1195/295/32	>> 420191
49	3000	5700	60		black mat	4x1	recessed	1195/295/32	>> 419270
49	4000	6100	60		black mat	4x1	recessed	1195/295/32	>> 418730
49	3000	6600	60		white gloss	4x1	recessed	1195/295/32	>> 419218
49	3000	6600	60		white mat	4x1	recessed	1195/295/32	>> 419249
49	4000	7000	60		white gloss	4x1	recessed	1195/295/32	>> 418679
49	4000	7000	60		white mat	4x1	recessed	1195/295/32	>> 418709
56	3000	7050	60		black mat	4x1	recessed	1195/295/32	>> 419287
56	4000	7400	60		black mat	4x1	recessed	1195/295/32	>> 418747
56	3000	8200	60		white gloss	4x1	recessed	1195/295/32	>> 419225
56	3000	8200	60		white mat	4x1	recessed	1195/295/32	>> 419256
56	4000	8200	70		white gloss	4x1	recessed	1195/295/32	>> 420757
56	4000	8600	60		white gloss	4x1	recessed	1195/295/32	>> 418686
56	4000	8600	60		white mat	4x1	recessed	1195/295/32	>> 418716
25	4000	3300	70		white mat	2x1	recessed	1195/170/37	>> 829031
29	4000	4000	70		white mat	2x1	recessed	1195/170/37	>> 419973

TERRA 3 LED

GENERAL CARD

TERRA 3 LED suspended

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
14	3000	1800	60		black matt texture	2x1	suspended	595/595/38	>> 440571
14	4000	1900	60		black matt texture	2x1	suspended	595/595/38	>> 440120
14	3000	2100	60		white mat	2x1	suspended	595/595/38	>> 440519
14	3000	2100	60		white gloss	2x1	suspended	595/595/38	>> 440458
14	4000	2200	60		white mat	2x1	suspended	595/595/38	>> 440069
14	4000	2200	60		white gloss	2x1	suspended	595/595/38	>> 440007
20	3000	2550	60		black matt texture	2x1	suspended	595/595/38	>> 440588
20	4000	2600	60		black matt texture	2x1	suspended	595/595/38	>> 440137
20	3000	2900	60		white mat	2x1	suspended	595/595/38	>> 440526
20	3000	2900	60		white gloss	2x1	suspended	595/595/38	>> 440465
20	4000	3000	60		white mat	2x1	suspended	595/595/38	>> 440076
20	4000	3000	60		white gloss	2x1	suspended	595/595/38	>> 440014
25	3000	2850	60		black matt texture	2x1	suspended	595/595/38	>> 440595
25	3000	2850	60	yes	black matt texture	2x1	suspended	595/595/38	>> 441240
25	4000	3050	60		black matt texture	2x1	suspended	595/595/38	>> 440144
25	4000	3050	60	yes	black matt texture	2x1	suspended	595/595/38	>> 441004
25	3000	3300	60		white mat	2x1	suspended	595/595/38	>> 440533
25	3000	3300	60		white gloss	2x1	suspended	595/595/38	>> 440472
25	3000	3300	60	yes	white mat	2x1	suspended	595/595/38	>> 441202
25	3000	3300	60	yes	white gloss	2x1	suspended	595/595/38	>> 441165
25	4000	3500	60		white mat	2x1	suspended	595/595/38	>> 440083
25	4000	3500	60		white gloss	2x1	suspended	595/595/38	>> 440021
25	4000	3500	60	yes	white mat	2x1	suspended	595/595/38	>> 440953
25	4000	3500	60	yes	white gloss	2x1	suspended	595/595/38	>> 440915
29	3000	3500	60		black matt texture	2x1	suspended	595/595/38	>> 440618
29	3000	3500	60	yes	black matt texture	2x1	suspended	595/595/38	>> 441264
29	4000	3700	60		black matt texture	2x1	suspended	595/595/38	>> 440168
29	4000	3700	60	yes	black matt texture	2x1	suspended	595/595/38	>> 441028
29	3000	4100	60		white mat	2x1	suspended	595/595/38	>> 440557
29	3000	4100	60		white gloss	2x1	suspended	595/595/38	>> 440496

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
29	3000	4100	60	yes	white mat	2x1	suspended	595/595/38	>> 441226
29	3000	4100	60	yes	white gloss	2x1	suspended	595/595/38	>> 441189
29	4000	4300	60		white mat	2x1	suspended	595/595/38	>> 440106
29	4000	4300	60		white gloss	2x1	suspended	595/595/38	>> 440045
29	4000	4300	60	yes	white mat	2x1	suspended	595/595/38	>> 440977
29	4000	4300	60	yes	white gloss	2x1	suspended	595/595/38	>> 440939
34	3000	3900	60		black matt texture	2x1	suspended	595/595/38	>> 440601
34	3000	3900	60	yes	black matt texture	2x1	suspended	595/595/38	>> 441257
34	4000	4200	60		black matt texture	2x1	suspended	595/595/38	>> 440151
34	4000	4200	60	yes	black matt texture	2x1	suspended	595/595/38	>> 441011
34	3000	4600	60		white mat	2x1	suspended	595/595/38	>> 440540
34	3000	4600	60		white gloss	2x1	suspended	595/595/38	>> 440489
34	3000	4600	60	yes	white mat	2x1	suspended	595/595/38	>> 441219
34	3000	4600	60	yes	white gloss	2x1	suspended	595/595/38	>> 441172
34	4000	4800	60		white mat	2x1	suspended	595/595/38	>> 440090
34	4000	4800	60		white gloss	2x1	suspended	595/595/38	>> 440038
34	4000	4800	60	yes	white mat	2x1	suspended	595/595/38	>> 440960
34	4000	4800	60	yes	white gloss	2x1	suspended	595/595/38	>> 440922
40	3000	5150	60		black matt texture	4x1	suspended	595/595/38	>> 440885
40	4000	5300	60		black matt texture	4x1	suspended	595/595/38	>> 440427
40	3000	5800	60		white mat	4x1	suspended	595/595/38	>> 440854
40	3000	5800	60		white gloss	4x1	suspended	595/595/38	>> 440823
40	4000	6000	60		white mat	4x1	suspended	595/595/38	>> 440397
40	4000	6000	60		white gloss	4x1	suspended	595/595/38	>> 440366
43	3000	5150	60	yes	black matt texture	2x1	suspended	595/595/38	>> 441271
43	4000	5400	60	yes	black matt texture	2x1	suspended	595/595/38	>> 441035
43	3000	5900	60	yes	white mat	2x1	suspended	595/595/38	>> 441233
43	3000	5900	60	yes	white gloss	2x1	suspended	595/595/38	>> 441196
43	4000	6300	60	yes	white mat	2x1	suspended	595/595/38	>> 440984
43	4000	6300	60	yes	white gloss	2x1	suspended	595/595/38	>> 440946
45	3000	5150	60		black matt texture	2x1	suspended	595/595/38	>> 440625
45	4000	5400	60		black matt texture	2x1	suspended	595/595/38	>> 440175
45	3000	5900	60		white mat	2x1	suspended	595/595/38	>> 440564

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
45	3000	5900	60		white gloss	2x1	suspended	595/595/38	>> 440502
45	4000	6300	60		white mat	2x1	suspended	595/595/38	>> 440113
45	4000	6300	60		white gloss	2x1	suspended	595/595/38	>> 440052
49	3000	5700	60		black matt texture	4x1	suspended	595/595/38	>> 440892
49	4000	6100	60		black matt texture	4x1	suspended	595/595/38	>> 440434
49	3000	6600	60		white mat	4x1	suspended	595/595/38	>> 440861
49	3000	6600	60		white gloss	4x1	suspended	595/595/38	>> 440830
49	4000	7000	60		white mat	4x1	suspended	595/595/38	>> 440403
49	4000	7000	60		white gloss	4x1	suspended	595/595/38	>> 440373
56	3000	7050	60		black matt texture	4x1	suspended	595/595/38	>> 440908
56	4000	7400	60		black matt texture	4x1	suspended	595/595/38	>> 440441
56	3000	8200	60		white mat	4x1	suspended	595/595/38	>> 440878
56	3000	8200	60		white gloss	4x1	suspended	595/595/38	>> 440847
56	4000	8200	70		white gloss	4x1	suspended	595/595/38	>> 420801
56	4000	8600	60		white mat	4x1	suspended	595/595/38	>> 440410
56	4000	8600	60		white gloss	4x1	suspended	595/595/38	>> 440380
14	3000	1800	60		black matt texture	2x1	suspended	595/300/38	>> 440762
14	4000	1900	60		black matt texture	2x1	suspended	595/300/38	>> 440304
14	3000	2100	60		white mat	2x1	suspended	595/300/38	>> 440694
14	3000	2100	60		white gloss	2x1	suspended	595/300/38	>> 440632
14	4000	2200	60		white mat	2x1	suspended	595/300/38	>> 440243
14	4000	2200	60		white gloss	2x1	suspended	595/300/38	>> 440182
20	3000	2550	60		black matt texture	2x1	suspended	595/300/38	>> 440779
20	4000	2600	60		black matt texture	2x1	suspended	595/300/38	>> 440311
20	3000	2900	60		white mat	2x1	suspended	595/300/38	>> 440700
20	3000	2900	60		white gloss	2x1	suspended	595/300/38	>> 440649
20	4000	3000	60		white mat	2x1	suspended	595/300/38	>> 440250
20	4000	3000	60		white gloss	2x1	suspended	595/300/38	>> 440199
25	3000	2850	60		black matt texture	2x1	suspended	595/300/38	>> 440786
25	3000	2850	60	yes	black matt texture	2x1	suspended	595/300/38	>> 441363
25	4000	3050	60		black matt texture	2x1	suspended	595/300/38	>> 440328
25	4000	3050	60	yes	black matt texture	2x1	suspended	595/300/38	>> 441127

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
25	3000	3300	60		white mat	2x1	suspended	595/300/38	>> 440724
25	3000	3300	60		white gloss	2x1	suspended	595/300/38	>> 440656
25	3000	3300	60	yes	white mat	2x1	suspended	595/300/38	>> 441325
25	3000	3300	60	yes	white gloss	2x1	suspended	595/300/38	>> 441288
25	4000	3500	60		white mat	2x1	suspended	595/300/38	>> 440267
25	4000	3500	60		white gloss	2x1	suspended	595/300/38	>> 440205
25	4000	3500	60	yes	white mat	2x1	suspended	595/300/38	>> 441080
25	4000	3500	60	yes	white gloss	2x1	suspended	595/300/38	>> 441042
29	3000	3500	60		black matt texture	2x1	suspended	595/300/38	>> 440809
29	3000	3500	60	yes	black matt texture	2x1	suspended	595/300/38	>> 441387
29	4000	3700	60		black matt texture	2x1	suspended	595/300/38	>> 440342
29	4000	3700	60	yes	black matt texture	2x1	suspended	595/300/38	>> 441141
29	3000	4100	60		white mat	2x1	suspended	595/300/38	>> 440748
29	3000	4100	60		white gloss	2x1	suspended	595/300/38	>> 440670
29	3000	4100	60	yes	white mat	2x1	suspended	595/300/38	>> 441349
29	3000	4100	60	yes	white gloss	2x1	suspended	595/300/38	>> 441301
29	4000	4300	60		white mat	2x1	suspended	595/300/38	>> 440281
29	4000	4300	60		white gloss	2x1	suspended	595/300/38	>> 440229
29	4000	4300	60	yes	white mat	2x1	suspended	595/300/38	>> 441103
29	4000	4300	60	yes	white gloss	2x1	suspended	595/300/38	>> 441066
34	3000	3900	60		black matt texture	2x1	suspended	595/300/38	>> 440793
34	3000	3900	60	yes	black matt texture	2x1	suspended	595/300/38	>> 441370
34	4000	4200	60		black matt texture	2x1	suspended	595/300/38	>> 440335
34	4000	4200	60	yes	black matt texture	2x1	suspended	595/300/38	>> 441134
34	3000	4600	60		white mat	2x1	suspended	595/300/38	>> 440731
34	3000	4600	60		white gloss	2x1	suspended	595/300/38	>> 440663
34	3000	4600	60	yes	white mat	2x1	suspended	595/300/38	>> 441332
34	3000	4600	60	yes	white gloss	2x1	suspended	595/300/38	>> 441295
34	4000	4800	60		white mat	2x1	suspended	595/300/38	>> 440274
34	4000	4800	60		white gloss	2x1	suspended	595/300/38	>> 440212
34	4000	4800	60	yes	white mat	2x1	suspended	595/300/38	>> 441097
34	4000	4800	60	yes	white gloss	2x1	suspended	595/300/38	>> 441059
43	3000	5150	60	yes	black matt texture	2x1	suspended	595/300/38	>> 441394

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
43	4000	5400	60	yes	black matt texture	2x1	suspended	595/300/38	>> 441158
43	3000	5900	60	yes	white mat	2x1	suspended	595/300/38	>> 441356
43	3000	5900	60	yes	white gloss	2x1	suspended	595/300/38	>> 441318
43	4000	6300	60	yes	white mat	2x1	suspended	595/300/38	>> 441110
43	4000	6300	60	yes	white gloss	2x1	suspended	595/300/38	>> 441073
45	3000	5150	60		black matt texture	2x1	suspended	595/300/38	>> 440816
45	4000	5400	60		black matt texture	2x1	suspended	595/300/38	>> 440359
45	3000	5900	60		white mat	2x1	suspended	595/300/38	>> 440755
45	3000	5900	60		white gloss	2x1	suspended	595/300/38	>> 440687
45	4000	6000	70		white gloss	2x1	suspended	595/300/38	>> 420795
45	4000	6300	60		white mat	2x1	suspended	595/300/38	>> 440298
45	4000	6300	60		white gloss	2x1	suspended	595/300/38	>> 440236
14	3000	1800	60		black matt texture	2x1	suspended	1195/230/38	>> 441868
14	4000	1900	60		black matt texture	2x1	suspended	1195/230/38	>> 441806
14	3000	2100	60		white mat	2x1	suspended	1195/230/38	>> 441585
14	3000	2100	60		white gloss	2x1	suspended	1195/230/38	>> 441523
14	4000	2200	60		white mat	2x1	suspended	1195/230/38	>> 441462
14	4000	2200	60		white gloss	2x1	suspended	1195/230/38	>> 441400
20	3000	2550	60		black matt texture	2x1	suspended	1195/230/38	>> 441875
20	4000	2600	60		black matt texture	2x1	suspended	1195/230/38	>> 441813
20	3000	2900	60		white mat	2x1	suspended	1195/230/38	>> 441592
20	3000	2900	60		white gloss	2x1	suspended	1195/230/38	>> 441530
20	4000	3000	60		white mat	2x1	suspended	1195/230/38	>> 441479
20	4000	3000	60		white gloss	2x1	suspended	1195/230/38	>> 441417
25	3000	2850	60		black matt texture	2x1	suspended	1195/230/38	>> 441882
25	3000	2850	60	yes	black matt texture	2x1	suspended	1195/230/38	>> 441967
25	4000	3050	60		black matt texture	2x1	suspended	1195/230/38	>> 441820
25	4000	3050	60	yes	black matt texture	2x1	suspended	1195/230/38	>> 441929
25	3000	3300	60		white mat	2x1	suspended	1195/230/38	>> 441608
25	3000	3300	60		white gloss	2x1	suspended	1195/230/38	>> 441547
25	3000	3300	60	yes	white mat	2x1	suspended	1195/230/38	>> 441769
25	3000	3300	60	yes	white gloss	2x1	suspended	1195/230/38	>> 441721

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
25	4000	3500	60		white mat	2x1	suspended	1195/230/38	>> 441486
25	4000	3500	60		white gloss	2x1	suspended	1195/230/38	>> 441424
25	4000	3500	60	yes	white mat	2x1	suspended	1195/230/38	>> 441684
25	4000	3500	60	yes	white gloss	2x1	suspended	1195/230/38	>> 441646
29	3000	3500	60		black matt texture	2x1	suspended	1195/230/38	>> 441905
29	3000	3500	60	yes	black matt texture	2x1	suspended	1195/230/38	>> 441981
29	4000	3700	60		black matt texture	2x1	suspended	1195/230/38	>> 441844
29	4000	3700	60	yes	black matt texture	2x1	suspended	1195/230/38	>> 441943
29	3000	4100	60		white mat	2x1	suspended	1195/230/38	>> 441622
29	3000	4100	60		white gloss	2x1	suspended	1195/230/38	>> 441561
29	3000	4100	60	yes	white mat	2x1	suspended	1195/230/38	>> 441783
29	3000	4100	60	yes	white gloss	2x1	suspended	1195/230/38	>> 441745
29	4000	4300	60		white mat	2x1	suspended	1195/230/38	>> 441509
29	4000	4300	60		white gloss	2x1	suspended	1195/230/38	>> 441448
29	4000	4300	60	yes	white mat	2x1	suspended	1195/230/38	>> 441707
29	4000	4300	60	yes	white gloss	2x1	suspended	1195/230/38	>> 441660
34	3000	3900	60		black matt texture	2x1	suspended	1195/230/38	>> 441899
34	3000	3900	60	yes	black matt texture	2x1	suspended	1195/230/38	>> 441974
34	4000	4200	60		black matt texture	2x1	suspended	1195/230/38	>> 441837
34	4000	4200	60	yes	black matt texture	2x1	suspended	1195/230/38	>> 441936
34	3000	4600	60		white mat	2x1	suspended	1195/230/38	>> 441615
34	3000	4600	60		white gloss	2x1	suspended	1195/230/38	>> 441554
34	3000	4600	60	yes	white mat	2x1	suspended	1195/230/38	>> 441776
34	3000	4600	60	yes	white gloss	2x1	suspended	1195/230/38	>> 441738
34	4000	4800	60		white mat	2x1	suspended	1195/230/38	>> 441493
34	4000	4800	60		white gloss	2x1	suspended	1195/230/38	>> 441431
34	4000	4800	60	yes	white mat	2x1	suspended	1195/230/38	>> 441691
34	4000	4800	60	yes	white gloss	2x1	suspended	1195/230/38	>> 441653
43	3000	5150	60	yes	black matt texture	2x1	suspended	1195/230/38	>> 441998
43	4000	5400	60	yes	black matt texture	2x1	suspended	1195/230/38	>> 441950
43	3000	5900	60	yes	white mat	2x1	suspended	1195/230/38	>> 441790
43	3000	5900	60	yes	white gloss	2x1	suspended	1195/230/38	>> 441752
43	4000	6300	60	yes	white mat	2x1	suspended	1195/230/38	>> 441714

TERRA 3 LED

GENERAL CARD

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Beam angle [°]	DIMM DALI	Colour of the body	Version	Mounting version	Dimensions (H/W/T/S) [mm]	Index
43	4000	6300	60	yes	white gloss	2x1	suspended	1195/230/38	>> 441677
45	3000	5150	60		black matt texture	2x1	suspended	1195/230/38	>> 441912
45	4000	5400	60		black matt texture	2x1	suspended	1195/230/38	>> 441851
45	3000	5900	60		white mat	2x1	suspended	1195/230/38	>> 441639
45	3000	5900	60		white gloss	2x1	suspended	1195/230/38	>> 441578
45	4000	6000	70		white gloss	2x1	suspended	1195/230/38	>> 420788
45	4000	6300	60		white mat	2x1	suspended	1195/230/38	>> 441516
45	4000	6300	60		white gloss	2x1	suspended	1195/230/38	>> 441455

TERRA 3 LED

GENERAL CARD

LUMINOUS INTENSITY DISTRIB. CURVE



60D

TERRA 3 LED

GENERAL CARD

ACCESSORIES AVAILABLE

index	Name
374845	Frame adapter KG 635x635 WHITE
998966	Frame steel white structure RAL9016 600x600 SM "well effect"
374852	Frame adapter KG 1235x335 WHITE
998973	Frame steel white gloss RAL9016 600x600 SM "well effect"



Frame adapter KG 635x635 WHITE (374845)



Frame steel white structure RAL9016 600x600 SM "well effect" (998966)



Frame steel white gloss RAL9016 600x600 SM "well effect" (998973)