

TERRANO S/R DUO

GENERAL CARD



TECHNICAL PARAMETERS

Ingress protection:	IP20
Rated power of the luminaire [W]*:	28.00 - 90.00
Luminous flux [lm]*:	3000 - 10100
Colour temperature [K]:	3000; 4000
Colour rendering index:	>80
Material of the body:	powder coated steel
Colour of the body:	black; white
Diffuser material:	PC
Diffuser type:	matrix led
Mounting version:	track
Dimensions (H/W/T/S) [mm]:	630/98/85; 1180/98/85;

CHARACTERISTICS

The new Terrano S/R DUO linear luminaire is characterized by energy efficiency and excellent technical parameters thanks to the use of the latest generation of LED modules. Terrano S/R DUO lamps equipped with focusing lenses are eye-friendly and effectively reduce glare (UGR within the range of 12-19). Mounted in a busbar system, they are available in two color temperatures: 3000 K and 4000 K and two color versions: white and black. The 630mm and 1180mm long versions allow two light systems to be rotated independently by 45°.

APPLICATION

Installation on a busbar system increases the range of applications of this lamp and allows the user to make arrangement changes, also after installation. The lamp has an adapter equipped with mechanical hooks that make it easier to connect, disconnect and move the lamps, while ensuring a secure hold of the fixture in the rail. The lamps, together with appropriately selected rails and elements, allow for ceiling or wall mounting. The Terrano S/R DUO lamp is perfect as a light source in offices, shops, dressing rooms and passageways.

TERRANO S/R DUO

GENERAL CARD

AVAILABLE VERSIONS



Click index >>, to see details

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Colour of the body	Beam angle [°]	DIMM DALI	Dimensions (H/W/T/S) [mm]	Index
28	3000	3000	black	60		630/98/85	>> 583001
28	3000	3000	black	60	yes	630/98/85	>> 583322
28	4000	3200	black	60	yes	630/98/85	>> 583087
28	4000	3200	black	60	yes	630/98/85	>> 583407
28	3000	3300	white	60		630/98/85	>> 583049
28	3000	3300	white	60	yes	630/98/85	>> 583360
28	4000	3500	white	60	yes	630/98/85	>> 583124
28	4000	3500	white	60	yes	630/98/85	>> 583445
35	3000	3700	black	60		630/98/85	>> 583018
35	3000	3700	black	60	yes	630/98/85	>> 583339
35	4000	3900	black	60	yes	630/98/85	>> 583094
35	4000	3900	black	60	yes	630/98/85	>> 583414
35	3000	4100	white	60	yes	630/98/85	>> 583056
35	3000	4100	white	60	yes	630/98/85	>> 583377
35	4000	4300	white	60	yes	630/98/85	>> 583131
35	4000	4300	white	60	yes	630/98/85	>> 583452
40	3000	4100	black	60		630/98/85	>> 583025
40	3000	4100	black	60	yes	630/98/85	>> 583346
40	4000	4400	black	60	yes	630/98/85	>> 583100
40	4000	4400	black	60	yes	630/98/85	>> 583421
40	3000	4600	white	60	yes	630/98/85	>> 583063
40	3000	4600	white	60	yes	630/98/85	>> 583384
40	4000	4800	white	60	yes	630/98/85	>> 583148
40	4000	4800	white	60	yes	630/98/85	>> 583469
53	3000	5100	black	60		630/98/85	>> 583032
53	3000	5100	black	60	yes	630/98/85	>> 583353
53	4000	5400	black	60	yes	630/98/85	>> 583117
53	4000	5400	black	60	yes	630/98/85	>> 583438
53	3000	5600	white	60	yes	630/98/85	>> 583070
53	3000	5600	white	60	yes	630/98/85	>> 583391
53	4000	5700	white	70	yes	630/98/85	>> 420894
53	4000	5950	white	60	yes	630/98/85	>> 583155
53	4000	5950	white	60	yes	630/98/85	>> 583476
56	3000	6000	black	60	yes	1180/98/85	>> 583162
56	3000	6000	black	60	yes	1180/98/85	>> 583483

TERRANO S/R DUO

GENERAL CARD

56	4000	6400	black	60	yes	1180/98/85	>> 583247
56	4000	6400	black	60	yes	1180/98/85	>> 583568
56	3000	6600	white	60	yes	1180/98/85	>> 583209
56	3000	6600	white	60	yes	1180/98/85	>> 583520
56	4000	7000	white	60	yes	1180/98/85	>> 583285
56	4000	7000	white	60	yes	1180/98/85	>> 583605
70	3000	7400	black	60		1180/98/85	>> 583179
70	3000	7400	black	60	yes	1180/98/85	>> 583490
70	4000	7800	black	60	yes	1180/98/85	>> 583254
70	4000	7800	black	60	yes	1180/98/85	>> 583575
70	3000	8200	white	60	yes	1180/98/85	>> 583216
70	3000	8200	white	60	yes	1180/98/85	>> 583537
70	4000	8600	white	60	yes	1180/98/85	>> 583292
70	4000	8600	white	60	yes	1180/98/85	>> 583612
80	3000	8200	black	60	yes	1180/98/85	>> 583186
80	3000	8200	black	60	yes	1180/98/85	>> 583506
80	4000	8800	black	60	yes	1180/98/85	>> 583261
80	4000	8800	black	60	yes	1180/98/85	>> 583582
80	3000	9200	white	60	yes	1180/98/85	>> 583223
80	3000	9200	white	60	yes	1180/98/85	>> 583544
80	4000	9600	white	60	yes	1180/98/85	>> 583308
80	4000	9600	white	60	yes	1180/98/85	>> 583629
90	3000	8700	black	60	yes	1180/98/85	>> 583193
90	3000	8700	black	60	yes	1180/98/85	>> 583513
90	4000	9150	black	60	yes	1180/98/85	>> 583278
90	4000	9150	black	60	yes	1180/98/85	>> 583599
90	3000	9500	white	60	yes	1180/98/85	>> 583230
90	3000	9500	white	60	yes	1180/98/85	>> 583551
90	4000	9600	white	70	yes	1180/98/85	>> 420887
90	4000	10100	white	60	yes	1180/98/85	>> 583315
90	4000	10100	white	60	yes	1180/98/85	>> 583636

Card creation date: 01 April 2025

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 25/2024



Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl

