

# TERRANO S/R DUO

GENERAL CARD



## TECHNICAL PARAMETERS

<b>Ingress protection:</b>	IP20
<b>Rated power of the luminaire [W]*:</b>	23.00 - 71.00
<b>Luminous flux [lm]*:</b>	3000 - 10100
<b>Colour temperature [K]:</b>	3000; 4000
<b>Color rendering index (Ra) &gt;:</b>	80
<b>Material of the body:</b>	powder coated steel
<b>Colour of the body:</b>	black; white
<b>Diffuser material:</b>	PC
<b>Diffuser type:</b>	matrix led
<b>Mounting version:</b>	track
<b>Dimensions (H/W/T/S) [mm]:</b>	630/98/85; 1180/98/85;

## CHARACTERISTICS

The new Terrano S/R DUO linear luminaire is characterized by energy efficiency and excellent technical parameters thanks to the use of the latest generation of LED modules. Terrano S/R DUO lamps equipped with focusing lenses are eye-friendly and effectively reduce glare (UGR within the range of 12-19). Mounted in a busbar system, they are available in two color temperatures: 3000 K and 4000 K and two color versions: white and black. The 630mm and 1180mm long versions allow two light systems to be rotated independently by 45°.

## APPLICATION

Installation on a busbar system increases the range of applications of this lamp and allows the user to make arrangement changes, also after installation. The lamp has an adapter equipped with mechanical hooks that make it easier to connect, disconnect and move the lamps, while ensuring a secure hold of the fixture in the rail. The lamps, together with appropriately selected rails and elements, allow for ceiling or wall mounting. The Terrano S/R DUO lamp is perfect as a light source in offices, shops, dressing rooms and passageways.

# TERRANO S/R DUO

GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Colour of the body	Beam angle [°]	DIMM DALI	Dimensions (H/W/T/S) [mm]	Index
23	3000	3000	black	60		630/98/85	<a href="#">&gt;&gt; 583001</a>
23	3000	3000	black	60	yes	630/98/85	<a href="#">&gt;&gt; 583322</a>
23	4000	3200	black	60	yes	630/98/85	<a href="#">&gt;&gt; 583407</a>
23	4000	3200	black	60		630/98/85	<a href="#">&gt;&gt; 583087</a>
23	3000	3300	white	60		630/98/85	<a href="#">&gt;&gt; 583049</a>
23	3000	3300	white	60	yes	630/98/85	<a href="#">&gt;&gt; 583360</a>
23	4000	3500	white	60	yes	630/98/85	<a href="#">&gt;&gt; 583445</a>
23	4000	3500	white	60		630/98/85	<a href="#">&gt;&gt; 583124</a>
29	3000	3700	black	60		630/98/85	<a href="#">&gt;&gt; 583018</a>
29	3000	3700	black	60	yes	630/98/85	<a href="#">&gt;&gt; 583339</a>
29	4000	3900	black	60		630/98/85	<a href="#">&gt;&gt; 583094</a>
29	4000	3900	black	60	yes	630/98/85	<a href="#">&gt;&gt; 583414</a>
29	3000	4100	white	60		630/98/85	<a href="#">&gt;&gt; 583056</a>
29	3000	4100	white	60	yes	630/98/85	<a href="#">&gt;&gt; 583377</a>
29	4000	4300	white	60		630/98/85	<a href="#">&gt;&gt; 583131</a>
29	4000	4300	white	60	yes	630/98/85	<a href="#">&gt;&gt; 583452</a>
34	3000	4100	black	60	yes	630/98/85	<a href="#">&gt;&gt; 583346</a>
34	3000	4100	black	60		630/98/85	<a href="#">&gt;&gt; 583025</a>
34	4000	4400	black	60		630/98/85	<a href="#">&gt;&gt; 583100</a>
34	4000	4400	black	60	yes	630/98/85	<a href="#">&gt;&gt; 583421</a>
34	3000	4600	white	60	yes	630/98/85	<a href="#">&gt;&gt; 583384</a>
34	3000	4600	white	60		630/98/85	<a href="#">&gt;&gt; 583063</a>
34	4000	4800	white	60	yes	630/98/85	<a href="#">&gt;&gt; 583469</a>
34	4000	4800	white	60		630/98/85	<a href="#">&gt;&gt; 583148</a>
43	3000	5100	black	60		630/98/85	<a href="#">&gt;&gt; 583032</a>
43	3000	5100	black	60	yes	630/98/85	<a href="#">&gt;&gt; 583353</a>
43	4000	5400	black	60	yes	630/98/85	<a href="#">&gt;&gt; 583438</a>
43	4000	5400	black	60		630/98/85	<a href="#">&gt;&gt; 583117</a>
43	3000	5600	white	60	yes	630/98/85	<a href="#">&gt;&gt; 583391</a>
43	3000	5600	white	60		630/98/85	<a href="#">&gt;&gt; 583070</a>
43	4000	5700	white	70	yes	630/98/85	<a href="#">&gt;&gt; 420894</a>
43	4000	5950	white	60	yes	630/98/85	<a href="#">&gt;&gt; 583476</a>
43	4000	5950	white	60		630/98/85	<a href="#">&gt;&gt; 583155</a>
45	3000	6000	black	60		1180/98/85	<a href="#">&gt;&gt; 583162</a>
45	3000	6000	black	60	yes	1180/98/85	<a href="#">&gt;&gt; 583483</a>

# TERRANO S/R DUO

## GENERAL CARD

45	4000	6400	black	60		1180/98/85	<a href="#">&gt;&gt; 583247</a>
45	4000	6400	black	60	yes	1180/98/85	<a href="#">&gt;&gt; 583568</a>
45	3000	6600	white	60		1180/98/85	<a href="#">&gt;&gt; 583209</a>
45	3000	6600	white	60	yes	1180/98/85	<a href="#">&gt;&gt; 583520</a>
45	4000	7000	white	60	yes	1180/98/85	<a href="#">&gt;&gt; 583605</a>
45	4000	7000	white	60		1180/98/85	<a href="#">&gt;&gt; 583285</a>
59	3000	7400	black	60		1180/98/85	<a href="#">&gt;&gt; 583179</a>
59	3000	7400	black	60	yes	1180/98/85	<a href="#">&gt;&gt; 583490</a>
59	4000	7800	black	60		1180/98/85	<a href="#">&gt;&gt; 583254</a>
59	4000	7800	black	60	yes	1180/98/85	<a href="#">&gt;&gt; 583575</a>
59	3000	8200	white	60		1180/98/85	<a href="#">&gt;&gt; 583216</a>
59	3000	8200	white	60	yes	1180/98/85	<a href="#">&gt;&gt; 583537</a>
59	4000	8600	white	60		1180/98/85	<a href="#">&gt;&gt; 583292</a>
59	4000	8600	white	60	yes	1180/98/85	<a href="#">&gt;&gt; 583612</a>
68	3000	8200	black	60	yes	1180/98/85	<a href="#">&gt;&gt; 583506</a>
68	3000	8200	black	60		1180/98/85	<a href="#">&gt;&gt; 583186</a>
68	4000	8800	black	60		1180/98/85	<a href="#">&gt;&gt; 583261</a>
68	4000	8800	black	60	yes	1180/98/85	<a href="#">&gt;&gt; 583582</a>
68	3000	9200	white	60		1180/98/85	<a href="#">&gt;&gt; 583223</a>
68	3000	9200	white	60	yes	1180/98/85	<a href="#">&gt;&gt; 583544</a>
68	4000	9600	white	60		1180/98/85	<a href="#">&gt;&gt; 583308</a>
68	4000	9600	white	60	yes	1180/98/85	<a href="#">&gt;&gt; 583629</a>
71	3000	8700	black	60		1180/98/85	<a href="#">&gt;&gt; 583193</a>
71	3000	8700	black	60	yes	1180/98/85	<a href="#">&gt;&gt; 583513</a>
71	4000	9150	black	60	yes	1180/98/85	<a href="#">&gt;&gt; 583599</a>
71	4000	9150	black	60		1180/98/85	<a href="#">&gt;&gt; 583278</a>
71	3000	9500	white	60	yes	1180/98/85	<a href="#">&gt;&gt; 583551</a>
71	3000	9500	white	60		1180/98/85	<a href="#">&gt;&gt; 583230</a>
71	4000	9600	white	70	yes	1180/98/85	<a href="#">&gt;&gt; 420887</a>
71	4000	10100	white	60		1180/98/85	<a href="#">&gt;&gt; 583315</a>
71	4000	10100	white	60	yes	1180/98/85	<a href="#">&gt;&gt; 583636</a>

Card creation date: 25 March 2026

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 63/2025



Lena Lighting S.A.  
ul. Kórnicka 52, 63-000 Środa Wielkopolska  
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl

