

LINEA S LED IP54 TRUNKING SYSTEM

GENERAL CARD



TECHNICAL PARAMETERS

Material of the body:	galvanized coated steel
Colour of the body:	RAL9010
Ingress protection:	IP54
Impact resistance:	IK03
Mounting version:	surface, suspended, modular suspended ceiling
Dimensions (H/W/T/S) [mm]:	3528/67/50; 1764/67/50; 5292/67/50; 1176/67/50;

CHARACTERISTICS

LINEA S LED is a surface-mounted and suspended light-line system, representing a new generation of luminaires dedicated to LED technology. The innovative connection system and loop-through cabling enables the rapid assembly of luminaires into a light line and allows flexible replacement of light modules to meet current needs. The design used allows for easy assembly and power connection. The steel body, designed from the ground up, ensures the luminaire's strength and robustness, while the narrow side profile allows installation in hard-to-reach areas.

APPLICATION

Versatile led lamp designed for indoor use, especially recommended for lighting large-scale commercial, manufacturing and warehouse facilities. The lamp for use in both new applications and replacements of traditional T8 and T5 fixtures with energy-efficient LED solutions.

LINEA S LED IP54 TRUNKING SYSTEM

GENERAL CARD

AVAILABLE VERSIONS



Click index >>, to see details

Linea S LED IP54 trunking system 1176/67/50mm

Material of the body	Wire type	Remarks	Dimensions (H/W/T/S) [mm]	Index
galvanized coated steel	5x2,5+6x1,5	Number of connectors: 2	1176/67/50	>> 587672
galvanized coated steel	5x2,5+6x1,5	Number of connectors: 1	1176/67/50	>> 587665
galvanized coated steel	5x2,5+4x1,5	Number of connectors: 2	1176/67/50	>> 587658
galvanized coated steel	5x2,5+4x1,5	Number of connectors: 1	1176/67/50	>> 587641
galvanized coated steel	5x2,5	Number of connectors: 2	1176/67/50	>> 587634
galvanized coated steel	5x2,5	Number of connectors: 1	1176/67/50	>> 587627
galvanized coated steel	5x2,5+2x1,5	Number of connectors: 2	1176/67/50	>> 587610
galvanized coated steel	5x2,5+2x1,5	Number of connectors: 1	1176/67/50	>> 587603

Linea S LED IP54 trunking system 1764/67/50mm

Material of the body	Wire type	Remarks	Dimensions (H/W/T/S) [mm]	Index
galvanized coated steel	5x2,5+6x1,5	Number of connectors: 1	1764/67/50	>> 587566
galvanized coated steel	5x2,5+6x1,5	Number of connectors: 3	1764/67/50	>> 587597
galvanized coated steel	5x2,5+4x1,5	Number of connectors: 3	1764/67/50	>> 587559
galvanized coated steel	5x2,5+4x1,5	Number of connectors: 1	1764/67/50	>> 587528
galvanized coated steel	5x2,5+2x1,5	Number of connectors: 3	1764/67/50	>> 587498
galvanized coated steel	5x2,5	Number of connectors: 3	1764/67/50	>> 587481
galvanized coated steel	5x2,5	Number of connectors: 1	1764/67/50	>> 587474
galvanized coated steel	5x2,5	Number of connectors: 1	1764/67/50	>> 587443

Linea S LED IP54 trunking system 3528/67/50mm

Material of the body	Wire type	Remarks	Dimensions (H/W/T/S) [mm]	Index
galvanized coated steel	5x2,5	Number of connectors: 2	3528/67/50	>> 587450
galvanized coated steel	5x2,5+6x1,5	Number of connectors: 2	3528/67/50	>> 587573
galvanized coated steel	5x2,5+4x1,5	Number of connectors: 2	3528/67/50	>> 587535
galvanized coated steel	5x2,5+2x1,5	Number of connectors: 2	3528/67/50	>> 587504

Linea S LED IP54 trunking system 5292/67/50mm

Material of the body	Wire type	Remarks	Dimensions (H/W/T/S) [mm]	Index
galvanized coated steel	5x2,5+4x1,5	Number of connectors: 3	5292/67/50	>> 587542
galvanized coated steel	5x2,5+6x1,5	Number of connectors: 3	5292/67/50	>> 587580
galvanized coated steel	5x2,5+2x1,5	Number of connectors: 3	5292/67/50	>> 587511
galvanized coated steel	5x2,5	Number of connectors: 3	5292/67/50	>> 587467

LINEA S LED IP54 TRUNKING SYSTEM

GENERAL CARD

ACCESSORIES AVAILABLE

index	Name
981173	LINEA S LED hang 1.5m
592294	LINEA S LED - metal cover 584mm IP54
	LINEA S LED hang 3m
592300	LINEA S LED - metal cover 1172mm IP54
981425	LINEA S LED chain pendant
981418	LINEA S LED pendant sm 1.5
592317	LINEA S LED - metal cover 1760mm IP54
980961	LINEA S LED pendant sm 3m
980954	Linea S LED surface mount bracket
592270	LINEA S LED - LED profile connector IP54
592287	LINEA S LED - connector of SUPPORT profiles IP54
592263	LINEA S LED - end cap IP54
592256	LINEA S LED - end cap IP54 LS2
592362	LINEA S LED - Power connector removal tool
980084	LINEA S LED power set 5P
980978	Linea S LED power set 7P
981388	LINEA S LED power set 11P



LINEA S LED hang 1.5m (981173)



LINEA S LED chain pendant (981425)



Linea S LED surface mount bracket (980954)



LINEA S LED power set 5P (980084)



Linea S LED power set 7P (980978)



LINEA S LED power set 11P (981388)

LINEA S LED IP54 TRUNKING SYSTEM

GENERAL CARD

Card creation date: 09 February 2026

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr:



Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl