LUMO 10.000

GENERAL CARD





LUMO 10.000

GENERAL CARD

TECHNICAL PARAMETERS

Luminous flux of the luminaire [lm] - range:	350; 2800; 5300; 10300			
Colour temperature [K]:	6500			
Charging time [h:min]:	9.5			
Battery:	2 x batterie li-ion. 7.4V			
Material of the body:	aluminium			
Colour of the body:	grey			
Dimensions (H/W/T/S) [mm]:	303/72/72;			

CHARACTERISTICS

The LED hand torch is an option for those working in the automotive workshop, mobile service, garage or construction site. The functionality of LED hand torches will benefit both professionals and DIY enthusiasts - anyone for whom good lighting is important during work or hobby activities. The torch is characterised by its long service life, powerful light output and long operation time, allowing you to focus on the task at hand. At the same time, the light emitted is comfortable for the eyes and the LED technology itself is energy-efficient.

- Luminous flux: 350, 2800, 5300, 10300lm
- Robust housing
- Dimensions: 303/72/72mm
- 4 lighting modes
- Degree of protection: IP20
- Charging time: 9,5h
- · Length of world with dedicated battery:

350 lm - ~ 12 h - 35 m range

2800 lm - ~ 3 h - 113 m range

- 5300 lm ~ 2 h 160 m range
- 10,300 lm ~ 30 sec 219 m range

APPLICATION

It is used as a working luminaire for lighting workplaces, workshops, or garages.



LUMO 10.000

GENERAL CARD

AVAILABLE VERSIONS

Click index >>, to see details									
Luminous flux of the luminaire [Im] - range	Colour temperature [K]	Battery	Charging time [h:min]	Battery capacity [mAh]	Material of the body	Colour of the body	Dimensions (H/W/T/S) [mm]	Index	
350; 2800; 5300; 10300	6500	2 x batterie li- ion. 7.4V	9.5	5000	aluminium	grey	303/72/72	<u>>> 608452</u>	

Card creation date: 24 June 2025

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%

Certificate CE - Nr: 59/2025

This product is a subject to electric and electronic waste equipment regulations (WEEE).



A