

TERRA 2 LED

GENERAL CARD



TECHNICAL PARAMETERS

| | |
|-----------------------------------|---|
| Ingress protection: | IP20 |
| Nominal power [W]: | 20.00 - 72.00 |
| Luminous flux [lm]*: | 1900 - 8100 |
| Colour rendering index: | >80 |
| SDCM: | ≤ 3 |
| Material of the body: | powder coated steel |
| Optics: | HE; black HE |
| Mounting version: | recessed; surface; surface (magnet ver.); suspended |
| Dimensions (H/W/T/S) [mm]: | 595/595/32; 595/595/36; 595/595/38; 595/300/36; 595/300/32; |
| Warranty [years]: | 5 |

CHARACTERISTICS

Recessed square LED luminaire with high total luminous Flux. Made of powder-coated white steel sheet. The luminaire has a patented HE reflector installed, which ensures efficiency and effectively eliminates glare. Available mounting versions: surface mounted, surface mounted on neodymium magnets (magnet ver. / N-MAG), flush-mounted in modular or KG ceilings (using an adapter), or suspended. In the surface-mounted version, solutions influencing the speed and safety of installation were used. In addition, the versions with neodymium magnets shorten the installation time of surface-mounted versions to an absolute minimum.

UGR <19

Unified Glare Rating is an indicator characterizing glare. The lower the Unified Lighting Rating Index (UGR), the lower the glare. In the case of luminaires designed for office spaces, UGR <19, among others improves the comfort of work, reduces errors and fatigue. The UGR value also depends on many factors characterizing the room and the location of the observer. Special computer programs should be used to precisely determine the degree of glare for specific conditions.

APPLICATION

General-purpose recessed luminaire for indoor application in offices or other utility rooms. Appropriate as the main light source even when the work requires eyesight concentration.

TERRA 2 LED

GENERAL CARD

AVAILABLE VERSIONS



Click index >>, to see details

TERRA 2 LED surface

| Nominal power [W] | Colour temperature [K] | Luminous flux [lm]* | Optics | Colour of the body | Version | Dimensions (H/W/T/S) [mm] | Mounting version | Index |
|-------------------|------------------------|---------------------|----------|--------------------|---------|---------------------------|------------------|---------------------------------|
| 20 | 3000 | 1900 | black HE | black mat | 2x1 | 595/595/36 | surface | >> 239120 |
| 20 | 4000 | 1900 | black HE | black mat | 2x1 | 595/595/36 | surface | >> 238741 |
| 20 | 3000 | 2400 | HE | white mat | 2x1 | 595/595/36 | surface | >> 239106 |
| 20 | 3000 | 2400 | HE | white gloss | 2x1 | 595/595/36 | surface | >> 239113 |
| 20 | 4000 | 2600 | HE | white mat | 2x1 | 595/595/36 | surface | >> 238727 |
| 20 | 4000 | 2600 | HE | white gloss | 2x1 | 595/595/36 | surface | >> 238734 |
| 20 | 4000 | 1900 | black HE | white mat | 2x1 | 595/595/36 | surface | >> 227073 |
| 31 | 3000 | 2400 | black HE | black mat | 2x1 | 595/595/36 | surface | >> 239151 |
| 31 | 4000 | 2550 | black HE | black mat | 2x1 | 595/595/36 | surface | >> 238772 |
| 31 | 3000 | 3300 | HE | white mat | 2x1 | 595/595/36 | surface | >> 239137 |
| 31 | 3000 | 3300 | HE | white gloss | 2x1 | 595/595/36 | surface | >> 239144 |
| 31 | 4000 | 3500 | HE | white mat | 2x1 | 595/595/36 | surface | >> 238758 |
| 31 | 4000 | 3500 | HE | white gloss | 2x1 | 595/595/36 | surface | >> 238765 |
| 36 | 3000 | 2800 | black HE | black mat | 2x1 | 595/595/36 | surface | >> 239182 |
| 36 | 4000 | 3000 | black HE | black mat | 2x1 | 595/595/36 | surface | >> 238802 |
| 36 | 3000 | 3950 | HE | white mat | 2x1 | 595/595/36 | surface | >> 239168 |
| 36 | 3000 | 3950 | HE | white gloss | 2x1 | 595/595/36 | surface | >> 239175 |
| 36 | 4000 | 4200 | HE | white mat | 2x1 | 595/595/36 | surface | >> 238789 |
| 36 | 4000 | 4200 | HE | white gloss | 2x1 | 595/595/36 | surface | >> 238796 |
| 41 | 4000 | 4750 | HE | white mat | 2x1 | 595/300/36 | surface | >> 237096 |
| 41 | 4000 | 4750 | HE | white gloss | 2x1 | 595/300/36 | surface | >> 237102 |
| 41 | 4000 | 3450 | black HE | white gloss | 2x1 | 595/300/36 | surface | >> 227080 |
| 41 | 3000 | 3200 | black HE | black mat | 2x1 | 595/595/36 | surface | >> 239212 |
| 41 | 4000 | 3450 | black HE | black mat | 2x1 | 595/595/36 | surface | >> 238833 |
| 41 | 3000 | 4450 | HE | white mat | 2x1 | 595/595/36 | surface | >> 239199 |
| 41 | 3000 | 4450 | HE | white gloss | 2x1 | 595/595/36 | surface | >> 239205 |
| 41 | 4000 | 4750 | HE | white mat | 2x1 | 595/595/36 | surface | >> 238819 |
| 41 | 4000 | 4750 | HE | white gloss | 2x1 | 595/595/36 | surface | >> 238826 |
| 48 | 3000 | 3700 | black HE | black mat | 2x1 | 595/595/36 | surface | >> 239243 |
| 48 | 4000 | 3900 | black HE | black mat | 2x1 | 595/595/36 | surface | >> 238864 |
| 48 | 3000 | 5050 | HE | white mat | 2x1 | 595/595/36 | surface | >> 239229 |
| 48 | 3000 | 5050 | HE | white gloss | 2x1 | 595/595/36 | surface | >> 239236 |
| 48 | 4000 | 5400 | HE | white mat | 2x1 | 595/595/36 | surface | >> 238840 |
| 48 | 4000 | 5400 | HE | white gloss | 2x1 | 595/595/36 | surface | >> 238857 |

TERRA 2 LED

GENERAL CARD

| Nominal power [W] | Colour temperature [K] | Luminous flux [lm]* | Optics | Colour of the body | Version | Dimensions (H/W/T/S) [mm] | Mounting version | Index |
|-------------------|------------------------|---------------------|----------|--------------------|---------|---------------------------|------------------|---------------------------------|
| 62 | 3000 | 4800 | black HE | black mat | 4x1 | 595/595/36 | surface | >> 239762 |
| 62 | 4000 | 5100 | black HE | black mat | 4x1 | 595/595/36 | surface | >> 239526 |
| 62 | 3000 | 6600 | HE | white mat | 4x1 | 595/595/36 | surface | >> 239748 |
| 62 | 3000 | 6600 | HE | white gloss | 4x1 | 595/595/36 | surface | >> 239755 |
| 62 | 4000 | 7050 | HE | white mat | 4x1 | 595/595/36 | surface | >> 239502 |
| 62 | 4000 | 7050 | HE | white gloss | 4x1 | 595/595/36 | surface | >> 239519 |
| 72 | 3000 | 5500 | black HE | black mat | 4x1 | 595/595/36 | surface | >> 239793 |
| 72 | 4000 | 5900 | black HE | black mat | 4x1 | 595/595/36 | surface | >> 239557 |
| 72 | 3000 | 7600 | HE | white mat | 4x1 | 595/595/36 | surface | >> 239779 |
| 72 | 3000 | 7600 | HE | white gloss | 4x1 | 595/595/36 | surface | >> 239786 |
| 72 | 4000 | 8100 | HE | white mat | 4x1 | 595/595/36 | surface | >> 239533 |
| 72 | 4000 | 8100 | HE | white gloss | 4x1 | 595/595/36 | surface | >> 239540 |

TERRA 2 LED surface (magnet ver.)

| Nominal power [W] | Colour temperature [K] | Luminous flux [lm]* | Optics | Colour of the body | Version | Dimensions (H/W/T/S) [mm] | Mounting version | Index |
|-------------------|------------------------|---------------------|----------|--------------------|---------|---------------------------|-----------------------|---------------------------------|
| 20 | 3000 | 1900 | black HE | black mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 991011 |
| 20 | 4000 | 1900 | black HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990960 |
| 20 | 4000 | 1900 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990809 |
| 20 | 3000 | 2400 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990915 |
| 20 | 3000 | 2400 | black HE | white gloss | 2x1 | 595/595/36 | surface (magnet ver.) | >> 991028 |
| 20 | 4000 | 2600 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990861 |
| 20 | 4000 | 2600 | black HE | white gloss | 2x1 | 595/595/36 | surface (magnet ver.) | >> 991035 |
| 31 | 3000 | 2400 | black HE | black mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990977 |
| 31 | 4000 | 2550 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990755 |
| 31 | 3000 | 3300 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990922 |
| 31 | 3000 | 3300 | black HE | white gloss | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990991 |
| 31 | 4000 | 3500 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990854 |
| 31 | 4000 | 3500 | HE | white gloss | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990878 |
| 36 | 3000 | 2800 | black HE | black mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990984 |
| 36 | 4000 | 3000 | black HE | black mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 991042 |
| 36 | 3000 | 3950 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990823 |
| 36 | 3000 | 3950 | HE | white gloss | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990939 |
| 36 | 4000 | 4200 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990779 |
| 36 | 4000 | 4200 | HE | white gloss | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990885 |
| 41 | 3000 | 3200 | HE | white | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990816 |
| 41 | 4000 | 3450 | HE | white | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990762 |
| 41 | 3000 | 4450 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990830 |
| 41 | 3000 | 4450 | HE | white gloss | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990946 |
| 41 | 4000 | 4750 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990786 |

TERRA 2 LED

GENERAL CARD

| Nominal power [W] | Colour temperature [K] | Luminous flux [lm]* | Optics | Colour of the body | Version | Dimensions (H/W/T/S) [mm] | Mounting version | Index |
|-------------------|------------------------|---------------------|----------|--------------------|---------|---------------------------|-----------------------|---------------------------------|
| 41 | 4000 | 4750 | HE | white gloss | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990892 |
| 48 | 3000 | 3700 | black HE | black mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 991059 |
| 48 | 4000 | 3900 | black HE | black mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 991004 |
| 48 | 3000 | 5050 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990847 |
| 48 | 3000 | 5050 | HE | white gloss | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990953 |
| 48 | 4000 | 5400 | HE | white mat | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990793 |
| 48 | 4000 | 5400 | HE | white gloss | 2x1 | 595/595/36 | surface (magnet ver.) | >> 990908 |
| 62 | 3000 | 4800 | black HE | black mat | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991257 |
| 62 | 4000 | 5100 | black HE | black mat | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991226 |
| 62 | 3000 | 6600 | HE | white mat | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991097 |
| 62 | 3000 | 6600 | HE | white gloss | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991172 |
| 62 | 4000 | 7050 | HE | white mat | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991066 |
| 62 | 4000 | 7050 | HE | white gloss | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991141 |
| 72 | 3000 | 5500 | black HE | black mat | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991264 |
| 72 | 4000 | 5900 | black HE | black mat | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991233 |
| 72 | 3000 | 7600 | HE | white mat | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991103 |
| 72 | 3000 | 7600 | HE | white gloss | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991189 |
| 72 | 4000 | 8100 | HE | white mat | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991073 |
| 72 | 4000 | 8100 | HE | white gloss | 4x1 | 595/595/36 | surface (magnet ver.) | >> 991158 |

TERRA 2 LED recessed

| Nominal power [W] | Colour temperature [K] | Luminous flux [lm]* | Optics | Colour of the body | Version | Dimensions (H/W/T/S) [mm] | Mounting version | Index |
|-------------------|------------------------|---------------------|----------|--------------------|---------|---------------------------|------------------|---------------------------------|
| 20 | 3000 | 2400 | HE | white mat | 2x1 | 595/595/32 | recessed | >> 239250 |
| 20 | 3000 | 2400 | HE | white gloss | 2x1 | 595/595/32 | recessed | >> 239267 |
| 20 | 4000 | 2600 | HE | white mat | 2x1 | 595/595/32 | recessed | >> 238871 |
| 20 | 4000 | 2600 | HE | white gloss | 2x1 | 595/595/32 | recessed | >> 238888 |
| 31 | 4000 | 3500 | HE | white mat | 2x1 | 595/595/32 | recessed | >> 238895 |
| 31 | 4000 | 3500 | HE | white gloss | 2x1 | 595/595/32 | recessed | >> 238901 |
| 31 | 4000 | 2550 | black HE | white mat | 2x1 | 595/595/32 | recessed | >> 227097 |
| 36 | 4000 | 4200 | HE | white mat | 2x1 | 595/595/32 | recessed | >> 226304 |
| 36 | 4000 | 4200 | HE | white gloss | 2x1 | 595/595/32 | recessed | >> 226311 |
| 36 | 3000 | 3950 | HE | white mat | 2x1 | 595/595/32 | recessed | >> 239298 |
| 36 | 3000 | 3950 | HE | white gloss | 2x1 | 595/595/32 | recessed | >> 239304 |
| 36 | 4000 | 3000 | black HE | white mat | 2x1 | 595/595/32 | recessed | >> 227103 |
| 41 | 4000 | 3450 | black HE | white mat | 2x1 | 595/300/32 | recessed | >> 237218 |
| 41 | 3000 | 4450 | HE | white mat | 2x1 | 595/595/32 | recessed | >> 239311 |
| 41 | 3000 | 4450 | HE | white gloss | 2x1 | 595/595/32 | recessed | >> 239328 |
| 41 | 4000 | 4750 | HE | white mat | 2x1 | 595/595/32 | recessed | >> 238918 |
| 41 | 4000 | 4750 | HE | white gloss | 2x1 | 595/595/32 | recessed | >> 238925 |

TERRA 2 LED

GENERAL CARD

| Nominal power [W] | Colour temperature [K] | Luminous flux [lm]* | Optics | Colour of the body | Version | Dimensions (H/W/T/S) [mm] | Mounting version | Index |
|-------------------|------------------------|---------------------|--------|--------------------|---------|---------------------------|------------------|---------------------------------|
| 48 | 3000 | 5050 | HE | white mat | 2x1 | 595/595/32 | recessed | >> 239335 |
| 48 | 3000 | 5050 | HE | white gloss | 2x1 | 595/595/32 | recessed | >> 239342 |
| 48 | 4000 | 5400 | HE | white mat | 2x1 | 595/595/32 | recessed | >> 238932 |
| 48 | 4000 | 5400 | HE | white gloss | 2x1 | 595/595/32 | recessed | >> 238949 |
| 62 | 3000 | 6600 | HE | white mat | 4x1 | 595/595/32 | recessed | >> 239830 |
| 62 | 3000 | 6600 | HE | white gloss | 4x1 | 595/595/32 | recessed | >> 239847 |
| 62 | 4000 | 7050 | HE | white mat | 4x1 | 595/595/32 | recessed | >> 239595 |
| 62 | 4000 | 7050 | HE | white gloss | 4x1 | 595/595/32 | recessed | >> 239601 |
| 72 | 3000 | 7600 | HE | white mat | 4x1 | 595/595/32 | recessed | >> 239854 |
| 72 | 3000 | 7600 | HE | white gloss | 4x1 | 595/595/32 | recessed | >> 239861 |
| 72 | 4000 | 8100 | HE | white mat | 4x1 | 595/595/32 | recessed | >> 239618 |
| 72 | 4000 | 8100 | HE | white gloss | 4x1 | 595/595/32 | recessed | >> 239625 |

TERRA 2 LED suspended

| Nominal power [W] | Colour temperature [K] | Luminous flux [lm]* | Optics | Colour of the body | Version | Dimensions (H/W/T/S) [mm] | Mounting version | Index |
|-------------------|------------------------|---------------------|----------|--------------------|---------|---------------------------|------------------|---------------------------------|
| 20 | 3000 | 1900 | black HE | black mat | 2x1 | 595/595/38 | suspended | >> 239373 |
| 20 | 4000 | 1900 | black HE | black mat | 2x1 | 595/595/38 | suspended | >> 238970 |
| 20 | 3000 | 2400 | HE | white mat | 2x1 | 595/595/38 | suspended | >> 239359 |
| 20 | 3000 | 2400 | HE | white gloss | 2x1 | 595/595/38 | suspended | >> 239366 |
| 20 | 4000 | 2600 | HE | white mat | 2x1 | 595/595/38 | suspended | >> 238956 |
| 20 | 4000 | 2600 | HE | white gloss | 2x1 | 595/595/38 | suspended | >> 238963 |
| 31 | 3000 | 2400 | black HE | black mat | 2x1 | 595/595/38 | suspended | >> 239403 |
| 31 | 4000 | 2550 | black HE | black mat | 2x1 | 595/595/38 | suspended | >> 239007 |
| 31 | 3000 | 3300 | HE | white mat | 2x1 | 595/595/38 | suspended | >> 239380 |
| 31 | 3000 | 3300 | HE | white gloss | 2x1 | 595/595/38 | suspended | >> 239397 |
| 31 | 4000 | 3500 | HE | white mat | 2x1 | 595/595/38 | suspended | >> 238987 |
| 31 | 4000 | 3500 | HE | white gloss | 2x1 | 595/595/38 | suspended | >> 238994 |
| 36 | 3000 | 2800 | black HE | black mat | 2x1 | 595/595/38 | suspended | >> 239434 |
| 36 | 4000 | 3000 | black HE | black mat | 2x1 | 595/595/38 | suspended | >> 239038 |
| 36 | 3000 | 3950 | HE | white mat | 2x1 | 595/595/38 | suspended | >> 239410 |
| 36 | 3000 | 3950 | HE | white gloss | 2x1 | 595/595/38 | suspended | >> 239427 |
| 36 | 4000 | 4200 | HE | white mat | 2x1 | 595/595/38 | suspended | >> 239014 |
| 36 | 4000 | 4200 | HE | white gloss | 2x1 | 595/595/38 | suspended | >> 239021 |
| 41 | 3000 | 3200 | black HE | black mat | 2x1 | 595/595/38 | suspended | >> 239465 |
| 41 | 4000 | 3450 | black HE | black mat | 2x1 | 595/595/38 | suspended | >> 239069 |
| 41 | 3000 | 4450 | HE | white mat | 2x1 | 595/595/38 | suspended | >> 239441 |
| 41 | 3000 | 4450 | HE | white gloss | 2x1 | 595/595/38 | suspended | >> 239458 |
| 41 | 4000 | 4750 | HE | white mat | 2x1 | 595/595/38 | suspended | >> 239045 |
| 41 | 4000 | 4750 | HE | white gloss | 2x1 | 595/595/38 | suspended | >> 239052 |

TERRA 2 LED


GENERAL CARD

| Nominal power [W] | Colour temperature [K] | Luminous flux [lm]* | Optics | Colour of the body | Version | Dimensions (H/W/T/S) [mm] | Mounting version | Index |
|-------------------|------------------------|---------------------|----------|--------------------|---------|---------------------------|------------------|---------------------------------|
| 48 | 3000 | 3700 | black HE | black mat | 2x1 | 595/595/38 | suspended | >> 239496 |
| 48 | 4000 | 3900 | black HE | black mat | 2x1 | 595/595/38 | suspended | >> 239090 |
| 48 | 3000 | 5050 | HE | white mat | 2x1 | 595/595/38 | suspended | >> 239472 |
| 48 | 3000 | 5050 | HE | white gloss | 2x1 | 595/595/38 | suspended | >> 239489 |
| 48 | 4000 | 5400 | HE | white mat | 2x1 | 595/595/38 | suspended | >> 239076 |
| 48 | 4000 | 5400 | HE | white gloss | 2x1 | 595/595/38 | suspended | >> 239083 |
| 62 | 3000 | 4800 | black HE | black mat | 4x1 | 595/595/38 | suspended | >> 239915 |
| 62 | 4000 | 5100 | black HE | black mat | 4x1 | 595/595/38 | suspended | >> 239670 |
| 62 | 3000 | 6600 | HE | white mat | 4x1 | 595/595/38 | suspended | >> 239892 |
| 62 | 3000 | 6600 | HE | white gloss | 4x1 | 595/595/38 | suspended | >> 239908 |
| 62 | 4000 | 7050 | HE | white mat | 4x1 | 595/595/38 | suspended | >> 239656 |
| 62 | 4000 | 7050 | HE | white gloss | 4x1 | 595/595/38 | suspended | >> 239663 |
| 72 | 3000 | 5500 | black HE | black mat | 4x1 | 595/595/38 | suspended | >> 239946 |
| 72 | 4000 | 5900 | black HE | black mat | 4x1 | 595/595/38 | suspended | >> 239700 |
| 72 | 3000 | 7600 | HE | white mat | 4x1 | 595/595/38 | suspended | >> 239922 |
| 72 | 3000 | 7600 | HE | white gloss | 4x1 | 595/595/38 | suspended | >> 239939 |
| 72 | 4000 | 8100 | HE | white mat | 4x1 | 595/595/38 | suspended | >> 239687 |
| 72 | 4000 | 8100 | HE | white gloss | 4x1 | 595/595/38 | suspended | >> 239694 |

TERRA 2 LED

GENERAL CARD

LUMINOUS INTENSITY DISTRIB. CURVE




TERRA 2 LED

TERRA 2 LED


GENERAL CARD

ACCESSORIES AVAILABLE

| index | Name |
|------------------------|--|
| 999543 | Plasterboard recessing kit 630x630 white (steel version) |
| 998966 | Frame steel white structure RAL9016 600x600 SM "well effect" |
| 374845 | Frame adapter KG 635x635 WHITE |



Plasterboard recessing kit 630x630 white (steel version) (999543)



Frame steel white structure RAL9016 600x600 SM "well effect" (998966)

Card creation date: 03 January 2025

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%

 This product is a subject to electric and electronic waste equipment regulations (WEEE).

 Certificate CE - Nr: 248/2023; 249/2023; 94/2020