

# CORONA STREET LED EVO 2

GENERAL CARD



## TECHNICAL PARAMETERS

<b>Rated power of the luminaire [W]*:</b>	18.00 - 155.00
<b>Luminous flux [lm]*:</b>	2200 - 18550

## CHARACTERISTICS

Road LED fitting with integrated energy-saving LED module and high luminous flux - up to 136 lm/W. The body and handle has been made out of die cast aluminum, powder painted in gray (RAL9006). Accessory cover made out of plastic. The fitting uses directional lens matrices made of PMMA. Lampshade is made out of hardened glass. IP66 ingress protection class and IK08 impact-rating features make this fitting extremely tight and shock-resistant (vandal-resistant). Integrated, step-regulated grip allows to set the fitting. Beam angle adjustment: 0° to +15° (peak to pole); -15° to 0° (side to boom).

Standard: DALI and LineSwitch control; ability to program 5-step power reduction; CLO - maintaining luminous flux in time; surge protection SP10kV.

Option: I or II protection class.

## APPLICATION

This road fitting is designed to be used in open areas for lighting: highways, expressways, streets, local roads, crossroads and car-parks.

# CORONA STREET LED EVO 2

---

GENERAL CARD

## AVAILABLE VERSIONS

---




[Click index >>, to see details](#)


# CORONA STREET LED EVO 2

GENERAL CARD


## LUMINOUS INTENSITY DISTRIB. CURVE




CORONA STREET LED EVO 2 RM3



CORONA STREET LED EVO 2 RM6



CORONA STREET LED EVO 2 RM7



CORONA STREET LED EVO 2 RW5

# CORONA STREET LED EVO 2

GENERAL CARD

## ACCESSORIES AVAILABLE

index	Name
UL00141	mounting grip 76mm
	wall holder (galvanized)
	wall holder (grey)



mounting grip 76mm (UL00141)



wall holder (galvanized) (314049)



wall holder (grey) (314056)

Card creation date: 08 August 2022

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 163/2019